

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷: C12N 15/49, A61K 48/00	A2	(11) International Publication Number: WO 00/39302 (43) International Publication Date: 6 July 2000 (06.07.00)
(21) International Application Number: PCT/US99/31245 (22) International Filing Date: 30 December 1999 (30.12.99) (30) Priority Data: 60/114,495 31 December 1998 (31.12.98) US 60/168,471 1 December 1999 (01.12.99) US (71) Applicant: CHIRON CORPORATION [US/US]; 4560 Horton Street, Emeryville, CA 94608 (US).	(72) Inventors: BARNETT, Susan; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). ZUR MEGEDE, Jan; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). SRIVASTAVA, Indresh; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). LIAN, Ying; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). HARTOG, Karin; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). LIU, Hong; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). GREER, Catherine; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). SELBY, Mark; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). WALKER, Christopher; Chiron Corporation, 4560 Horton Street - R440, Emeryville, CA 94608 (US). (74) Agents: DOLLARD, Anne, S.; Chiron Corporation, Intellectual Property - R440, P.O. Box 8097, Emeryville, CA 94662-8097 (US) et al. (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>	
(54) Title: IMPROVED EXPRESSION OF HIV POLYPEPTIDES AND PRODUCTION OF VIRUS-LIKE PARTICLES		
(57) Abstract The present invention relates to the efficient expression of HIV polypeptides in a variety of cell types, including, but not limited to, mammalian, insect, and plant cells. Synthetic expression cassettes encoding the HIV Gag-containing polypeptides are described, as are uses of the expression cassettes in applications including DNA immunization, generation of packaging cell lines, and production of Env-, tat- or Gag-containing proteins. The invention provides methods of producing Virus-Like Particles (VLPs), as well as, uses of the VLPs including, but not limited to, vehicles for the presentation of antigens and stimulation of immune response in subjects to whom the VLPs are administered.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

IMPROVED EXPRESSION OF HIV POLYPEPTIDES AND
PRODUCTION OF VIRUS-LIKE PARTICLES

5 TECHNICAL FIELD

Synthetic expression cassettes encoding the HIV polypeptides (e.g., Gag-, pol-, prot-, reverse transcriptase, Env- or tat-containing polypeptides) are described, as are uses of the expression cassettes. The present invention relates to the efficient expression of HIV polypeptides in a variety of cell types. Further, the invention provides methods of producing Virus-Like Particles (VLPs), as well as, uses of the VLPs and high level expression of oligomeric envelope proteins.

15

BACKGROUND OF THE INVENTION

Acquired immune deficiency syndrome (AIDS) is recognized as one of the greatest health threats facing modern medicine. There is, as yet, no cure for this disease.

20

In 1983-1984, three groups independently identified the suspected etiological agent of AIDS. See, e.g., Barre-Sinoussi et al. (1983) Science 220:868-871; Montagnier et al., in Human T-Cell Leukemia Viruses (Gallo, Essex & Gross, eds., 1984); Vilmer et al. (1984) The Lancet 1:753; Popovic et al. (1984) Science 224:497-500; Levy et al. (1984) Science 225:840-842. These isolates were variously called lymphadenopathy-associated virus (LAV), human T-cell lymphotropic virus

- type III (HTLV-III), or AIDS-associated retrovirus (ARV). All of these isolates are strains of the same virus, and were later collectively named Human Immunodeficiency Virus (HIV). With the isolation of a related
- 5 AIDS-causing virus, the strains originally called HIV are now termed HIV-1 and the related virus is called HIV-2. See, e.g., Guyader et al. (1987) *Nature* 326:662-669; Brun-Vezinet et al. (1986) *Science* 233:343-346; Clavel et al. (1986) *Nature* 324:691-695.
- 10 A great deal of information has been gathered about the HIV virus, however, to date an effective vaccine has not been identified. Several targets for vaccine development have been examined including the env, Gag, pol and tat gene products encoded by HIV.
- 15 Haas, et al., (*Current Biology* 6(3):315-324, 1996) suggested that selective codon usage by HIV-1 appeared to account for a substantial fraction of the inefficiency of viral protein synthesis. Andre, et al., (*J. Virol.* 72(2):1497-1503, 1998) described an increased immune
- 20 response elicited by DNA vaccination employing a synthetic gp120 sequence with optimized codon usage. Schneider, et al., (*J Virol.* 71(7):4892-4903, 1997) discuss inactivation of inhibitory (or instability) elements (INS) located within the coding sequences of the
- 25 Gag and Gag-protease coding sequences.
- The Gag proteins of HIV-1 are necessary for the assembly of virus-like particles. HIV-1 Gag proteins are involved in many stages of the life cycle of the virus including, assembly, virion maturation after particle
- 30 release, and early post-entry steps in virus replication. The roles of HIV-1 Gag proteins are numerous and complex (Freed, E.O., *Virology* 251:1-15, 1998).

Wolf, et al., (PCT International Application, WO 96/30523, published 3 October 1996; European Patent Application, Publication No. 0 449 116 A1, published 2 October 1991) have described the use of altered pr55 Gag of HIV-1 to act as a non-infectious retroviral-like particulate carrier, in particular, for the presentation of immunologically important epitopes. Wang, et al., (Virology 200:524-534, 1994) describe a system to study assembly of HIV Gag- β -galactosidase fusion proteins into virions. They describe the construction of sequences encoding HIV Gag- β -galactosidase fusion proteins, the expression of such sequences in the presence of HIV Gag proteins, and assembly of these proteins into virus particles.

Recently, Shiver, et al., (PCT International Application, WO 98/34640, published 13 August 1998) described altering HIV-1 (CAM1) Gag coding sequences to produce synthetic DNA molecules encoding HIV Gag and modifications of HIV Gag. The codons of the synthetic molecules were codons preferred by a projected host cell.

The envelope protein of HIV-1 is a glycoprotein of about 160 kD (gp160). During virus infection of the host cell, gp160 is cleaved by host cell proteases to form gp120 and the integral membrane protein, gp41. The gp41 portion is anchored in (and spans) the membrane bilayer of virion, while the gp120 segment protrudes into the surrounding environment. As there is no covalent attachment between gp120 and gp41, free gp120 is released from the surface of virions and infected cells.

Haas, et al., (Current Biology 6(3):315-324, 1996) suggested that selective codon usage by HIV-1 appeared to account for a substantial fraction of the inefficiency of viral protein synthesis. Andre, et al., (J. Virol.

72(2):1497-1503, 1998) described an increased immune response elicited by DNA vaccination employing a synthetic gp120 sequence with optimized codon usage.

5 SUMMARY OF THE INVENTION

The present invention relates to improved expression of HIV Env-, tat-, pol-, prot-, reverse transcriptase, or Gag-containing polypeptides and production of virus-like particles.

10 In one embodiment the present invention includes an expression cassette, comprising a polynucleotide encoding an HIV Gag polypeptide comprising a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:20. In certain embodiments, the polynucleotide
15 sequence encoding said Gag polypeptide comprises a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:9 or SEQ ID NO:4. The expression cassettes may further include a polynucleotide sequence encoding an HIV protease polypeptide, for
20 example a nucleotide sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:5, SEQ ID NO:78, and SEQ ID NO:79. The expression cassettes may further include a polynucleotide sequence encoding an HIV reverse
25 transcriptase-polypeptide, for example a sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, and SEQ ID NO:84. The expression cassettes may further include a polynucleotide
30 sequence encoding an HIV tat polypeptide, for example a sequence selected from the group consisting of: SEQ ID NO:87, SEQ ID NO:88, and SEQ ID NO:89. The expression cassettes may further include a polynucleotide sequence encoding an HIV polymerase polypeptide, for example a

sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:6. The expression cassettes may include a polynucleotide sequence encoding an HIV polymerase polypeptide, wherein (i) the nucleotide
5 sequence encoding said polypeptide comprises a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:4, and (ii) wherein the sequence is modified by deletions of coding regions corresponding to reverse transcriptase and integrase. The expression
10 cassettes described above may preserve T-helper cell and CTL epitopes. The expression cassettes may further include a polynucleotide sequence encoding an HCV core polypeptide, for example a sequence having at least 90% sequence identity to the sequence presented as SEQ ID
15 NO:7.

In another aspect, the invention includes an expression cassette, comprising a polynucleotide sequence encoding a polypeptide including an HIV Env polypeptide, wherein the polynucleotide sequence encoding said Env
20 polypeptide comprises a sequence having at least 90% sequence identity to SEQ ID NO:71 (Figure 58) or SEQ ID NO:72 (Figure 59). In certain embodiments, the Env expression cassettes include sequences flanking a V1 region but have a deletion in the V1 region itself, for
25 ~~example the sequence presented as SEQ ID NO:65 (Figure 52, gp160.modUS4.delV1).~~ In certain embodiments, the Env expression cassettes, include sequences flanking a V2 region but have a deletion in the V2 region itself, for example the sequences shown in SEQ ID NO:60 (Figure 47);
30 SEQ ID NO:66 (Figure 53); SEQ ID NO:34 (Figure 20); SEQ ID NO:37 (Figure 24); SEQ ID NO:40 (Figure 27); SEQ ID NO:43 (Figure 30); SEQ ID NO:46 (Figure 33); SEQ ID NO:76 (Figure 64) and SEQ ID NO:49 (Figure 36). In certain

embodiments, the Env expression cassettes include sequences flanking a V1/V2 region but have a deletion in the V1/V2 region itself, for example, SEQ ID NO:59 (Figure 46); SEQ ID NO:61 (Figure 48); SEQ ID NO:67 (Figure 54); SEQ ID NO:75 (Figure 63); SEQ ID NO:35 (Figure 21); SEQ ID NO:38 (Figure 25); SEQ ID NO:41 (Figure 28); SEQ ID NO:44 (Figure 31); SEQ ID NO:47 (Figure 34) and SEQ ID NO:50 (Figure 37). The Env-encoding expression cassettes may also include a mutated cleavage site that prevents the cleavage of a gp140 polypeptide into a gp120 polypeptide and a gp41 polypeptide, for example, SEQ ID NO:57 (Figure 44); SEQ ID NO:61 (Figure 48); SEQ ID NO:63 (Figure 50); SEQ ID NO:39 (Figure 26); SEQ ID NO:40 (Figure 27); SEQ ID NO:41 (Figure 28); SEQ ID NO:42 (Figure 29); SEQ ID NO:43 (Figure 30); SEQ ID NO:44 (Figure 31); SEQ ID NO:45 (Figure 32); SEQ ID NO:46 (Figure 33); and SEQ ID NO:47 (Figure 34). The Env expression cassettes may include a gp160 Env polypeptide or a polypeptide derived from a gp160 Env polypeptide, for example SEQ ID NO:64 (Figure 51); SEQ ID NO:65 (Figure 52); SEQ ID NO:66 (Figure 53); SEQ ID NO:67 (Figure 54); SEQ ID NO:68 (Figure 55); SEQ ID NO:75 (Figure 63); SEQ ID NO:73 (Figure 61); SEQ ID NO:48 (Figure 35); SEQ ID NO:49 (Figure 36); ~~SEQ ID NO:50~~ (Figure 37); SEQ ID NO:76 (Figure 64); and SEQ ID NO:74 (Figure 62). The Env expression cassettes may include a gp140 Env polypeptide or a polypeptide derived from a gp140 Env polypeptide, for example SEQ ID NO:56 (Figure 43); SEQ ID NO:57 (Figure 44); SEQ ID NO:58 (Figure 45); SEQ ID NO:59 (Figure 46); SEQ ID NO:60 (Figure 47); SEQ ID NO:61 (Figure 48); SEQ ID NO:62 (Figure 49); SEQ ID NO:63 (Figure 50); SEQ ID NO:36 (Figure 23); SEQ ID NO:37 (Figure 24); SEQ ID NO:38 (Figure 25); SEQ ID NO:39

(Figure 26); SEQ ID NO:40 (Figure 27); SEQ ID NO:41 (Figure 28); SEQ ID NO:42 (Figure 29); SEQ ID NO:43 (Figure 30); SEQ ID NO:44 (Figure 31); SEQ ID NO:45 (Figure 32); SEQ ID NO:46 (Figure 33); and SEQ ID NO:47 (Figure 34). The Env expression cassettes may also include a gp120 Env polypeptide or a polypeptide derived from a gp120 Env polypeptide, for example SEQ ID NO:54 (Figure 41); and SEQ ID NO:55 (Figure 42); SEQ ID NO:33 (Figure 19); SEQ ID NO:34 (Figure 20); and SEQ ID NO:35 (Figure 21). The Env expression cassettes may include an Env polypeptide lacking the amino acids corresponding to residues 128 to about 194, relative to strains SF162 or US4, for example, SEQ ID NO:55 (Figure 42); SEQ ID NO:62 (Figure 49); SEQ ID NO:63 (Figure 50); and SEQ ID NO:68 (Figure 55).

In another aspect, the invention includes a recombinant expression system for use in a selected host cell, comprising, one or more of the expression cassettes described herein operably linked to control elements compatible with expression in the selected host cell. The expression cassettes may be included on one or on multiple vectors and may use the same or different promoters. Exemplary control elements include a transcription promoter (e.g., CMV, CMV+intron A, SV40, RSV, HIV-Ltr, MMLV-ltr, and metallothionein), a transcription enhancer element, a transcription termination signal, polyadenylation sequences, sequences for optimization of initiation of translation, and translation termination sequences.

In another aspect, the invention includes a recombinant expression system for use in a selected host cell, comprising, any one of the expression cassettes described herein operably linked to control elements

compatible with expression in the selected host cell. Exemplary control elements include, but are not limited to, a transcription promoter (e.g., CMV, CMV+intron A, SV40, RSV, HIV-LTR, MMLV-LTR, and metallothionein), a
5 transcription enhancer element, a transcription termination signal, polyadenylation sequences, sequences for optimization of initiation of translation, and translation termination sequences.

In yet another aspect, the invention includes a cell
10 comprising one or more of the expression cassettes described herein operably linked to control elements compatible with expression in the cell. The cell can be, for example, a mammalian cell (e.g., BHK, VERO, HT1080, 293, RD, COS-7, or CHO cells), an insect cell (e.g.,
15 *Trichoplusia ni* (Tn5) or Sf9), a bacterial cell, a plant cell, a yeast cell, an antigen presenting cell (e.g., primary, immortalized or tumor-derived lymphoid cells such as macrophages, monocytes, dendritic cells, B-cells, T-cells, stem cells, and progenitor cells thereof).

20 In another aspect, the invention includes methods for producing a polypeptide including HIV Gag-, prot-, pol-, reverse transcriptase, Env- or Tat-containing polypeptide sequences, said method comprising, incubating the cells comprising one or more the expression cassettes
25 describe herein, under conditions for producing said polypeptide.

In yet another aspect, the invention includes compositions for generating an immunological response, comprising one or more of the expression cassettes
30 described herein. In certain embodiments, the compositions also include an adjuvant.

In a still further aspect, the invention includes methods of generating an immune response in a subject, comprising introducing a composition comprising one or

more of the expression cassettes described herein into the subject under conditions that are compatible with expression of said expression cassette in the subject. In certain embodiments, the expression cassette is introduced using a gene delivery vector. More than one expression cassette may be introduced using one or more gene delivery vectors.

In yet another aspect, the invention includes a purified polynucleotide comprising a polynucleotide sequence encoding a polypeptide including an HIV Env polypeptide, wherein the polynucleotide sequence encoding said Env polypeptide comprises a sequence having at least 90% sequence identity to SEQ ID NO:71 (Figure 58) or SEQ ID NO:72 (Figure 59). Further exemplary purified polynucleotide sequences were presented above.

The polynucleotides of the present invention can be produced by recombinant techniques, synthetic techniques, or combinations thereof.

In another embodiment, the invention includes a method for producing a polypeptide including HIV Gag polypeptide sequences, where the method comprises incubating any of the above cells containing an expression cassette of interest under conditions for producing the polypeptide.

The invention further includes, a method for producing virus-like particles (VLPs) where the method comprises incubating any of the above-described cells containing an expression cassette of interest under conditions for producing VLPs.

In another aspect the invention includes a method for producing a composition of virus-like particles (VLPs) where, any of the above-described cells containing an expression cassette of interest are incubated under

conditions for producing VLPs, and the VLPs are substantially purified to produce a composition of VLPs.

In a further embodiment of the present invention, packaging cell lines are produced using the expression cassettes of the present invention. For example, a cell line useful for packaging lentivirus vectors comprises suitable host cells that have an expression vector containing an expression cassette of the present invention wherein said polynucleotide sequence is operably linked to control elements compatible with expression in the host cell. In a preferred embodiment, such host cells may be transfected with one or more expression cassettes having a polynucleotide sequence that encodes an HIV polymerase polypeptide or polypeptides derived therefrom, for example, where the nucleotide sequence encoding said polypeptide comprises a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:6. Further, the HIV polymerase polypeptide may be modified by deletions of coding regions corresponding to reverse transcriptase and integrase. Such a polynucleotide sequence may preserve T-helper cell and CTL epitopes, for example when used in a vaccine application. In addition, the polynucleotide sequence may also include other polypeptides. Further, polynucleotide sequences encoding additional polypeptides whose expression are useful for packaging cell line function may also be utilized.

In another aspect, the present invention includes a gene delivery or vaccine vector for use in a subject, where the vector is a suitable gene delivery vector for use in the subject, and the vector comprises one or more of any of the expression cassettes of the present

invention where the polynucleotide sequences of interest are operably linked to control elements compatible with expression in the subject. Such gene delivery vectors can be used in a method of DNA immunization of a subject, 5 for example, by introducing a gene delivery vector into the subject under conditions that are compatible with expression of the expression cassette in the subject. Gene delivery vectors useful in the practice of the present invention include, but are not limited to, 10 nonviral vectors, bacterial plasmid vectors, viral vectors, particulate carriers (where the vector is coated on a polylactide co-glycolide particles, gold or tungsten particle, for example, the coated particle can be delivered to a subject cell using a gene gun), liposome 15 preparations, and viral vectors (e.g., vectors derived from alphaviruses, pox viruses, and vaccinia viruses, as well as, retroviral vectors, including, but not limited to, lentiviral vectors). Alphavirus-derived vectors include, for example, an alphavirus cDNA construct, a 20 recombinant alphavirus particle preparation and a eukaryotic layered vector initiation system. In one embodiment, the subject is a vertebrate, preferably a mammal, and in a further embodiment the subject is a human.

25 The invention further includes a method of generating an immune response in a subject, where cells of a subject are transfected with any of the above-described gene delivery vectors (e.g., alphavirus constructs; alphavirus cDNA constructs; eukaryotic 30 layered vector initiation systems (see, e.g., U.S. Patent Number 5,814,482 for description of suitable eukaryotic layered vector initiation systems); alphavirus particle

preparations; etc.) under conditions that permit the expression of a selected polynucleotide and production of a polypeptide of interest (i.e., encoded by any expression cassette of the present invention), thereby
5 eliciting an immunological response to the polypeptide. Transfection of the cells may be performed ex vivo and the transfected cells are reintroduced into the subject. Alternately, or in addition, the cells may be transfected in vivo in the subject. The immune response may be
10 humoral and/or cell-mediated (cellular).

Further embodiments of the present invention include purified polynucleotides. In one embodiment, the purified polynucleotide comprises a polynucleotide sequence having at least 90% sequence identity to the
15 sequence presented as SEQ ID NO:20, and complements thereof. In another embodiment, the purified polynucleotide comprises a polynucleotide sequence encoding an HIV Gag polypeptide, wherein the polynucleotide sequence comprises a sequence having at
20 least 90% sequence identity to the sequence presented as SEQ ID NO:20, and complements thereof. In still another embodiment, the purified polynucleotide comprises a polynucleotide sequence encoding an HIV Gag polypeptide, wherein the polynucleotide sequence comprises a sequence
25 having at least 90% sequence identity to the sequence presented as SEQ ID NO:9, and complements thereof. In further embodiments the polynucleotide sequence comprises a sequence having at least 90% sequence identity to one of the following sequences: SEQ ID NO:4, SEQ ID NO:5, SEQ
30 ID NO:6, SEQ ID NO:7, and complements thereof.

The polynucleotides of the present invention can be produced by recombinant techniques, synthetic techniques, or combinations thereof.

These and other embodiments of the present invention will readily occur to those of ordinary skill in the art in view of the disclosure herein.

5 BRIEF DESCRIPTION OF THE FIGURES

Figure 1 shows the locations of the inactivation sites for the native HIV-1SF2 Gag protein coding sequence.

10 Figure 2 shows the locations of the inactivation sites for the native HIV-1SF2 Gag-protease protein coding sequence.

Figures 3A and 3B show electron micrographs of virus-like particles. Figure 3A shows immature p55Gag virus-like particles in COS-7 cells transfected with a synthetic HIV-1_{SF2} gag construct while Figure 3B shows 15 mature (arrows) and immature VLP in cells transfected with a modified HIV-1_{SF2} gagprotease construct (GP2, SEQ ID NO:70). Transfected cells were fixed at 24 h (gag) or 48 h (gagprotease) post-transfection and subsequently 20 analyzed by electron microscopy (magnification at 100,000X). Cells transfected with vector alone (pCMVkm2) served as negative control (data not shown).

Figure 4 presents an image of samples from a series of fractions which were electrophoresed on an 8-16% SDS 25 polyacrylamide gel and the resulting bands visualized by commassie blue staining. The results show that the native p55 Gag virus-like particles (VLPs) banded at a sucrose density of range of 1.15 - 1.19 g/ml with the peak at approximately 1.17 g/ml.

30 Figure 5 presents an image similar to Figure 4 where the analysis was performed using Gag VLPs produced by a synthetic Gag expression cassette.

Figure 6 presents a comparison of the total amount of purified HIV p55 Gag from several preparations obtained from two baculovirus expression cassettes encoding native and modified Gag.

5 Figure 7 presents an alignment of modified coding sequences of the present invention including a synthetic Gag expression cassette (SEQ ID NO:4), a synthetic Gag-protease expression cassette (SEQ ID NO:5), and a synthetic Gag-polymerase expression cassette (SEQ ID
10 NO:6). A common region (Gag-common; SEQ ID NO:9) extends from position 1 to position 1262.

Figure 8 presents an image of wild-type Gag-HCV core expression samples from a series of fractions which were electrophoresed on an 8-16% SDS polyacrylamide gel and
15 the resulting bands visualized by commassie staining.

Figure 9 shows the results of Western blot analysis of the gel shown presented in Figure 8.

Figure 10 presents results similar to those shown in Figure 9. The results in Figure 10 indicate that the
20 main HCV Core-specific reactivity migrates at an approximate molecular weight of 72,000 kD, which is in accordance with the predicted molecular weight of the Gag-HCV core chimeric protein.

Figures 11A to 11D present a comparison of AT
25 content, in percent, of cDNAs corresponding to an unstable human mRNA (human IFN γ mRNA; 11A), wild-type HIV Gag native RNA (11B), a stable human mRNA (human GAPDH mRNA; 11C), and synthetic HIV Gag RNA (11D).

Figure 12 shows the location of the inactivation
30 sites for the native HIV-1SF2 Gag-polymerase sequence.

Figure 13A presents a vector map of pESN2dhfr.

Figure 13B presents a map of the pCMVIII vector.

Figure 14 presents a vector map of pCMV-LINK.

Figure 15 presents a schematic diagram showing the relationships between the following forms of the HIV Env polypeptide: gp160, gp140, gp120, and gp41.

Figure 16 depicts the nucleotide sequence of wild-type gp120 from SF162 (SEQ ID NO:30).

Figure 17 depicts the nucleotide sequence of the wild-type gp140 from SF162 (SEQ ID NO:31).

Figure 18 depicts the nucleotide sequence of the wild-type gp160 from SF162 (SEQ ID NO:32).

Figure 19 depicts the nucleotide sequence of the construct designated gp120.modSF162 (SEQ ID NO:33).

Figure 20 depicts the nucleotide sequence of the construct designated gp120.modSF162.delV2 (SEQ ID NO:34).

Figure 21 depicts the nucleotide sequence of the construct designated gp120.modSF162.delV1/V2 (SEQ ID NO:35).

Figures 22A-H show the percent A-T content over the length of the sequences for IFN γ (Figures 2C and 2G); native gp160 Env US4 and SF162 (Figures 2A and 2E, respectively); GAPDH (Figures 2D and 2H); and the synthetic gp160 Env for US4 and SF162 (Figures 2B and 2F, respectively).

Figure 23 depicts the nucleotide sequence of the construct designated gp140.modSF162 (SEQ ID NO:36).

Figure 24 depicts the nucleotide sequence of the construct designated gp140.modSF162.delV2 (SEQ ID NO:37).

Figure 25 depicts the nucleotide sequence of the construct designated gp140.modSF162.delV1/V2 (SEQ ID NO:38).

Figure 26 depicts the nucleotide sequence of the construct designated gp140.mut.modSF162 (SEQ ID NO:39).

Figure 27 depicts the nucleotide sequence of the construct designated gp140.mut.modSF162.delV2 (SEQ ID NO:40).

Figure 28 depicts the nucleotide sequence of the construct designated gp140.mut.modSF162.delV1/V2 (SEQ ID NO:41).

5 Figure 29 depicts the nucleotide sequence of the construct designated gp140.mut7.modSF162 (SEQ ID NO:42).

Figure 30 depicts the nucleotide sequence of the construct designated gp140.mut7.modSF162.delV2 (SEQ ID NO:43).

10 Figure 31 depicts the nucleotide sequence of the construct designated gp140.mut7.modSF162.delV1/V2 (SEQ ID NO:44).

Figure 32 depicts the nucleotide sequence of the construct designated gp140.mut8.modSF162 (SEQ ID NO:45).

15 Figure 33 depicts the nucleotide sequence of the construct designated gp140.mut8.modSF162.delV2 (SEQ ID NO:46).

Figure 34 depicts the nucleotide sequence of the construct designated gp140.mut8.modSF162.delV1/V2 (SEQ ID NO:47).

20 Figure 35 depicts the nucleotide sequence of the construct designated gp160.modSF162 (SEQ ID NO:48).

Figure 36 depicts the nucleotide sequence of the construct designated gp160.modSF162.delV2 (SEQ ID NO:49).

25 Figure 37 depicts the nucleotide sequence of the construct designated gp160.modSF162.delV1/V2 (SEQ ID NO:50).

Figure 38 depicts the nucleotide sequence of the wild-type gp120 from US4 (SEQ ID NO:51).

30 Figure 39 depicts the nucleotide sequence of the wild-type gp140 from US4 (SEQ ID NO:52).

Figure 40 depicts the nucleotide sequence of the wild-type gp160 from US4 (SEQ ID NO:53).

Figure 41 depicts the nucleotide sequence of the construct designated gp120.modUS4 (SEQ ID NO:54).

Figure 42 depicts the nucleotide sequence of the construct designated gp120.modUS4.del 128-194 (SEQ ID NO:55).

5 Figure 43 depicts the nucleotide sequence of the construct designated gp140.modUS4 (SEQ ID NO:56).

Figure 44 depicts the nucleotide sequence of the construct designated gp140.mut.modUS4 (SEQ ID NO:57).

Figure 45 depicts the nucleotide sequence of the construct designated gp140.TM.modUS4 (SEQ ID NO:58).

10 Figure 46 depicts the nucleotide sequence of the construct designated gp140.modUS4.delV1/V2 (SEQ ID NO:59).

Figure 47 depicts the nucleotide sequence of the construct designated gp140.modUS4.delV2 (SEQ ID NO:60).

15 Figure 48 depicts the nucleotide sequence of the construct designated gp140.mut.modUS4.delV1/V2 (SEQ ID NO:61).

Figure 49 depicts the nucleotide sequence of the construct designated gp140.modUS4.del 128-194 (SEQ ID NO:62).

20 Figure 50 depicts the nucleotide sequence of the construct designated gp140.mut.modUS4.del 128-194 (SEQ ID NO:63).

Figure 51 depicts the nucleotide sequence of the construct designated gp160.modUS4 (SEQ ID NO:64).

Figure 52 depicts the nucleotide sequence of the construct designated gp160.modUS4.delV1 (SEQ ID NO:65).

Figure 53 depicts the nucleotide sequence of the construct designated gp160.modUS4.delV2 (SEQ ID NO:66).

30 Figure 54 depicts the nucleotide sequence of the construct designated gp160.modUS4.delV1/V2 (SEQ ID NO:67).

Figure 55 depicts the nucleotide sequence of the construct designated gp160.modUS4.del 128-194 (SEQ ID NO:68).

5 Figure 56 depicts the nucleotide sequence of the common region of Env from wild-type US4 (SEQ ID NO:69).

Figure 57 depicts the nucleotide sequence of the common region of Env from wild-type SF162 (SEQ ID NO:70).

10 Figure 58 depicts the nucleotide sequence of synthetic sequences corresponding to the common region of Env from US4 (SEQ ID NO:71).

Figure 59 depicts the nucleotide sequence of synthetic sequences corresponding to the common region of Env from SF162 (SEQ ID NO:72).

15 Figure 60 presents a schematic representation of an Env polypeptide purification strategy.

Figure 61 depicts the nucleotide sequence of the bicistronic construct designated gp160.modUS4.Gag.modSF2 (SEQ ID NO:73).

20 Figure 62 depicts the nucleotide sequence of the bicistronic construct designated gp160.modSF162.Gag.modSF2 (SEQ ID NO:74).

Figure 63 depicts the nucleotide sequence of the bicistronic construct designated gp160.modUS4.-delV1/V2.Gag.modSF2 (SEQ ID NO:75).

25 ~~Figure 64 depicts the nucleotide sequence of the bicistronic construct designated gp160.modSF162.delV2.Gag.modSF2 (SEQ ID NO:76).~~

30 Figures 65A-65F show micrographs of 293T cells transfected with the following polypeptide encoding sequences: Figure 65A, gag.modSF2; Figure 65B, gp160.modUS4; Figure 65C, gp160.modUS4.delV1/V2.gag.modSF2 (bicistronic Env and Gag); Figures 65D and 65E, gp160.modUS4.delV1/V2 and

gag.modSF2; and Figure 65F, gp120.modSF162.delV2 and gag.modSF2.

Figures 66A and 66B present alignments of selected modified coding sequences of the present invention including a common region defined for each group of synthetic Env expression cassettes. Figure 66A presents alignments of modified SF162 sequences. Figure 66B presents alignments of modified US4 sequences. The SEQ ID NOs for these sequences are presented in Tables 1A and 1B.

Figure 67 shows the ELISA titers (binding antibodies) obtained in two rhesus macaques (H445, lines with solid black dots; and J408, lines with open squares). The y-axis is the end-point gp140 ELISA titers and the x-axis shows weeks post-immunization. The dashed lines at 0, 4, and 8 weeks represent DNA immunizations. The alternating dash/dotted line at 27 weeks indicates a DNA plus protein boost immunization.

Figure 68 (SEQ ID NO:77) depicts the wild-type nucleotide sequence of Gag reverse transcriptase from SF2.

Figure 69 (SEQ ID NO:78) depicts the nucleotide sequence of the construct designated GP1.

Figure 70 (SEQ ID NO:79) depicts the nucleotide sequence of the construct designated GP2.

Figure 71 (SEQ ID NO:80) depicts the nucleotide sequence of the construct designated FS(+).protinact.RTopt.YM. FS(+) indicates that there is a frameshift in the GagPol coding sequence.

Figure 72 (SEQ ID NO:81) depicts the nucleotide sequence of the construct designated FS(+).protinact.RTopt.YMWM.

Figure 73 (SEQ ID NO:82) depicts the nucleotide sequence of the construct designated FS(-).

).protmod.RTopt.YM. FS(-) indicates that there is no frameshift in the GagPol coding sequence.

Figure 74 (SEQ ID NO:83) depicts the nucleotide sequence of the construct designated

5 FS(-).protmod.RTopt.YMWM.

Figure 75 (SEQ ID NO:84) depicts the nucleotide sequence of the construct designated FS(-).protmod.RTopt(+).

Figure 76 (SEQ ID NO:85) depicts the nucleotide sequence of wild type Tat from isolate SF162.

Figure 77 (SEQ ID NO:86) depicts the amino acid sequence of the tat polypeptide.

Figure 78 (SEQ ID NO:87) depicts the nucleotide sequence of a synthetic Tat construct designated

15 Tat.SF162.opt.

Figure 79 (SEQ ID NO:88) depicts the nucleotide sequence of a synthetic Tat construct designated tat.cys22.sf162.opt. The construct encodes a tat polypeptide in which the cystein residue at position 22 of the wild type Tat polypeptide is replaced by a glycine residue.

Figures 80A to 80E are an alignment of the nucleotide sequences of the constructs designated Gag.mod.SF2, GP1 (SEQ ID NO:78), and GP2 (SEQ ID NO:79).

25 Figure 81 (SEQ ID NO:89) depicts the nucleotide sequence of the construct designated tataminoSF162.opt, which encodes the amino terminus of that tat protein. The codon encoding the cystein-22 residue is underlined.

Figure 82 (SEQ ID NO:90) depicts the amino acid sequence of the polypeptide encoded by the construct designated tat.cys22.SF162.opt (SEQ ID NO:88).

30

DETAILED DESCRIPTION OF THE INVENTION

The practice of the present invention will employ, unless otherwise indicated, conventional methods of chemistry, biochemistry, molecular biology, immunology and pharmacology, within the skill of the art. Such techniques are explained fully in the literature. See, e.g., *Remington's Pharmaceutical Sciences*, 18th Edition (Easton, Pennsylvania: Mack Publishing Company, 1990); *Methods In Enzymology* (S. Colowick and N. Kaplan, eds., Academic Press, Inc.); and *Handbook of Experimental Immunology*, Vols. I-IV (D.M. Weir and C.C. Blackwell, eds., 1986, Blackwell Scientific Publications); Sambrook, et al., *Molecular Cloning: A Laboratory Manual* (2nd Edition, 1989); *Short Protocols in Molecular Biology*, 4th ed. (Ausubel et al. eds., 1999, John Wiley & Sons); *Molecular Biology Techniques: An Intensive Laboratory Course*, (Ream et al., eds., 1998, Academic Press); *PCR (Introduction to Biotechniques Series)*, 2nd ed. (Newton & Graham eds., 1997, Springer Verlag).

As used in this specification and the appended claims, the singular forms "a," "an" and "the" include plural references unless the content clearly dictates otherwise. Thus, for example, reference to "an antigen" includes a mixture of two or more such agents.

1. DEFINITIONS

In describing the present invention, the following terms will be employed, and are intended to be defined as indicated below.

"Synthetic" sequences, as used herein, refers to Env-, tat- or Gag-encoding polynucleotides whose expression has been optimized as described herein, for example, by codon substitution, deletions, replacements and/or inactivation of inhibitory sequences. "Wild-type"

or "native" sequences, as used herein, refers to polypeptide encoding sequences that are essentially as they are found in nature, e.g., Gag encoding sequences as found in the isolate HIV-1SF2 or Env encoding sequences as found in the isolates HIV-1SF162 or HIV1US4.

As used herein, the term "virus-like particle" or "VLP" refers to a nonreplicating, viral shell, derived from any of several viruses discussed further below. VLPs are generally composed of one or more viral proteins, such as, but not limited to those proteins referred to as capsid, coat, shell, surface and/or envelope proteins, or particle-forming polypeptides derived from these proteins. VLPs can form spontaneously upon recombinant expression of the protein in an appropriate expression system. Methods for producing particular VLPs are known in the art and discussed more fully below. The presence of VLPs following recombinant expression of viral proteins can be detected using conventional techniques known in the art, such as by electron microscopy, biophysical characterization, and the like. See, e.g., Baker et al., *Biophys. J.* (1991) 60:1445-1456; Hagensee et al., *J. Virol.* (1994) 68:4503-4505. For example, VLPs can be isolated by density gradient centrifugation and/or identified by characteristic density banding (e.g., Example 7).

Alternatively, cryoelectron microscopy can be performed on vitrified aqueous samples of the VLP preparation in question, and images recorded under appropriate exposure conditions.

By "particle-forming polypeptide" derived from a particular viral protein is meant a full-length or near full-length viral protein, as well as a fragment thereof, or a viral protein with internal deletions, which has the ability to form VLPs under conditions that favor VLP

formation. Accordingly, the polypeptide may comprise the full-length sequence, fragments, truncated and partial sequences, as well as analogs and precursor forms of the reference molecule. The term therefore intends

5 deletions, additions and substitutions to the sequence, so long as the polypeptide retains the ability to form a VLP. Thus, the term includes natural variations of the specified polypeptide since variations in coat proteins often occur between viral isolates. The term also
10 includes deletions, additions and substitutions that do not naturally occur in the reference protein, so long as the protein retains the ability to form a VLP. Preferred substitutions are those which are conservative in nature, i.e., those substitutions that take place within a family
15 of amino acids that are related in their side chains. Specifically, amino acids are generally divided into four families: (1) acidic -- aspartate and glutamate; (2) basic -- lysine, arginine, histidine; (3) non-polar -- alanine, valine, leucine, isoleucine, proline,
20 phenylalanine, methionine, tryptophan; and (4) uncharged polar -- glycine, asparagine, glutamine, cystine, serine, threonine, tyrosine. Phenylalanine, tryptophan, and tyrosine are sometimes classified as aromatic amino acids.

25 An "antigen" refers to a molecule containing one or more epitopes (either linear, conformational or both) that will stimulate a host's immune system to make a humoral and/or cellular antigen-specific response. The term is used interchangeably with the term "immunogen."
30 Normally, a B-cell epitope will include at least about 5 amino acids but can be as small as 3-4 amino acids. A T-cell epitope, such as a CTL epitope, will include at least about 7-9 amino acids, and a helper T-cell epitope at least about 12-20 amino acids. Normally, an epitope

will include between about 7 and 15 amino acids, such as, 9, 10, 12 or 15 amino acids. The term "antigen" denotes both subunit antigens, (i.e., antigens which are separate and discrete from a whole organism with which the antigen is associated in nature), as well as, killed, attenuated or inactivated bacteria, viruses, fungi, parasites or other microbes. Antibodies such as anti-idiotypic antibodies, or fragments thereof, and synthetic peptide mimotopes, which can mimic an antigen or antigenic determinant, are also captured under the definition of antigen as used herein. Similarly, an oligonucleotide or polynucleotide which expresses an antigen or antigenic determinant in vivo, such as in gene therapy and DNA immunization applications, is also included in the definition of antigen herein.

For purposes of the present invention, antigens can be derived from any of several known viruses, bacteria, parasites and fungi, as described more fully below. The term also intends any of the various tumor antigens. Furthermore, for purposes of the present invention, an "antigen" refers to a protein which includes modifications, such as deletions, additions and substitutions (generally conservative in nature), to the native sequence, so long as the protein maintains the ability to elicit an immunological response, as defined herein. These modifications may be deliberate, as through site-directed mutagenesis, or may be accidental, such as through mutations of hosts which produce the antigens.

An "immunological response" to an antigen or composition is the development in a subject of a humoral and/or a cellular immune response to an antigen present in the composition of interest. For purposes of the present invention, a "humoral immune response" refers to

an immune response mediated by antibody molecules, while a "cellular immune response" is one mediated by T-lymphocytes and/or other white blood cells. One important aspect of cellular immunity involves an antigen-specific response by cytolytic T-cells ("CTL"s). CTLs have specificity for peptide antigens that are presented in association with proteins encoded by the major histocompatibility complex (MHC) and expressed on the surfaces of cells. CTLs help induce and promote the destruction of intracellular microbes, or the lysis of cells infected with such microbes. Another aspect of cellular immunity involves an antigen-specific response by helper T-cells. Helper T-cells act to help stimulate the function, and focus the activity of, nonspecific effector cells against cells displaying peptide antigens in association with MHC molecules on their surface. A "cellular immune response" also refers to the production of cytokines, chemokines and other such molecules produced by activated T-cells and/or other white blood cells, including those derived from CD4+ and CD8+ T-cells.

A composition or vaccine that elicits a cellular immune response may serve to sensitize a vertebrate subject by the presentation of antigen in association with MHC molecules at the cell surface. The cell-mediated immune response is directed at, or near, cells presenting antigen at their surface. In addition, antigen-specific T-lymphocytes can be generated to allow for the future protection of an immunized host.

The ability of a particular antigen to stimulate a cell-mediated immunological response may be determined by a number of assays, such as by lymphoproliferation (lymphocyte activation) assays, CTL cytotoxic cell assays, or by assaying for T-lymphocytes specific for the

antigen in a sensitized subject. Such assays are well known in the art. See, e.g., Erickson et al., *J. Immunol.* (1993) 151:4189-4199; Doe et al., *Eur. J. Immunol.* (1994) 24:2369-2376. Recent methods of measuring cell-mediated immune response include measurement of intracellular cytokines or cytokine secretion by T-cell populations, or by measurement of epitope specific T-cells (e.g., by the tetramer technique) (reviewed by McMichael, A.J., and O'Callaghan, C.A., *J. Exp. Med.* 187(9)1367-1371, 1998; McHeyzer-Williams, M.G., et al, *Immunol. Rev.* 150:5-21, 1996; Lalvani, A., et al, *J. Exp. Med.* 186:859-865, 1997).

Thus, an immunological response as used herein may be one which stimulates the production of CTLs, and/or the production or activation of helper T- cells. The antigen of interest may also elicit an antibody-mediated immune response. Hence, an immunological response may include one or more of the following effects: the production of antibodies by B-cells; and/or the activation of suppressor T-cells and/or $\gamma\delta$ T-cells directed specifically to an antigen or antigens present in the composition or vaccine of interest. These responses may serve to neutralize infectivity, and/or mediate antibody-complement, or antibody dependent cell cytotoxicity (ADCC) to provide protection to an immunized host. Such responses can be determined using standard immunoassays and neutralization assays, well known in the art.

An "immunogenic composition" is a composition that comprises an antigenic molecule where administration of the composition to a subject results in the development in the subject of a humoral and/or a cellular immune response to the antigenic molecule of interest.

By "subunit vaccine" is meant a vaccine composition which includes one or more selected antigens but not all antigens, derived from or homologous to, an antigen from a pathogen of interest such as from a virus, bacterium, parasite or fungus. Such a composition is substantially free of intact pathogen cells or pathogenic particles, or the lysate of such cells or particles. Thus, a "subunit vaccine" can be prepared from at least partially purified (preferably substantially purified) immunogenic polypeptides from the pathogen, or analogs thereof. The method of obtaining an antigen included in the subunit vaccine can thus include standard purification techniques, recombinant production, or synthetic production.

"Substantially purified" general refers to isolation of a substance (compound, polynucleotide, protein, polypeptide, polypeptide composition) such that the substance comprises the majority percent of the sample in which it resides. Typically in a sample a substantially purified component comprises 50%, preferably 80%-85%, more preferably 90-95% of the sample. Techniques for purifying polynucleotides and polypeptides of interest are well-known in the art and include, for example, ion-exchange chromatography, affinity chromatography and sedimentation according to density.

A "coding sequence" or a sequence which "encodes" a selected polypeptide, is a nucleic acid molecule which is transcribed (in the case of DNA) and translated (in the case of mRNA) into a polypeptide in vivo when placed under the control of appropriate regulatory sequences (or "control elements"). The boundaries of the coding sequence are determined by a start codon at the 5' (amino) terminus and a translation stop codon at the 3' (carboxy) terminus. A coding sequence can include, but

is not limited to, cDNA from viral, procaryotic or eucaryotic mRNA, genomic DNA sequences from viral or procaryotic DNA, and even synthetic DNA sequences. A transcription termination sequence may be located 3' to the coding sequence.

Typical "control elements", include, but are not limited to, transcription promoters, transcription enhancer elements, transcription termination signals, polyadenylation sequences (located 3' to the translation stop codon), sequences for optimization of initiation of translation (located 5' to the coding sequence), and translation termination sequences, see e.g., McCaughan et al. (1995) *PNAS USA* 92:5431-5435; Kochetov et al (1998) *FEBS Letts.* 440:351-355.

A "nucleic acid" molecule can include, but is not limited to, procaryotic sequences, eucaryotic mRNA, cDNA from eucaryotic mRNA, genomic DNA sequences from eucaryotic (e.g., mammalian) DNA, and even synthetic DNA sequences. The term also captures sequences that include any of the known base analogs of DNA and RNA.

"Operably linked" refers to an arrangement of elements wherein the components so described are configured so as to perform their usual function. Thus, a given promoter operably linked to a coding sequence is capable of effecting the expression of the coding sequence when the proper enzymes are present. The promoter need not be contiguous with the coding sequence, so long as it functions to direct the expression thereof. Thus, for example, intervening untranslated yet transcribed sequences can be present between the promoter sequence and the coding sequence and the promoter sequence can still be considered "operably linked" to the coding sequence.

"Recombinant" as used herein to describe a nucleic acid molecule means a polynucleotide of genomic, cDNA, semisynthetic, or synthetic origin which, by virtue of its origin or manipulation: (1) is not associated with all or a portion of the polynucleotide with which it is associated in nature; and/or (2) is linked to a polynucleotide other than that to which it is linked in nature. The term "recombinant" as used with respect to a protein or polypeptide means a polypeptide produced by expression of a recombinant polynucleotide. "Recombinant host cells," "host cells," "cells," "cell lines," "cell cultures," and other such terms denoting procaryotic microorganisms or eucaryotic cell lines cultured as unicellular entities, are used interchangeably, and refer to cells which can be, or have been, used as recipients for recombinant vectors or other transfer DNA, and include the progeny of the original cell which has been transfected. It is understood that the progeny of a single parental cell may not necessarily be completely identical in morphology or in genomic or total DNA complement to the original parent, due to accidental or deliberate mutation. Progeny of the parental cell which are sufficiently similar to the parent to be characterized by the relevant property, such as the presence of a nucleotide sequence encoding a desired peptide, are included in the progeny intended by this definition, and are covered by the above terms.

Techniques for determining amino acid sequence "similarity" are well known in the art. In general, "similarity" means the exact amino acid to amino acid comparison of two or more polypeptides at the appropriate place, where amino acids are identical or possess similar chemical and/or physical properties such as charge or hydrophobicity. A so-termed "percent similarity" then

can be determined between the compared polypeptide sequences. Techniques for determining nucleic acid and amino acid sequence identity also are well known in the art and include determining the nucleotide sequence of
5 the mRNA for that gene (usually via a cDNA intermediate) and determining the amino acid sequence encoded thereby, and comparing this to a second amino acid sequence. In general, "identity" refers to an exact nucleotide to nucleotide or amino acid to amino acid correspondence of
10 two polynucleotides or polypeptide sequences, respectively.

Two or more polynucleotide sequences can be compared by determining their "percent identity." Two or more amino acid sequences likewise can be compared by
15 determining their "percent identity." The percent identity of two sequences, whether nucleic acid or peptide sequences, is generally described as the number of exact matches between two aligned sequences divided by the length of the shorter sequence and multiplied by 100.
20 An approximate alignment for nucleic acid sequences is provided by the local homology algorithm of Smith and Waterman, Advances in Applied Mathematics 2:482-489 (1981). This algorithm can be extended to use with
peptide sequences using the scoring matrix developed by
25 Dayhoff, Atlas of Protein Sequences and Structure, M.O. Dayhoff ed., 5 suppl. 3:353-358, National Biomedical Research Foundation, Washington, D.C., USA, and
normalized by Gribskov, Nucl. Acids Res. 14(6):6745-6763 (1986). An implementation of this algorithm for nucleic
30 acid and peptide sequences is provided by the Genetics Computer Group (Madison, WI) in their BestFit utility application. The default parameters for this method are

described in the Wisconsin Sequence Analysis Package Program Manual, Version 8 (1995) (available from Genetics Computer Group, Madison, WI). Other equally suitable programs for calculating the percent identity or
5. similarity between sequences are generally known in the art.

For example, percent identity of a particular nucleotide sequence to a reference sequence can be determined using the homology algorithm of Smith and
10 Waterman with a default scoring table and a gap penalty of six nucleotide positions. Another method of establishing percent identity in the context of the present invention is to use the MPSRCH package of programs copyrighted by the University of Edinburgh,
15 developed by John F. Collins and Shane S. Sturrok, and distributed by IntelliGenetics, Inc. (Mountain View, CA). From this suite of packages, the Smith-Waterman algorithm can be employed where default parameters are used for the scoring table (for example, gap open penalty of 12, gap
20 extension penalty of one, and a gap of six). From the data generated, the "Match" value reflects "sequence identity." Other suitable programs for calculating the percent identity or similarity between sequences are
~~generally known in the art, such as the alignment program~~
25 BLAST, which can also be used with default parameters. For example, BLASTN and BLASTP can be used with the following default parameters: genetic code = standard; filter = none; strand = both; cutoff = 60; expect = 10; Matrix = BLOSUM62; Descriptions = 50 sequences; sort by =
30 HIGH SCORE; Databases = non-redundant, GenBank + EMBL + DDBJ + PDB + GenBank CDS translations + Swiss protein + Spupdate + PIR. Details of these programs can be found at

the following internet address:

<http://www.ncbi.nlm.gov/cgi-bin/BLAST>.

One of skill in the art can readily determine the proper search parameters to use for a given sequence in the above programs. For example, the search parameters may vary based on the size of the sequence in question. Thus, for example, a representative embodiment of the present invention would include an isolated polynucleotide having X contiguous nucleotides, wherein

10 (i) the X contiguous nucleotides have at least about 50% identity to Y contiguous nucleotides derived from any of the sequences described herein, (ii) X equals Y, and (iii) X is greater than or equal to 6 nucleotides and up to 5000 nucleotides, preferably greater than or equal to

15 8 nucleotides and up to 5000 nucleotides, more preferably 10-12 nucleotides and up to 5000 nucleotides, and even more preferably 15-20 nucleotides, up to the number of nucleotides present in the full-length sequences described herein (e.g., see the Sequence Listing and

20 claims), including all integer values falling within the above-described ranges.

The synthetic expression cassettes (and purified polynucleotides) of the present invention include related polynucleotide sequences having about 80% to 100%,

25 greater than 80-85%, preferably greater than 90-92%, more preferably greater than 95%, and most preferably greater than 98% sequence (including all integer values falling within these described ranges) identity to the synthetic expression cassette sequences disclosed herein (for

30 example, to the sequences presented in Tables 1A and 1B) when the sequences of the present invention are used as the query sequence.

Two nucleic acid fragments are considered to "selectively hybridize" as described herein. The degree of sequence identity between two nucleic acid molecules affects the efficiency and strength of hybridization events between such molecules. A partially identical nucleic acid sequence will at least partially inhibit a completely identical sequence from hybridizing to a target molecule. Inhibition of hybridization of the completely identical sequence can be assessed using hybridization assays that are well known in the art (e.g., Southern blot, Northern blot, solution hybridization, or the like, see Sambrook, et al., *Molecular Cloning: A Laboratory Manual*, Second Edition, (1989) Cold Spring Harbor, N.Y.). Such assays can be conducted using varying degrees of selectivity, for example, using conditions varying from low to high stringency. If conditions of low stringency are employed, the absence of non-specific binding can be assessed using a secondary probe that lacks even a partial degree of sequence identity (for example, a probe having less than about 30% sequence identity with the target molecule), such that, in the absence of non-specific binding events, the secondary probe will not hybridize to the target.

When utilizing a hybridization-based detection system, a nucleic acid probe is chosen that is complementary to a target nucleic acid sequence, and then by selection of appropriate conditions the probe and the target sequence "selectively hybridize," or bind, to each other to form a hybrid molecule. A nucleic acid molecule that is capable of hybridizing selectively to a target sequence under "moderately stringent" typically

hybridizes under conditions that allow detection of a target nucleic acid sequence of at least about 10-14 nucleotides in length having at least approximately 70% sequence identity with the sequence of the selected nucleic acid probe. Stringent hybridization conditions typically allow detection of target nucleic acid sequences of at least about 10-14 nucleotides in length having a sequence identity of greater than about 90-95% with the sequence of the selected nucleic acid probe.

Hybridization conditions useful for probe/target hybridization where the probe and target have a specific degree of sequence identity, can be determined as is known in the art (see, for example, Nucleic Acid Hybridization: A Practical Approach, editors B.D. Hames and S.J. Higgins, (1985) Oxford; Washington, DC; IRL Press).

With respect to stringency conditions for hybridization, it is well known in the art that numerous equivalent conditions can be employed to establish a particular stringency by varying, for example, the following factors: the length and nature of probe and target sequences, base composition of the various sequences, concentrations of salts and other hybridization solution components, the presence or absence of blocking agents in the hybridization solutions (e.g., formamide, dextran sulfate, and polyethylene glycol), hybridization reaction temperature and time parameters, as well as, varying wash conditions. The selection of a particular set of hybridization conditions is selected following standard methods in the art (see, for example, Sambrook, et al., Molecular Cloning: A

Laboratory Manual, Second Edition, (1989) Cold Spring Harbor, N.Y.).

A first polynucleotide is "derived from" second polynucleotide if it has the same or substantially the same basepair sequence as a region of the second polynucleotide, its cDNA, complements thereof, or if it displays sequence identity as described above.

A first polypeptide is "derived from" a second polypeptide if it is (i) encoded by a first polynucleotide derived from a second polynucleotide, or (ii) displays sequence identity to the second polypeptides as described above.

Generally, a viral polypeptide is "derived from" a particular polypeptide of a virus (viral polypeptide) if it is (i) encoded by an open reading frame of a polynucleotide of that virus (viral polynucleotide), or (ii) displays sequence identity to polypeptides of that virus as described above.

"Encoded by" refers to a nucleic acid sequence which codes for a polypeptide sequence, wherein the polypeptide sequence or a portion thereof contains an amino acid sequence of at least 3 to 5 amino acids, more preferably at least 8 to 10 amino acids, and even more preferably at least 15 to 20 amino acids from a polypeptide encoded by the nucleic acid sequence. Also encompassed are polypeptide sequences which are immunologically identifiable with a polypeptide encoded by the sequence.

"Purified polynucleotide" refers to a polynucleotide of interest or fragment thereof which is essentially free, e.g., contains less than about 50%, preferably less than about 70%, and more preferably less than about 90%, of the protein with which the polynucleotide is naturally associated. Techniques for purifying polynucleotides of interest are well-known in the art and include, for

example, disruption of the cell containing the polynucleotide with a chaotropic agent and separation of the polynucleotide(s) and proteins by ion-exchange chromatography, affinity chromatography and sedimentation according to density.

By "nucleic acid immunization" is meant the introduction of a nucleic acid molecule encoding one or more selected antigens into a host cell, for the *in vivo* expression of an antigen, antigens, an epitope, or epitopes. The nucleic acid molecule can be introduced directly into a recipient subject, such as by injection, inhalation, oral, intranasal and mucosal administration, or the like, or can be introduced *ex vivo*, into cells which have been removed from the host. In the latter case, the transformed cells are reintroduced into the subject where an immune response can be mounted against the antigen encoded by the nucleic acid molecule.

"Gene transfer" or "gene delivery" refers to methods or systems for reliably inserting DNA or RNA of interest into a host cell. Such methods can result in transient expression of non-integrated transferred DNA, extrachromosomal replication and expression of transferred replicons (e.g., episomes), or integration of transferred genetic material into the genomic DNA of host cells. Gene delivery-expression-vectors include, but are not limited to, vectors derived from bacterial plasmid vectors, viral vectors, non-viral vectors, alphaviruses, pox viruses and vaccinia viruses. When used for immunization, such gene delivery expression vectors may be referred to as vaccines or vaccine vectors.

"T lymphocytes" or "T cells" are non-antibody producing lymphocytes that constitute a part of the cell-mediated arm of the immune system. T cells arise from immature lymphocytes that migrate from the bone marrow to

the thymus, where they undergo a maturation process under the direction of thymic hormones. Here, the mature lymphocytes rapidly divide increasing to very large numbers. The maturing T cells become immunocompetent
5 based on their ability to recognize and bind a specific antigen. Activation of immunocompetent T cells is triggered when an antigen binds to the lymphocyte's surface receptors.

The term "transfection" is used to refer to the
10 uptake of foreign DNA by a cell. A cell has been "transfected" when exogenous DNA has been introduced inside the cell membrane. A number of transfection techniques are generally known in the art. See, e.g., Graham et al. (1973) *Virology*, 52:456, Sambrook et al.
15 (1989) *Molecular Cloning, a laboratory manual*, Cold Spring Harbor Laboratories, New York, Davis et al. (1986) *Basic Methods in Molecular Biology*, Elsevier, and Chu et al. (1981) *Gene* 13:197. Such techniques can be used to introduce one or more exogenous DNA moieties into
20 suitable host cells. The term refers to both stable and transient uptake of the genetic material, and includes uptake of peptide- or antibody-linked DNAs.

A "vector" is capable of transferring gene sequences to target cells (e.g., bacterial plasmid vectors, viral
25 vectors, ~~non-viral vectors, particulate carriers, and~~ liposomes). Typically, "vector construct," "expression vector," and "gene transfer vector," mean any nucleic acid construct capable of directing the expression of a gene of interest and which can transfer gene sequences to
30 target cells. Thus, the term includes cloning and expression vehicles, as well as viral vectors.

Transfer of a "suicide gene" (e.g., a drug-susceptibility gene) to a target cell renders the cell sensitive to compounds or compositions that are

relatively nontoxic to normal cells. Moolten, F.L. (1994) *Cancer Gene Ther.* 1:279-287. Examples of suicide genes are thymidine kinase of herpes simplex virus (HSV-tk), cytochrome P450 (Manome et al. (1996) *Gene Therapy* 3:513-520), human deoxycytidine kinase (Manome et al. (1996) *Nature Medicine* 2(5):567-573) and the bacterial enzyme cytosine deaminase (Dong et al. (1996) *Human Gene Therapy* 7:713-720). Cells which express these genes are rendered sensitive to the effects of the relatively nontoxic prodrugs ganciclovir (HSV-tk), cyclophosphamide (cytochrome P450 2B1), cytosine arabinoside (human deoxycytidine kinase) or 5-fluorocytosine (bacterial cytosine deaminase). Culver et al. (1992) *Science* 256:1550-1552, Huber et al. (1994) *Proc. Natl. Acad. Sci. USA* 91:8302-8306.

A "selectable marker" or "reporter marker" refers to a nucleotide sequence included in a gene transfer vector that has no therapeutic activity, but rather is included to allow for simpler preparation, manufacturing, characterization or testing of the gene transfer vector.

A "specific binding agent" refers to a member of a specific binding pair of molecules wherein one of the molecules specifically binds to the second molecule through chemical and/or physical means. One example of a specific binding agent is an antibody directed against a selected antigen.

By "subject" is meant any member of the subphylum chordata, including, without limitation, humans and other primates, including non-human primates such as chimpanzees and other apes and monkey species; farm animals such as cattle, sheep, pigs, goats and horses; domestic mammals such as dogs and cats; laboratory animals including rodents such as mice, rats and guinea pigs; birds, including domestic, wild and game birds such

as chickens, turkeys and other gallinaceous birds, ducks, geese, and the like. The term does not denote a particular age. Thus, both adult and newborn individuals are intended to be covered. The system described above
5 is intended for use in any of the above vertebrate species, since the immune systems of all of these vertebrates operate similarly.

By "pharmaceutically acceptable" or "pharmacologically acceptable" is meant a material which
10 is not biologically or otherwise undesirable, i.e., the material may be administered to an individual in a formulation or composition without causing any undesirable biological effects or interacting in a deleterious manner with any of the components of the
15 composition in which it is contained.

By "physiological pH" or a "pH in the physiological range" is meant a pH in the range of approximately 7.2 to 8.0 inclusive, more typically in the range of approximately 7.2 to 7.6 inclusive.

As used herein, "treatment" refers to any of (i) the prevention of infection or reinfection, as in a traditional vaccine, (ii) the reduction or elimination of symptoms, and (iii) the substantial or complete elimination of the pathogen in question. Treatment may
20 be effected prophylactically (prior to infection) or
25 therapeutically (following infection).

"Lentiviral vector", and "recombinant lentiviral vector" are derived from the subset of retroviral vectors known as lentiviruses. Lentiviral vectors refer to a
30 nucleic acid construct which carries, and within certain embodiments, is capable of directing the expression of a nucleic acid molecule of interest. The lentiviral vector includes at least one transcriptional promoter/enhancer or locus defining element(s), or other elements which

control gene expression by other means such as alternate splicing, nuclear RNA export, post-translational modification of messenger, or post-transcriptional modification of protein. Such vector constructs must

5 also include a packaging signal, long terminal repeats (LTRS) or portion thereof, and positive and negative strand primer binding sites appropriate to the lentiviral vector used (if these are not already present in the retroviral vector). Optionally, the recombinant

10 lentiviral vector may also include a signal which directs polyadenylation, selectable markers such as Neo, TK, hygromycin, phleomycin, histidinol, or DHFR, as well as one or more restriction sites and a translation termination sequence. By way of example, such vectors

15 typically include a 5' LTR, a tRNA binding site, a packaging signal, an origin of second strand DNA synthesis, and a 3' LTR or a portion thereof.

"Lentiviral vector particle" as utilized within the present invention refers to a lentivirus which carries at

20 least one gene of interest. The retrovirus may also contain a selectable marker. The recombinant lentivirus is capable of reverse transcribing its genetic material (RNA) into DNA and incorporating this genetic material into a host cell's DNA upon infection. Lentiviral vector

25 ~~particles may have a lentiviral envelope, a non-~~ lentiviral envelope (e.g., an amphi or VSV-G envelope), or a chimeric envelope.

"Nucleic acid expression vector" or "Expression cassette" refers to an assembly which is capable of

30 directing the expression of a sequence or gene of interest. The nucleic acid expression vector includes a promoter which is operably linked to the sequences or gene(s) of interest. Other control elements may be present as well. Expression cassettes described herein

may be contained within a plasmid construct. In addition to the components of the expression cassette, the plasmid construct may also include a bacterial origin of replication, one or more selectable markers, a signal
5 which allows the plasmid construct to exist as single-stranded DNA (e.g., a M13 origin of replication), a multiple cloning site, and a "mammalian" origin of replication (e.g., a SV40 or adenovirus origin of replication).

10 "Packaging cell" refers to a cell which contains those elements necessary for production of infectious recombinant retrovirus (e.g., lentivirus) which are lacking in a recombinant retroviral vector. Typically, such packaging cells contain one or more expression
15 cassettes which are capable of expressing proteins which encode Gag, pol and env proteins.

"Producer cell" or "vector producing cell" refers to a cell which contains all elements necessary for production of recombinant retroviral vector particles.

20

2. MODES OF CARRYING OUT THE INVENTION

Before describing the present invention in detail, it is to be understood that this invention is not limited to particular formulations or process parameters as such
25 may, of course, vary. ~~It is also to be understood that~~ the terminology used herein is for the purpose of describing particular embodiments of the invention only, and is not intended to be limiting.

Although a number of methods and materials similar
30 or equivalent to those described herein can be used in the practice of the present invention, the preferred materials and methods are described herein.

2.1 SYNTHETIC EXPRESSION CASSETTES

2.1.1 MODIFICATION OF HIV-1 GAG NUCLEIC ACID CODING SEQUENCES

One aspect of the present invention is the generation of HIV-1 Gag protein coding sequences, and related sequences, having improved expression relative to the corresponding wild-type sequence. An exemplary embodiment of the present invention is illustrated herein modifying the Gag protein wild-type sequences obtained from the HIV-1SF2 strain (SEQ ID NO:1; Sanchez-Pescador, R., et al., *Science* 227(4686): 484-492, 1985; Luciw, P.A., et al. U.S. Patent No. 5,156,949, issued October 20, 1992; Luciw, P.A., et al., U.S. Patent No. 5,688,688, November 18, 1997). Gag sequence obtained from other HIV variants may be manipulated in similar fashion following the teachings of the present specification. Such other variants include, but are not limited to, Gag protein encoding sequences obtained from the isolates HIV_{111b}, HIV_{SF2}, HIV-

1_{SF162}, HIV-1_{SF170}, HIV_{LAV}, HIV_{LAI}, HIV_{MN}, HIV-1_{CM235}, HIV-1_{US4}, other HIV-1 strains from diverse subtypes (e.g., subtypes, A through G, and O), HIV-2 strains and diverse subtypes (e.g., HIV-2_{UC1} and HIV-2_{UC2}), and simian immunodeficiency virus (SIV). (See, e.g., *Virology*, 3rd Edition (W.K. Joklik ed. 1988); *Fundamental Virology*, 2nd Edition (B.N. Fields and D.M. Knipe, eds. 1991); *Virology*, 3rd Edition (Fields, BN, DM Knipe, PM Howley, Editors, 1996, Lippincott-Raven, Philadelphia, PA; for a description of these and other related viruses).

First, the HIV-1 codon usage pattern was modified so that the resulting nucleic acid coding sequence was comparable to codon usage found in highly expressed human genes (Example 1). The HIV codon usage reflects a high content of the nucleotides A or T of the codon-triplet.

The effect of the HIV-1 codon usage is a high AT content in the DNA sequence that results in a decreased translation ability and instability of the mRNA. In comparison, highly expressed human codons prefer the nucleotides G or C. The Gag coding sequences were modified to be comparable to codon usage found in highly expressed human genes. In Figure 11 (Example 1), the percent A-T content of cDNA sequences corresponding to the mRNA for a known unstable mRNA and a known stable mRNA are compared to the percent A-T content of native HIV-1SF2 Gag cDNA and to the synthetic Gag cDNA sequence of the present invention. Experiments performed in support of the present invention showed that the synthetic Gag sequences were capable of higher level of protein production (see the Examples) relative to the native Gag sequences. The data in Figure 11 suggest that one reason for this increased production is increased stability of the mRNA corresponding to the synthetic Gag coding sequences versus the mRNA corresponding to the native Gag coding sequences.

Second, there are inhibitory (or instability) elements (INS) located within the coding sequences of the Gag coding sequences (Example 1). The RRE is a secondary RNA structure that interacts with the HIV encoded Rev-protein to overcome the expression-down-regulating effects of the INS. To overcome the post-transcriptional activating mechanisms of RRE and Rev, the instability elements were inactivated by introducing multiple point mutations that did not alter the reading frame of the encoded proteins. Figure 1 shows the original SF2 Gag sequence, the location of the INS sequences, and the modifications made to the INS sequences to reduce their effects. The resulting modified coding sequences are

presented as a synthetic Gag expression cassette (SEQ ID NO:4).

Modification of the Gag polypeptide coding sequences resulted in improved expression relative to the wild-type coding sequences in a number of mammalian cell lines (as well as other types of cell lines, including, but not limited to, insect cells). Further, expression of the sequences resulted in production of virus-like particles (VLPs) by these cell lines (see below). Similar Gag polypeptide coding sequences can be obtained from a variety of isolates (families, sub-types, strains, etc.) including, but not limited to such other variants include, but are not limited to, Gag polypeptide encoding sequences obtained from the isolates HIV_{IIIB}, HIV_{SF2}, HIV-1_{SF162}, HIV-1_{SF170}, HIV_{LAV}, HIV_{LAI}, HIV_{MN}, HIV-1_{CM235}, HIV-1_{US4}, and other HIV-1 strains from diverse subtypes (e.g., subtypes A through G, and O), HIV-2 strains and diverse subtypes (e.g., HIV-2_{UC1} and HIV-2_{UC2}), and simian immunodeficiency virus (SIV). (See, e.g., Virology, 3rd Edition (W.K. Joklik ed. 1988); Fundamental Virology, 2nd Edition (B.N. Fields and D.M. Knipe, eds. 1991; Virology, 3rd Edition (Fields, BN, DM Knipe, PM Howley, Editors, 1996, Lippincott-Raven, Philadelphia, PA). Gag polypeptide encoding sequences derived from these variants can be optimized and tested for improved expression in mammals by following the teachings of the present specification (see the Examples, in particular Example 1).

2.1.2 FURTHER MODIFICATION OF SEQUENCES INCLUDING HIV-1

30

GAG NUCLEIC ACID CODING SEQUENCES

Experiments performed in support of the present invention have shown that similar modifications of HIV-1 Gag-protease, Gag-reverse transcriptase and Gag-polymerase sequences also result in improved expression

of the polyproteins, as well as, the production of VLPs formed by polypeptides produced from such modified coding sequences.

For the Gag-protease sequence (wild type, SEQ ID NO:2; modified, SEQ ID NOS:5, 78, 79), the changes in codon usage were restricted to the regions upstream of the -1 frameshift (Figure 2). Further, inhibitory (or instability) elements (INS) located within the coding sequences of the Gag-protease polypeptide coding sequence were altered as well (indicated in Figure 2). Exemplary constructs (which include the -1 frameshift) encoding modified Gag-protease sequences include those shown in SEQ ID NOS:78 and 79 (Figures 69 and 70). These are: GP1 (SEQ ID NO:78) in which the protease region was also codon optimized and INS inactivated and GP2 (SEQ ID NO:79), in which the protease region was only subjected to INS inactivation.

For other Gag-containing sequences, for example the Gag-polymerase sequence (wild type, SEQ ID NO:3; modified, SEQ ID NO:6) or Gag-reverse transcriptase (wild type, SEQ ID NO:77; modified SEQ ID NOS:80-84), the changes in codon usage are similar to those for the Gag-protease sequence. Those expression cassettes which contain a frameshift in the GagPol coding sequence are designated "FS(+)" (SEQ ID NOS:80 and 81, Figures 71 and 72) while the designation "FS(-)" (SEQ ID NOS: 82, 83 and 84, Figures 73, 74 and 75) indicates that there is no frameshift utilized in this coding sequence.

In addition to polyproteins containing HIV-related sequences, the various Gag-, Gag-prot, Gag-pol, Gag-reverse transcriptase encoding sequences of the present invention can be fused to other polypeptides (creating chimeric polypeptides) for which an immunogenic response is desired. An example of such a chimeric protein is the

joining of the improved expression Gag encoding sequences to the Hepatitis C Virus (HCV) core protein. In this case, the HCV-core encoding sequences were placed in-frame with the HIV-Gag encoding sequences, resulting in the Gag/HCV-core encoding sequence presented as SEQ ID NO:7 (wild type sequence presented as SEQ ID NO:8).

Further sequences useful in the practice of the present invention include, but are not limited to, sequences encoding viral epitopes/antigens {including but not limited to, HCV antigens (e.g., E1, E2; Houghton, M., et al., U.S. Patent No. 5,714,596, issued February 3, 1998; Houghton, M., et al., U.S. Patent No. 5,712,088, issued January 27, 1998; Houghton, M., et al., U.S. Patent No. 5,683,864, issued November 4, 1997; Weiner, A.J., et al., U.S. Patent No. 5,728,520, issued March 17, 1998; Weiner, A.J., et al., U.S. Patent No. 5,766,845, issued June 16, 1998; Weiner, A.J., et al., U.S. Patent No. 5,670,152, issued September 23, 1997), HIV antigens (e.g., derived from *nef*, *tat*, *rev*, *vpu*, *vif*, *vpr* and/or *env*); and sequences encoding tumor antigens/epitopes. Additional sequences are described below. Also, variations on the orientation of the Gag and other coding sequences, relative to each other, are also described below.

Gag, Gag-protease, Gag-reverse transcriptase and/or Gag-polymerase polypeptide coding sequences can be obtained from any HIV isolates (different families, subtypes, and strains) including but not limited to the isolates HIV_{IIIB}, HIV_{SF2}, HIV_{SF162}, HIV_{US4}, HIV_{CM235}, HIV_{LAV}, HIV_{LAI}, HIV_{MN} (see, e.g., Myers et al. Los Alamos Database, Los Alamos National Laboratory, Los Alamos, New Mexico (1992); Myers et al., *Human Retroviruses and Aids*, 1997, Los Alamos, New Mexico: Los Alamos National Laboratory). Synthetic expression cassettes can be generated using

such coding sequences as starting material by following the teachings of the present specification (e.g., see Example 1). Further, the synthetic expression cassettes of the present invention include related Gag polypeptide coding sequences having greater than 75%, preferably greater than 80-85%, more preferably greater than 90-95%, and most preferably greater than 98% sequence identity (or any integer value within these ranges) to the synthetic expression cassette sequences disclosed herein (for example, SEQ ID NO:4; SEQ ID NO:5; SEQ ID NO:6; and SEQ ID NO:20, the Gag Major Homology Region).

2.1.3 EXPRESSION OF SYNTHETIC SEQUENCES ENCODING HIV-1 GAG AND RELATED POLYPEPTIDES

Several synthetic Gag-encoding sequences (expression cassettes) of the present invention were cloned into a number of different expression vectors (Example 1) to evaluate levels of expression and production of VLPs. Two modified synthetic coding sequences are presented as a synthetic Gag expression cassette (SEQ ID NO:4) and a synthetic Gag-protease expression cassette (SEQ ID NOS:78 and 79). Other synthetic Gag-encoding proteins are presented, for example, as SEQ ID NOS:80 through 84. The synthetic DNA fragments for Gag-encoding polypeptides (e.g., Gag, Gag-protease, Gag-polymerase, Gag-reverse transcriptase) were cloned into expression vectors described in Example 1, including, a transient expression vector, CMV-promoter-based mammalian vectors, and a shuttle vector for use in baculovirus expression systems. Corresponding wild-type sequences were cloned into the same vectors.

These vectors were then transfected into a several different cell types, including a variety of mammalian

cell lines, (293, RD, COS-7, and CHO, cell lines available, for example, from the A.T.C.C.). The cell lines were cultured under appropriate conditions and the levels of p24 (Gag) expression in supernatants were
5 evaluated (Example 2). The results of these assays demonstrated that expression of synthetic Gag-encoding sequences were significantly higher than corresponding wild-type sequences (Example 2; Table 2).

Further, Western Blot analysis showed that cells
10 containing the synthetic Gag expression cassette produced the expected 55 kD (p55) protein at higher per-cell concentrations than cells containing the native expression cassette. The Gag p55 protein was seen in both cell lysates and supernatants. The levels of
15 production were significantly higher in cell supernatants for cells transfected with the synthetic Gag expression cassette of the present invention. Experiments performed in support of the present invention suggest that cells containing the synthetic Gag-prot expression cassettes
20 produced the expected Gag-prot protein at comparably higher per-cell concentrations than cells containing the wild-type expression cassette.

Fractionation of the supernatants from mammalian cells transfected with the synthetic Gag expression
25 cassette showed that it provides superior production of both p55 protein and VLPs, relative to the wild-type Gag sequences (Examples 6 and 7).

Efficient expression of these Gag-containing polypeptides in mammalian cell lines provides the
30 following benefits: the Gag polypeptides are free of baculovirus contaminants; production by established methods approved by the FDA; increased purity; greater yields (relative to native coding sequences); and a novel method of producing the Gag-containing polypeptides in

CHO or other mammalian cells which is not feasible in the absence of the increased expression obtained using the constructs of the present invention. Exemplary Mammalian cell lines include, but are not limited to, BHK, VERO, HT1080, 293, 293T, RD, COS-7, CHO, Jurkat, HUT, SUPT, C8166, MOLT4/clone8, MT-2, MT-4, H9, PM1, CEM, myeloma cells (e.g., SB20 cells) and CEMX174, such cell lines are available, for example, from the A.T.C.C.).

A synthetic Gag expression cassette of the present invention also demonstrated high levels of expression and VLP production when transfected into insect cells (Example 7). Further, in addition to a higher total protein yield, the final product from the synthetic p55-expressed Gag consistently contained lower amounts of contaminating baculovirus proteins than the final purified product from the native p55-expressed Gag.

Further, synthetic Gag expression cassettes of the present invention have also been introduced into yeast vectors which were transformed into and efficiently expressed by yeast cells (*Saccharomyces cerevisiae*; using vectors as described in Rosenberg, S. and Tekamp-Olson, P., U.S. Patent No. RE35,749, issued, March 17, 1998).

In addition to the mammalian and insect vectors described in the Examples, the synthetic expression cassettes of the present invention can be incorporated into a variety of expression vectors using selected expression control elements. Appropriate vectors and control elements for any given cell type can be selected by one having ordinary skill in the art in view of the teachings of the present specification and information known in the art about expression vectors.

For example, a synthetic Gag expression cassette can be inserted into a vector which includes control elements operably linked to the desired coding sequence, which

allow for the expression of the gene in a selected cell-type. For example, typical promoters for mammalian cell expression include the SV40 early promoter, a CMV promoter such as the CMV immediate early promoter (a CMV promoter can include intron A), RSV, HIV-LTR, the mouse mammary tumor virus LTR promoter (MMLV-LTR), FIV-LTR, the adenovirus major late promoter (Ad MLP), and the herpes simplex virus promoter, among others. Other nonviral promoters, such as a promoter derived from the murine metallothionein gene, will also find use for mammalian expression. Typically, transcription termination and polyadenylation sequences will also be present, located 3' to the translation stop codon. Preferably, a sequence for optimization of initiation of translation, located 5' to the coding sequence, is also present. Examples of transcription terminator/polyadenylation signals include those derived from SV40, as described in Sambrook, et al., *supra*, as well as a bovine growth hormone terminator sequence. Introns, containing splice donor and acceptor sites, may also be designed into the constructs for use with the present invention (Chapman et al., *Nuc. Acids Res.* (1991) 19:3979-3986).

Enhancer elements may also be used herein to increase expression levels of the mammalian constructs. Examples include the SV40-early-gene-enhancer, as described in Dijkema et al., *EMBO J.* (1985) 4:761, the enhancer/promoter derived from the long terminal repeat (LTR) of the Rous Sarcoma Virus, as described in Gorman et al., *Proc. Natl. Acad. Sci. USA* (1982b) 79:6777 and elements derived from human CMV, as described in Boshart et al., *Cell* (1985) 41:521, such as elements included in the CMV intron A sequence (Chapman et al., *Nuc. Acids Res.* (1991) 19:3979-3986).

The desired synthetic Gag polypeptide encoding sequences can be cloned into any number of commercially available vectors to generate expression of the polypeptide in an appropriate host system. These systems include, but are not limited to, the following:

5 baculovirus expression {Reilly, P.R., et al., BACULOVIRUS EXPRESSION VECTORS: A LABORATORY MANUAL (1992); Beames, et al., *Biotechniques* 11:378 (1991); Pharmingen; Clontech, Palo Alto, CA)}, vaccinia expression {Earl, P. L., et al.,

10 "Expression of proteins in mammalian cells using vaccinia" In *Current Protocols in Molecular Biology* (F. M. Ausubel, et al. Eds.), Greene Publishing Associates & Wiley Interscience, New York (1991); Moss, B., et al., U.S. Patent Number 5,135,855, issued 4 August 1992},

15 expression in bacteria {Ausubel, F.M., et al., CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley and Sons, Inc., Media PA; Clontech}, expression in yeast {Rosenberg, S. and Tekamp-Olson, P., U.S. Patent No. RE35,749, issued, March 17, 1998; Shuster, J.R., U.S. Patent No. 5,629,203,

20 issued May 13, 1997; Gellissen, G., et al., *Antonie Van Leeuwenhoek*, 62(1-2):79-93 (1992); Romanos, M.A., et al., *Yeast* 8(6):423-488 (1992); Goeddel, D.V., *Methods in Enzymology* 185 (1990); Guthrie, C., and G.R. Fink, *Methods in Enzymology* 194 (1991)}, expression in

25 ~~mammalian cells~~ {Clontech; Gibco-BRL, Ground Island, NY; e.g., Chinese hamster ovary (CHO) cell lines (Haynes, J., et al., *Nuc. Acid. Res.* 11:687-706 (1983); 1983, Lau, Y.F., et al., *Mol. Cell. Biol.* 4:1469-1475 (1984); Kaufman, R. J., "Selection and coamplification of

30 heterologous genes in mammalian cells," in *Methods in Enzymology*, vol. 185, pp537-566. Academic Press, Inc., San Diego CA (1991)}, and expression in plant cells {plant cloning vectors, Clontech Laboratories, Inc., Palo Alto, CA, and Pharmacia LKB Biotechnology, Inc.,

Piscataway, NJ; Hood, E., et al., *J. Bacteriol.* 168:1291-1301 (1986); Nagel, R., et al., *FEMS Microbiol. Lett.* 67:325 (1990); An, et al., "Binary Vectors", and others in Plant Molecular Biology Manual A3:1-19 (1988);
5 Miki, B.L.A., et al., pp.249-265, and others in Plant DNA Infectious Agents (Hohn, T., et al., eds.) Springer-Verlag, Wien, Austria, (1987); *Plant Molecular Biology: Essential Techniques*, P.G. Jones and J.M. Sutton, New York, J. Wiley, 1997; Miglani, Gurbachan *Dictionary of*
10 *Plant Genetics and Molecular Biology*, New York, Food Products Press, 1998; Henry, R. J., *Practical Applications of Plant Molecular Biology*, New York, Chapman & Hall, 1997}.

Also included in the invention is an expression
15 vector, such as the CMV promoter-containing vectors described in Example 1, containing coding sequences and expression control elements which allow expression of the coding regions in a suitable host. The control elements generally include a promoter, translation initiation
20 codon, and translation and transcription termination sequences, and an insertion site for introducing the insert into the vector. Translational control elements have been reviewed by M. Kozak (e.g., Kozak, M., *Mamm. Genome* 7(8):563-574, 1996; Kozak, M., *Biochimie*
25 ~~76(9):815-821, 1994~~; Kozak, M., *J Cell Biol* 108(2):229-241, 1989; Kozak, M., and Shatkin, A.J., *Methods Enzymol* 60:360-375, 1979).

Expression in yeast systems has the advantage of commercial production. Recombinant protein production by
30 vaccinia and CHO cell line have the advantage of being mammalian expression systems. Further, vaccinia virus expression has several advantages including the following: (i) its wide host range; (ii) faithful post-

transcriptional modification, processing, folding, transport, secretion, and assembly of recombinant proteins; (iii) high level expression of relatively soluble recombinant proteins; and (iv) a large capacity to accommodate foreign DNA.

The recombinantly expressed polypeptides from synthetic Gag-encoding expression cassettes are typically isolated from lysed cells or culture media. Purification can be carried out by methods known in the art including salt fractionation, ion exchange chromatography, gel filtration, size-exclusion chromatography, size-fractionation, and affinity chromatography.

Immunoaffinity chromatography can be employed using antibodies generated based on, for example, Gag antigens.

Advantages of expressing the Gag-containing proteins of the present invention using mammalian cells include, but are not limited to, the following: well-established protocols for scale-up production; the ability to produce VLPs; cell lines are suitable to meet good manufacturing process (GMP) standards; culture conditions for mammalian cells are known in the art.

2.1.4 MODIFICATION OF HIV-1 ENV NUCLEIC ACID CODING SEQUENCES

One aspect of the present invention is the generation of HIV-1 Env protein coding sequences, and related sequences, having improved expression relative to the corresponding wild-type sequence. Exemplary embodiments of the present invention are illustrated herein modifying the Env protein wild-type sequences obtained from the HIV-1 subtype B strains HIV-1US4 and HIV-1SF162 (Myers et al., Los Alamos Database, Los Alamos National Laboratory, Los Alamos, New Mexico (1992); Myers et al., *Human Retroviruses and Aids*, 1997, Los Alamos,

New Mexico: Los Alamos National Laboratory). Env sequence obtained from other HIV variants may be manipulated in similar fashion following the teachings of the present specification. Such other variants include those
5 described above in Section 2.1.1 and on the World Wide Web (Internet), for example at <http://hiv-web.lanl.gov/cgi-bin/hivDB3/public/wdb/ssampublic> and <http://hiv-web.lanl.gov>.

First, the HIV-1 codon usage pattern was modified so
10 that the resulting nucleic acid coding sequence was comparable to codon usage found in highly expressed human genes (Example 1). The HIV codon usage reflects a high content of the nucleotides A or T of the codon-triplet. The effect of the HIV-1 codon usage is a high AT content
15 in the DNA sequence that results in a decreased translation ability and instability of the mRNA. In comparison, highly expressed human codons prefer the nucleotides G or C. The Env coding sequences were modified to be comparable to codon usage found in highly
20 expressed human genes. Experiments performed in support of the present invention showed that the synthetic Env sequences were capable of higher level of protein production (see the Examples) relative to the native Env sequences. One reason for this increased production may
25 ~~be increased stability of the mRNA corresponding to the synthetic Env coding sequences versus the mRNA corresponding to the native Env coding sequences.~~

Modification of the Env polypeptide coding sequences resulted in improved expression relative to the wild-type
30 coding sequences in a number of mammalian cell lines. Similar Env polypeptide coding sequences can be obtained from a variety of isolates (families, sub-types, etc.). Env polypeptide encoding sequences derived from these variants can be optimized and tested for improved

expression in mammals by following the teachings of the present specification (see the Examples, in particular Example 2).

5 2.1.5 FURTHER MODIFICATION OF HIV-1 ENV NUCLEIC ACID
 CODING SEQUENCES

In addition to proteins containing HIV-related sequences, the Env encoding sequences of the present invention can be fused to other polypeptides (creating
10 chimeric polypeptides). Also, variations on the orientation of the Env and other coding sequences, relative to each other, are contemplated. Further, the HIV protein encoding cassettes of the present invention can be co-expressed using one vector or multiple vectors.
15 In addition, the polyproteins can be operably linked to the same or different promoters.

Env polypeptide coding sequences can be obtained from any HIV isolates (different families, subtypes, and strains) including but not limited to the isolates HIV_{IIIB},
20 HIV_{SF2}, HIV_{US4}, HIV_{CM235}, HIV_{SF162}, HIV_{LAV}, HIV_{LAI}, HIV_{MI}) (see, e.g., Myers et al., Los Alamos Database, Los Alamos National Laboratory, Los Alamos, New Mexico (1992); Myers et al., *Human Retroviruses and Aids*, 1997, Los Alamos, New Mexico: Los Alamos National Laboratory). Synthetic
25 expression cassettes can be generated using such coding sequences as starting material by following the teachings of the present specification (e.g., see Example 1). Further, the synthetic expression cassettes (and purified polynucleotides) of the present invention include related
30 Env polypeptide coding sequences having greater than 90%, preferably greater than 92%, more preferably greater than 95%, and most preferably greater than 98% sequence identity to the synthetic expression cassette sequences disclosed herein (for example, SEQ ID NOs:71-72; and/or

the sequences presented in Tables 1A and 1B) when the sequences of the present invention are used as the query sequence.

5 2.1.6 EXPRESSION OF SYNTHETIC SEQUENCES ENCODING HIV-1
 ENV AND RELATED POLYPEPTIDES

Several synthetic Env-encoding sequences (expression cassettes) of the present invention were cloned into a number of different expression vectors (Example 1) to
10 evaluate levels of expression and production of Env polypeptide. A modified synthetic coding sequence is presented as synthetic Env expression cassettes (Example 1, e.g., Tables 1A and 1B). The synthetic DNA fragments for Env were cloned into eucaryotic expression vectors
15 described in Example 1 and in Section 2.1.3 above, including, a transient expression vector and CMV-promoter-based mammalian vectors. Corresponding wild-type sequences were cloned into the same vectors.

These vectors were then transfected into a several
20 different cell types, including a variety of mammalian cell lines, (293, RD, COS-7, and CHO, cell lines available, for example, from the A.T.C.C.). The cell lines were cultured under appropriate conditions and the levels of gp120, gp140 and gp160 Env expression in
25 supernatants were evaluated (Example 2). Env polypeptides include, but are not limited to, for example, native gp160, oligomeric gp140, monomeric gp120 as well as modified sequences of these polypeptides. The results of these assays demonstrated that expression of
30 synthetic Env encoding sequences were significantly higher than corresponding wild-type sequences (Example 2; Tables 3 and 4).

Further, Western Blot analysis showed that cells containing the synthetic Env expression cassette produced

the expected protein (gp120, gp140 or gp160) at higher per-cell concentrations than cells containing the native expression cassette. The Env proteins were seen in both cell lysates and supernatants. The levels of production
5 were significantly higher in cell supernatants for cells transfected with the synthetic Env expression cassettes of the present invention as compared to wild type.

Fractionation of the supernatants from mammalian cells transfected with the synthetic Env expression
10 cassettes showed that it provides superior production of Env proteins, relative to the wild-type Env sequences (Examples 2 and 3).

Efficient expression of these Env-containing polypeptides in mammalian cell lines provides the
15 following benefits: the Env polypeptides are free of baculovirus or other viral contaminants; production by established methods approved by the FDA; increased purity; greater yields (relative to native coding sequences); and a novel method of producing the Env-
20 containing polypeptides in CHO cells which is less feasible in the absence of the increased expression obtained using the constructs of the present invention.

Exemplary cell lines (e.g., mammalian, yeast, insect, etc.) include those described above in Section
25 2.1.3 for Gag-containing constructs. Further, appropriate vectors and control elements (e.g., promoters, enhancers, polyadenylation sequences, etc.) for any given cell type can be selected, as described above in Section 2.1.3, by one having ordinary skill in the art in view of the
30 teachings of the present specification and information known in the art about expression vectors. In addition, the recombinantly expressed polypeptides from synthetic Env-encoding expression cassettes are typically isolated and purified from lysed cells or culture media, as

described above for Gag-encoding expression cassettes. An exemplary purification is described in Example 4 and shown in Figure 60.

5 2.1.7 MODIFICATION OF HIV-1 TAT NUCLEIC ACID CODING
SEQUENCES

Another aspect of the present invention is the generation of HIV-1 tat protein coding sequences, and related sequences, having improved expression relative to
10 the corresponding wild-type sequence. Exemplary embodiments of the present invention are illustrated herein modifying the tat wild-type nucleotide sequence (SEQ ID NO:85, Figure 76) obtained from SF162 as described above. Exemplary synthetic tat constructs are
15 shown in SEQ ID NO:87, which depicts a tat construct encoding a full-length tat polypeptide from strain SF162; SEQ ID NO:88, which depicts a tat construct encoding a tat polypeptide having the cystein residue at position 22 changed; and SEQ ID NO:89, which depicts a tat construct
20 encoding the amino terminal portion of a tat polypeptide from strain SF162. The amino portion of the tat protein appears to contain many of the epitopes that induce an immune response. In addition, further modifications include replacement or deletion of the cystein residue at
25 position 22, for example with a valine-residue, an alanine residue or a glycine residue (SEQ ID Nos: 88 and 89, Figures 79 and 81), see, e.g., Caputo et al. (1996) *Gene Ther.* 3:235. In Figure 81, which depicts a tat construct encoding the amino terminal portion of a tat
30 polypeptide, the nucleotides (nucleotides 64-66) encoding the cystein residues are underlined. The design and construction of suitable construct can be readily done using

the teachings of the present specification. As with Gag, pol, prot and Env, tat polypeptide coding sequences can be obtained from a variety of isolates (families, subtypes, etc.).

5 Modification of the tat polypeptide coding sequences result in improved expression relative to the wild-type coding sequences in a number of cell lines (e.g., mammalian, yeast, bacterial and insect cells). Tat polypeptide encoding sequences derived from these
10 variants can be optimized and tested for improved expression in mammals by following the teachings of the present specification (see the Examples, in particular Example 2).

 Various forms of the different embodiments of the
15 invention, described herein, may be combined. For example, polynucleotides may be derived from the polynucleotide sequences of the present invention, including, but not limited to, coding sequences for Gag polypeptides, Env polypeptides, polymerase polypeptides,
20 protease polypeptides, tat polypeptides, and reverse transcriptase polypeptides. Further, the polynucleotide coding sequences of the present invention may be combined into multi-cistronic expression cassettes where typically each coding sequence for each polypeptide is preceded by
25 IRES sequences.

2.2 PRODUCTION OF VIRUS-LIKE PARTICLES AND USE OF THE CONSTRUCTS OF THE PRESENT INVENTION TO CREATE PACKAGING CELL LINES

30 The group-specific antigens (Gag) of human immunodeficiency virus type-1 (HIV-1) self-assemble into noninfectious virus-like particles (VLP) that are released from various eucaryotic cells by budding (reviewed by Freed, E.O., Virology 251:1-15, 1998). The

synthetic expression cassettes of the present invention provide efficient means for the production of HIV-Gag virus-like particles (VLPs) using a variety of different cell types, including, but not limited to, mammalian
5 cells.

Viral particles can be used as a matrix for the proper presentation of an antigen entrapped or associated therewith to the immune system of the host. For example, U.S. Patent No. 4,722,840 describes hybrid particles
10 comprised of a particle-forming fragment of a structural protein from a virus, such as a particle-forming fragment of hepatitis B virus (HBV) surface antigen (HBsAg), fused to a heterologous polypeptide. Tindle et al., *Virology* (1994) 200:547-557, describes the production and use of
15 chimeric HBV core antigen particles containing epitopes of human papillomavirus (HPV) type 16 E7 transforming protein.

Adams et al., *Nature* (1987) 329:68-70, describes the recombinant production of hybrid HIVgpl20:Ty VLPs in
20 yeast and Brown et al., *Virology* (1994) 198:477-488, the production of chimeric proteins consisting of the VP2 protein of human parvovirus B19 and epitopes from human herpes simplex virus type 1, as well as mouse hepatitis virus A59. Wagner et al., (*Virology* (1994) 200:162-175,
25 Brand et al., ~~*J. Virol. Meth.*~~ (1995) 51:153-168; *Virology* (1996) 220:128-140) and Wolf, et al., (EP 0 449 116 A1, published 2 October 1991; WO 96/30523, published 3
October 1996) describe the assembly of chimeric HIV-1 p55Gag particles. U.S. Patent No. 5,503,833 describes
30 the use of rotavirus VP6 spheres for encapsulating and delivering therapeutic agents.

2.2.1 VLP PRODUCTION USING THE SYNTHETIC EXPRESSION
CASSETTES OF THE PRESENT INVENTION

Experiments performed in support of the present invention have demonstrated that the synthetic expression cassettes of the present invention provide superior production of both protein and VLPs, relative to native coding sequences (Examples 7 and 15). Further, electron microscopic evaluation of VLP production (Examples 6 and 15, Figures 3A-B and 65A-F) showed that free and budding immature virus particles of the expected size were produced by cells containing the synthetic expression cassettes.

Using the synthetic expression cassettes of the present invention, rather than native coding sequences, for the production of virus-like particles provide several advantages. First, VLPs can be produced in enhanced quantity making isolation and purification of the VLPs easier. Second, VLPs can be produced in a variety of cell types using the synthetic expression cassettes, in particular, mammalian cell lines can be used for VLP production, for example, CHO cells. Production using CHO cells provides (i) VLP formation; (ii) correct myristylation and budding; (iii) absence of non-mammalian cell contaminants (e.g., insect viruses and/or cells); and (iv) ease of purification. The synthetic expression cassettes of the present invention are also useful for enhanced expression in cell-types other than mammalian cell lines. For example, infection of insect cells with baculovirus vectors encoding the synthetic expression cassettes resulted in higher levels of total protein yield and higher levels of VLP production (relative to wild-type coding sequences). Further, the final product from insect cells infected with the baculovirus-Gag synthetic expression cassettes

consistently contained lower amounts of contaminating insect proteins than the final product when wild-type coding sequences were used (Examples).

VLPs can spontaneously form when the particle-
5 forming polypeptide of interest is recombinantly expressed in an appropriate host cell. Thus, the VLPs produced using the synthetic expression cassettes of the present invention are conveniently prepared using recombinant techniques. As discussed below, the Gag
10 polypeptide encoding synthetic expression cassettes of the present invention can include other polypeptide coding sequences of interest (for example, Env, tat, rev, HIV protease, HIV polymerase, HCV core; see, Example 1). Expression of such synthetic expression cassettes yields
15 VLPs comprising the product of the synthetic expression cassette, as well as, the polypeptide of interest.

Once coding sequences for the desired particle-forming polypeptides have been isolated or synthesized, they can be cloned into any suitable vector or replicon
20 for expression. Numerous cloning vectors are known to those of skill in the art, and the selection of an appropriate cloning vector is a matter of choice. See, generally, Ausubel et al, *supra* or Sambrook et al, *supra*. The vector is then used to transform an appropriate host
25 cell. Suitable recombinant expression systems include, but are not limited to, bacterial, mammalian, baculovirus/insect, vaccinia, Semliki Forest virus (SFV), Alphaviruses (such as, Sindbis, Venezuelan Equine Encephalitis (VEE)), mammalian, yeast and Xenopus
30 expression systems, well known in the art. Particularly preferred expression systems are mammalian cell lines, vaccinia, Sindbis, insect and yeast systems.

For example, a number of mammalian cell lines are known in the art and include immortalized cell lines

available from the American Type Culture Collection (A.T.C.C.), such as, but not limited to, Chinese hamster ovary (CHO) cells, 293 cells, HeLa cells, baby hamster kidney (BHK) cells, mouse myeloma (SB20), monkey kidney cells (COS), as well as others. Similarly, bacterial hosts such as *E. coli*, *Bacillus subtilis*, and *Streptococcus spp.*, will find use with the present expression constructs. Yeast hosts useful in the present invention include inter alia, *Saccharomyces cerevisiae*, *Candida albicans*, *Candida maltosa*, *Hansenula polymorpha*, *Kluyveromyces fragilis*, *Kluyveromyces lactis*, *Pichia guillerimondii*, *Pichia pastoris*, *Schizosaccharomyces pombe* and *Yarrowia lipolytica*. Insect cells for use with baculovirus expression vectors include, inter alia, *Aedes aegypti*, *Autographa californica*, *Bombyx mori*, *Drosophila melanogaster*, *Spodoptera frugiperda*, and *Trichoplusia ni*. See, e.g., Summers and Smith, Texas Agricultural Experiment Station Bulletin No. 1555 (1987). Fungal hosts include, for example, *Aspergillus*.

Viral vectors can be used for the production of particles in eucaryotic cells, such as those derived from the pox family of viruses, including vaccinia virus and avian poxvirus. Additionally, a vaccinia based infection/transfection system, as described in Tomei et al., *J. Virol.* (1993) 67:4017-4026 and Selby et al., *J. Gen. Virol.* (1993) 74:1103-1113, will also find use with the present invention. In this system, cells are first infected in vitro with a vaccinia virus recombinant that encodes the bacteriophage T7 RNA polymerase. This polymerase displays exquisite specificity in that it only transcribes templates bearing T7 promoters. Following infection, cells are transfected with the DNA of interest, driven by a T7 promoter. The polymerase expressed in the cytoplasm from the vaccinia virus

recombinant transcribes the transfected DNA into RNA which is then translated into protein by the host translational machinery. Alternately, T7 can be added as a purified protein or enzyme as in the "Progenitor" system (Studier and Moffatt, *J. Mol. Biol.* (1986) 189:113-130). The method provides for high level, transient, cytoplasmic production of large quantities of RNA and its translation product(s).

Depending on the expression system and host selected, the VLPS are produced by growing host cells transformed by an expression vector under conditions whereby the particle-forming polypeptide is expressed and VLPs can be formed. The selection of the appropriate growth conditions is within the skill of the art. If the VLPs are formed intracellularly, the cells are then disrupted, using chemical, physical or mechanical means, which lyse the cells yet keep the VLPs substantially intact. Such methods are known to those of skill in the art and are described in, e.g., *Protein Purification Applications: A Practical Approach*, (E.L.V. Harris and S. Angal, Eds., 1990).

The particles are then isolated (or substantially purified) using methods that preserve the integrity thereof, such as, by density gradient centrifugation, e.g., sucrose gradients, PEG-precipitation, pelleting, and the like (see, e.g., Kirnbauer et al. *J. Virol.* (1993) 67:6929-6936), as well as standard purification techniques including, e.g., ion exchange and gel filtration chromatography.

VLPs produced by cells containing the synthetic expression cassettes of the present invention can be used to elicit an immune response when administered to a subject. One advantage of the present invention is that VLPs can be produced by mammalian cells carrying the

synthetic expression cassettes at levels previously not possible. As discussed above, the VLPs can comprise a variety of antigens in addition to the Gag polypeptides (e.g., Env, tat, Gag-protease, Gag-polymerase, Gag-HCV-core). Purified VLPs, produced using the synthetic expression cassettes of the present invention, can be administered to a vertebrate subject, usually in the form of vaccine compositions. Combination vaccines may also be used, where such vaccines contain, for example, other subunit proteins derived from HIV or other organisms (e.g., env) or gene delivery vaccines encoding such antigens. Administration can take place using the VLPs formulated alone or formulated with other antigens. Further, the VLPs can be administered prior to, concurrent with, or subsequent to, delivery of the synthetic expression cassettes for DNA immunization (see below) and/or delivery of other vaccines. Also, the site of VLP administration may be the same or different as other vaccine compositions that are being administered. Gene delivery can be accomplished by a number of methods including, but are not limited to, immunization with DNA, alphavirus vectors, pox virus vectors, and vaccinia virus vectors.

VLP immune-stimulating (or vaccine) compositions can include various excipients, ~~adjuvants, carriers,~~ auxiliary substances, modulating agents, and the like. The immune stimulating compositions will include an amount of the VLP/antigen sufficient to mount an immunological response. An appropriate effective amount can be determined by one of skill in the art. Such an amount will fall in a relatively broad range that can be determined through routine trials and will generally be an amount on the order of about 0.1 μ g to about 1000 μ g,

more preferably about 1 μ g to about 300 μ g, of VLP/antigen.

A carrier is optionally present which is a molecule that does not itself induce the production of antibodies harmful to the individual receiving the composition. Suitable carriers are typically large, slowly metabolized macromolecules such as proteins, polysaccharides, polylactic acids, polyglycollic acids, polymeric amino acids, amino acid copolymers, lipid aggregates (such as oil droplets or liposomes), and inactive virus particles. Examples of particulate carriers include those derived from polymethyl methacrylate polymers, as well as microparticles derived from poly(lactides) and poly(lactide-co-glycolides), known as PLG. See, e.g., Jeffery et al., *Pharm. Res.* (1993) 10:362-368; McGee JP, et al., *J. Microencapsul.* 14(2):197-210, 1997; O'Hagan DT, et al., *Vaccine* 11(2):149-54, 1993. Such carriers are well known to those of ordinary skill in the art. Additionally, these carriers may function as immunostimulating agents ("adjuvants"). Furthermore, the antigen may be conjugated to a bacterial toxoid, such as toxoid from diphtheria, tetanus, cholera, etc., as well as toxins derived from *E. coli*.

Such adjuvants include, but are not limited to: (1) aluminum salts (alum), such as aluminum hydroxide, aluminum phosphate, aluminum sulfate, etc.; (2) oil-in-water emulsion formulations (with or without other specific immunostimulating agents such as muramyl peptides (see below) or bacterial cell wall components), such as for example (a) MF59 (International Publication No. WO 90/14837), containing 5% Squalene, 0.5% Tween 80, and 0.5% Span 85 (optionally containing various amounts of MTP-PE (see below), although not required) formulated

into submicron particles using a microfluidizer such as Model 110Y microfluidizer (Microfluidics, Newton, MA),

(b) SAF, containing 10% Squalane, 0.4% Tween 80, 5% pluronic-blocked polymer L121, and thr-MDP (see below)

5 either microfluidized into a submicron emulsion or vortexed to generate a larger particle size emulsion, and

(c) Ribi™ adjuvant system (RAS), (Ribi Immunochem, Hamilton, MT) containing 2% Squalene, 0.2% Tween 80, and one or more bacterial cell wall components from the group

10 consisting of monophosphorylipid A (MPL), trehalose dimycolate (TDM), and cell wall skeleton (CWS), preferably MPL + CWS (Detox™); (3) saponin adjuvants, such as Stimulon™ (Cambridge Bioscience, Worcester, MA) may be used or particle generated therefrom such as

15 ISCOMs (immunostimulating complexes); (4) Complete Freund's Adjuvant (CFA) and Incomplete Freund's Adjuvant (IFA); (5) cytokines, such as interleukins (IL-1, IL-2, etc.), macrophage colony stimulating factor (M-CSF), tumor necrosis factor (TNF), beta chemokines (MIP, 1-

20 alpha, 1-beta Rantes, etc.); (6) detoxified mutants of a bacterial ADP-ribosylating toxin such as a cholera toxin (CT), a pertussis toxin (PT), or an *E. coli* heat-labile toxin (LT), particularly LT-K63 (where lysine is substituted for the wild-type amino acid at position 63)

25 LT-R72 (where arginine is substituted for the wild-type amino acid at position 72), CT-S109 (where serine is substituted for the wild-type amino acid at position 109), and PT-K9/G129 (where lysine is substituted for the wild-type amino acid at position 9 and glycine

30 substituted at position 129) (see, e.g., International Publication Nos. W093/13202 and W092/19265); and (7)

other substances that act as immunostimulating agents to enhance the effectiveness of the composition.

Muramyl peptides include, but are not limited to, N-acetyl-muramyl-L-threonyl-D-isoglutamine (thr-MDP), N-acteyl-normuramyl-L-alanyl-D-isogluatme (nor-MDP), N-acetylmuramyl-L-alanyl-D-isogluatminyl-L-alanine-2-(1'-2'-dipalmitoyl-sn-glycero-3-hydroxyphosphoryloxy)-ethylamine (MTP-PE), etc.

Dosage treatment with the VLP composition may be a single dose schedule or a multiple dose schedule. A multiple dose schedule is one in which a primary course of vaccination may be with 1-10 separate doses, followed by other doses given at subsequent time intervals, chosen to maintain and/or reinforce the immune response, for example at 1-4 months for a second dose, and if needed, a subsequent dose(s) after several months. The dosage regimen will also, at least in part, be determined by the potency of the modality, the vaccine delivery employed, the need of the subject and be dependent on the judgment of the practitioner.

If prevention of disease is desired (e.g., reduction of symptoms, recurrences or of disease progression), the antigen carrying VLPs are generally administered prior to primary infection with the pathogen of interest. If treatment is desired, e.g., the reduction of symptoms or recurrences, the VLP compositions are generally administered subsequent to primary infection.

2.2.2 USING THE SYNTHETIC EXPRESSION CASSETTES OF THE PRESENT INVENTION TO CREATE PACKAGING CELL LINES

A number of viral based systems have been developed for use as gene transfer vectors for mammalian host cells. For example, retroviruses (in particular,

lentiviral vectors) provide a convenient platform for gene delivery systems. A coding sequence of interest (for example, a sequence useful for gene therapy applications) can be inserted into a gene delivery vector and packaged in retroviral particles using techniques known in the art. Recombinant virus can then be isolated and delivered to cells of the subject either *in vivo* or *ex vivo*. A number of retroviral systems have been described, including, for example, the following: (U.S. Patent No. 5,219,740; Miller et al. (1989) *Biotechniques* 7:980; Miller, A.D. (1990) *Human Gene Therapy* 1:5; Scarpa et al. (1991) *Virology* 180:849; Burns et al. (1993) *Proc. Natl. Acad. Sci. USA* 90:8033; Boris-Lawrie et al. (1993) *Cur. Opin. Genet. Develop.* 3:102; GB 2200651; EP 0415731; EP 0345242; WO 89/02468; WO 89/05349; WO 89/09271; WO 90/02806; WO 90/07936; WO 90/07936; WO 94/03622; WO 93/25698; WO 93/25234; WO 93/11230; WO 93/10218; WO 91/02805; in U.S. 5,219,740; U.S. 4,405,712; U.S. 4,861,719; U.S. 4,980,289 and U.S. 4,777,127; in U.S. Serial No. 07/800,921; and in Vile (1993) *Cancer Res* 53:3860-3864; Vile (1993) *Cancer Res* 53:962-967; Ram (1993) *Cancer Res* 53:83-88; Takamiya (1992) *J Neurosci Res* 33:493-503; Baba (1993) *J Neurosurg* 79:729-735; Mann (1983) *Cell* 33:153; Cane (1984) *Proc Natl Acad Sci USA* 81:6349; and Miller (1990) *Human Gene Therapy* 1.

Sequences useful for gene therapy applications include, but are not limited to, the following. Factor VIII cDNA, including derivatives and deletions thereof (International Publication Nos. WO 96/21035, WO 97/03193, WO 97/03194, WO 97/03195, and WO 97/03191). Factor IX cDNA (Kurachi et al. (1982) *Proc. Natl. Acad. Sci. USA* 79:6461-6464). Factor V cDNA can be obtained from pMT2-V (Jenny (1987) *Proc. Natl. Acad. Sci. USA* 84:4846, A.T.C.C. Deposit No. 40515). A full-length factor V

cDNA, or a B domain deletion or B domain substitution thereof, can be used. B domain deletions of factor V, include those reported by Marquette (1995) *Blood* 86:3026 and Kane (1990) *Biochemistry* 29:6762. Antithrombin III
5 cDNA (Prochownik (1983) *J. Biol. Chem.* 258:8389, A.T.C.C. Deposit No. 57224/57225). Protein C encoding cDNA (Foster (1984) *Proc. Natl. Acad. Sci. USA* 81:4766; Beckmann (1985) *Nucleic Acids Res.* 13:5233). Prothrombin
10 cDNA can be obtained by restriction enzyme digestion of a published vector (Degen (1983) *Biochemistry* 22:2087). The endothelial cell surface protein, thrombomodulin, is a necessary cofactor for the normal activation of protein C by thrombin. A soluble recombinant form has been described (Parkinson (1990) *J. Biol. Chem.* 265:12602;
15 Jackman (1987) *Proc. Natl. Acad. Sci. USA* 84:6425; Shirai (1988) *J. Biochem.* 103:281; Wen (1987) *Biochemistry* 26:4350; Suzuki (1987) *EMBO J.* 6:1891, A.T.C.C. Deposit No. 61348, 61349).

Many genetic diseases caused by inheritance of
20 defective genes result in the failure to produce normal gene products, for example; thalassemia, phenylketonuria, Lesch-Nyhan syndrome, severe combined immunodeficiency (SCID), hemophilia A and B, cystic fibrosis, Duchenne's Muscular Dystrophy, inherited emphysema and familial
25 hypercholesterolemia—(Mulligan et al. (1993) *Science* 260:926; Anderson et al. (1992) *Science* 256:808; Friedman et al. (1989) *Science* 244:1275). Although genetic diseases may result in the absence of a gene product, endocrine disorders, such as diabetes and
30 hypopituitarism, are caused by the inability of the gene to produce adequate levels of the appropriate hormone insulin and human growth hormone respectively.

In one aspect, gene therapy employing the constructs and methods of the present invention involves the

introduction of normal recombinant genes into T cells so that new or missing proteins are produced by the T cells after introduction or reintroduction thereof into a patient. A number of genetic diseases have been selected
5 for treatment with gene therapy, including adenine deaminase deficiency, cystic fibrosis, α_1 -antitrypsin deficiency, Gaucher's syndrome, as well as non-genetic diseases.

In particular, Gaucher's syndrome is a genetic
10 disorder characterized by a deficiency of the enzyme glucocerebrosidase. This enzyme deficiency leads to the accumulation of glucocerebroside in the lysosomes of all cells in the body. For a review see *Science* 256:794 (1992) and Sriver et al., *The Metabolic Basis of*
15 *Inherited Disease*, 6th ed., vol. 2, page 1677). Thus, gene transfer vectors that express glucocerebrosidase can be constructed for use in the treatment of this disorder. Likewise, gene transfer vectors encoding lactase can be used in the treatment of hereditary lactose intolerance,
20 those expressing AD can be used for treatment of ADA deficiency, and gene transfer vectors encoding α_1 -antitrypsin can be used to treat α_1 -antitrypsin deficiency. See Ledley, F.D. (1987) *J. Pediatrics* 110:157-174, Verma, I. (Nov. 1987) *Scientific American*
25 pp. 68-84, and International Publication No. WO 95/27512 entitled "Gene Therapy Treatment for a Variety of Diseases and Disorders," for a description of gene therapy treatment of genetic diseases.

In still further embodiments of the invention,
30 nucleotide sequences which can be incorporated into a gene transfer vector include, but are not limited to, proteins associated with enzyme-deficiency disorders, such as the cystic fibrosis transmembrane regulator (see, for example, U.S. Patent No. 5,240,846 and Larrick et al.

(1991) *Gene Therapy Applications of Molecular Biology*, Elsevier, New York and adenosine deaminase (ADA) (see U.S. Patent No. 5,399,346); growth factors, or an agonist or antagonist of a growth factor (Bandara et al. (1992) *DNA and Cell Biology*, 11:227); one or more tumor suppressor genes such as p53, Rb, or C-CAM1 (Kleinerman et al. (1995) *Cancer Research* 55:2831); a molecule that modulates the immune system of an organism, such as a HLA molecule (Nabel et al. (1993) *Proc. Natl. Acad. Sci. USA* 90:11307); a ribozyme (Larsson et al. (1996) *Virology* 219:161); a peptide nucleic acid (Hirshman et al. (1996) *J. Invest. Med.* 44:347); an antisense molecule (Bordier et al. (1995) *Proc. Natl. Acad. Sci. USA* 92:9383) which can be used to down-regulate the expression or synthesis of aberrant or foreign proteins, such as HIV proteins or a wide variety of oncogenes such as p53 (Hesketh, *The Oncogene Facts Book*, Academic Press, New York, (1995); a biopharmaceutical agent or antisense molecule used to treat HIV-infection, such as an inhibitor of p24 (Nakashima et al. (1994) *Nucleic Acids Res.* 22:5004); or reverse-transcriptase (see, Bordier, *supra*).

Other proteins of therapeutic interest can be expressed *in vivo* by gene transfer vectors using the methods of the invention. For instance sustained *in vivo* expression of tissue factor inhibitory protein (TFPI) is useful for treatment of conditions including sepsis and DIC and in preventing reperfusion injury. (See International Publications Nos. WO 93/24143, WO 93/25230 and WO 96/06637). Nucleic acid sequences encoding various forms of TFPI can be obtained, for example, as described in US Patent Nos. 4,966,852; 5,106,833; and 5,466,783, and incorporated into the gene transfer vectors described herein.

Erythropoietin (EPO) and leptin can also be expressed *in vivo* from genetically modified T cells according to the methods of the invention. For instance EPO is useful in gene therapy treatment of a variety of disorders including anemia (see International Publication No. WO 95/13376 entitled "Gene Therapy for Treatment of Anemia"). Sustained delivery of leptin by the methods of the invention is useful in treatment of obesity. See International Publication No. WO 96/05309 for a description of the leptin gene and the use thereof in the treatment of obesity.

A variety of other disorders can also be treated by the methods of the invention. For example, sustained *in vivo* systemic production of apolipoprotein E or apolipoprotein A from genetically modified T cells can be used for treatment of hyperlipidemia (see Breslow et al. (1994) *Biotechnology* 12:365). Sustained production of angiotensin receptor inhibitor (Goodfriend et al. (1996) *N. Engl. J. Med.* 334:1469) can be provided by the methods described herein. As yet an additional example, the long term *in vivo* systemic production of angiostatin is useful in the treatment of a variety of tumors. (See O'Reilly et al. (1996) *Nature Med.* 2:689).

In other embodiments, gene transfer vectors can be constructed to encode a cytokine or other immunomodulatory molecule. For example, nucleic acid sequences encoding native IL-2 and gamma-interferon can be obtained as described in US Patent Nos. 4,738,927 and 5,326,859, respectively, while useful muteins of these proteins can be obtained as described in U.S. Patent No. 4,853,332. Nucleic acid sequences encoding the short and long forms of mCSF can be obtained as described in US Patent Nos. 4,847,201 and 4,879,227, respectively. In particular aspects of the invention, retroviral vectors

expressing cytokine or immunomodulatory genes can be produced as described herein (for example, employing the packaging cell lines of the present invention) and in International Application No. PCT US 94/02951, entitled

5 "Compositions and Methods for Cancer Immunotherapy."

- Examples of suitable immunomodulatory molecules for use herein include the following: IL-1 and IL-2 (Karupiah et al. (1990) *J. Immunology* 144:290-298, Weber et al. (1987) *J. Exp. Med.* 166:1716-1733, Gansbacher et al. (1990) *J. Exp. Med.* 172:1217-1224, and U.S. Patent No. 4,738,927); IL-3 and IL-4 (Tepper et al. (1989) *Cell* 57:503-512, Golumbek et al. (1991) *Science* 254:713-716, and U.S. Patent No. 5,017,691); IL-5 and IL-6 (Brakenhof et al. (1987) *J. Immunol.* 139:4116-4121, and
- 15 International Publication No. WO 90/06370); IL-7 (U.S. Patent No. 4,965,195); IL-8, IL-9, IL-10, IL-11, IL-12, and IL-13 (Cytokine Bulletin, Summer 1994); IL-14 and IL-15; alpha interferon (Finter et al. (1991) *Drugs* 42:749-765, U.S. Patent Nos. 4,892,743 and 4,966,843,
- 20 International Publication No. WO 85/02862, Nagata et al. (1980) *Nature* 284:316-320, Familletti et al. (1981) *Methods in Enz.* 78:387-394, Twu et al. (1989) *Proc. Natl. Acad. Sci. USA* 86:2046-2050, and Faktor et al. (1990) *Oncogene* 5:867-872); beta-interferon (Seif et al. (1991) *J. Virol.* 65:664-671); gamma-interferons (Radford et al. (1991) *The American Society of Hepatology* 20082015, Watanabe et al. (1989) *Proc. Natl. Acad. Sci. USA* 86:9456-9460, Gansbacher et al. (1990) *Cancer Research* 50:7820-7825, Maio et al. (1989) *Can. Immunol. Immunother.* 30:34-42, and U.S. Patent Nos. 4,762,791 and 4,727,138); G-CSF (U.S. Patent Nos. 4,999,291 and 4,810,643); GM-CSF (International Publication No. WO 85/04188); tumor necrosis factors (TNFs) (Jayaraman et al. (1990) *J. Immunology* 144:942-951); CD3 (Krissanen et
- 30

al. (1987) *Immunogenetics* 26:258-266); ICAM-1 (Altman et al. (1989) *Nature* 338:512-514, Simmons et al. (1988) *Nature* 331:624-627); ICAM-2, LFA-1, LFA-3 (Wallner et al. (1987) *J. Exp. Med.* 166:923-932); MHC class I molecules, 5 MHC class II molecules, B7.1-.3, β_2 -microglobulin (Parnes et al. (1981) *Proc. Natl. Acad. Sci. USA* 78:2253-2257); chaperones such as calnexin; and MHC-linked transporter proteins or analogs thereof (Powis et al. (1991) *Nature* 354:528-531). Immunomodulatory factors may also be 10 agonists, antagonists, or ligands for these molecules. For example, soluble forms of receptors can often behave as antagonists for these types of factors, as can mutated forms of the factors themselves.

Nucleic acid molecules that encode the above- 15 described substances, as well as other nucleic acid molecules that are advantageous for use within the present invention, may be readily obtained from a variety of sources, including, for example, depositories such as the American Type Culture Collection, or from commercial 20 sources such as British Bio-Technology Limited (Cowley, Oxford England). Representative examples include BBG 12 (containing the GM-CSF gene coding for the mature protein of 127 amino acids), BBG 6 (which contains sequences encoding gamma interferon), A.T.C.C. Deposit No. 39656 25 (which contains sequences encoding TNF), A.T.C.C. Deposit No. 20663 (which contains sequences encoding alpha-interferon), A.T.C.C. Deposit Nos. 31902, 31902 and 39517 (which contain sequences encoding beta-interferon), A.T.C.C. Deposit No. 67024 (which contains a sequence 30 which encodes Interleukin-1b), A.T.C.C. Deposit Nos. 39405, 39452, 39516, 39626 and 39673 (which contain sequences encoding Interleukin-2), A.T.C.C. Deposit Nos. 59399, 59398, and 67326 (which contain sequences encoding Interleukin-3), A.T.C.C. Deposit No. 57592 (which

contains sequences encoding Interleukin-4), A.T.C.C. Deposit Nos. 59394 and 59395 (which contain sequences encoding Interleukin-5), and A.T.C.C. Deposit No. 67153 (which contains sequences encoding Interleukin-6).

5 Plasmids containing cytokine genes or immunomodulatory genes (International Publication Nos. WO 94/02951 and WO 96/21015) can be digested with appropriate restriction enzymes, and DNA fragments containing the particular gene of interest can be inserted into a gene
10 transfer vector using standard molecular biology techniques. (See, e.g., Sambrook et al., *supra.*, or Ausubel et al. (eds) *Current Protocols in Molecular Biology*, Greene Publishing and Wiley-Interscience).

Exemplary hormones, growth factors and other
15 proteins which are useful for long term expression are described, for example, in European Publication No. 0437478B1, entitled "Cyclodextrin-Peptide Complexes." Nucleic acid sequences encoding a variety of hormones can be used, including those encoding human growth hormone,
20 insulin, calcitonin, prolactin, follicle stimulating hormone (FSH), luteinizing hormone (LH), human chorionic gonadotropin (HCG), and thyroid stimulating hormone (TSH). A variety of different forms of IGF-1 and IGF-2 growth factor polypeptides are also well known the art
25 and can be incorporated into gene transfer vectors for long term expression in vivo. See, e.g., European Patent No. 0123228B1, published for grant September 19, 1993, entitled "Hybrid DNA Synthesis of Mature Insulin-like Growth Factors." As an additional example, the long term
30 in vivo expression of different forms of fibroblast growth factor can also be effected employing the compositions and methods of invention. See, e.g., U.S. Patent Nos. 5,464,774, 5,155,214, and 4,994,559 for a description of different fibroblast growth factors.

Polynucleotide sequences coding for the above-described molecules can be obtained using recombinant methods, such as by screening cDNA and genomic libraries from cells expressing the gene, or by deriving the gene
5 from a vector known to include the same. For example, plasmids which contain sequences that encode altered cellular products may be obtained from a depository such as the A.T.C.C., or from commercial sources. Plasmids containing the nucleotide sequences of interest can be
10 digested with appropriate restriction enzymes, and DNA fragments containing the nucleotide sequences can be inserted into a gene transfer vector using standard molecular biology techniques.

Alternatively, cDNA sequences for use with the
15 present invention may be obtained from cells which express or contain the sequences, using standard techniques, such as phenol extraction and PCR of cDNA or genomic DNA. See, e.g., Sambrook et al., *supra*, for a description of techniques used to obtain and isolate DNA.
20 Briefly, mRNA from a cell which expresses the gene of interest can be reverse transcribed with reverse transcriptase using oligo-dT or random primers. The single stranded cDNA may then be amplified by PCR (see U.S. Patent Nos. 4,683,202, 4,683,195 and 4,800,159, see
25 also *PCR Technology: Principles and Applications for DNA Amplification*, Erlich (ed.), Stockton Press, 1989)) using oligonucleotide primers complementary to sequences on either side of desired sequences.

The nucleotide sequence of interest can also be
30 produced synthetically, rather than cloned, using a DNA synthesizer (e.g., an Applied Biosystems Model 392 DNA Synthesizer, available from ABI, Foster City, California). The nucleotide sequence can be designed with the appropriate codons for the expression product

desired. The complete sequence is assembled from overlapping oligonucleotides prepared by standard methods and assembled into a complete coding sequence. See, e.g., Edge (1981) *Nature* 292:756; Nambair et al. (1984) *Science* 223:1299; Jay et al. (1984) *J. Biol. Chem.* 259:6311.

The synthetic expression cassettes of the present invention can be employed in the construction of packaging cell lines for use with retroviral vectors.

One type of retrovirus, the murine leukemia virus, or "MLV", has been widely utilized for gene therapy applications (see generally Mann et al. (*Cell* 33:153, 1993), Cane and Mulligan (*Proc. Nat'l. Acad. Sci. USA* 81:6349, 1984), and Miller et al., *Human Gene Therapy* 1:5-14, 1990).

Lentiviral vectors typically, comprise a 5' lentiviral LTR, a tRNA binding site, a packaging signal, a promoter operably linked to one or more genes of interest, an origin of second strand DNA synthesis and a 3' lentiviral LTR, wherein the lentiviral vector contains a nuclear transport element. The nuclear transport element may be located either upstream (5') or downstream (3') of a coding sequence of interest. Within certain embodiments, the nuclear transport element is not RRE.

Within one embodiment the packaging signal is an extended packaging signal. Within other embodiments the promoter is a tissue specific promoter, or, alternatively, a promoter such as CMV. Within other embodiments, the lentiviral vector further comprises an internal ribosome entry site.

A wide variety of lentiviruses may be utilized within the context of the present invention, including for example, lentiviruses selected from the group consisting of HIV, HIV-1, HIV-2, FIV and SIV.

In one embodiment of the present invention synthetic Env and/or Gag-polymerase expression cassettes are provided comprising a promoter and a sequence encoding synthetic Gag-polymerase (SEQ ID NO:6) and at least one
5 of vpr, vpu, nef or vif, wherein the promoter is operably linked to Gag-polymerase and vpr, vpu, nef or vif.

Within yet another aspect of the invention, host cells (e.g., packaging cell lines) are provided which contain any of the expression cassettes described herein.
10 For example, within one aspect packaging cell line are provided comprising an expression cassette that comprises a sequence encoding synthetic Env and/or Gag-polymerase, and a nuclear transport element, wherein the promoter is operably linked to the sequence encoding Env and/or Gag-
15 polymerase. Packaging cell lines may further comprise a promoter and a sequence encoding tat, rev, or an envelope, wherein the promoter is operably linked to the sequence encoding tat, rev, or, the envelope. The packaging cell line may further comprise a sequence
20 encoding any one or more of nef, vif, vpu or vpr.

In one embodiment, the expression cassette (carrying, for example, the synthetic Env, synthetic tat and/or synthetic Gag-polymerase) is stably integrated. The packaging cell line, upon introduction of a
25 lentiviral vector, typically produces viral particles. The promoter regulating expression of the synthetic expression cassette may be inducible. Typically, the packaging cell line, upon introduction of a lentiviral vector, produces viral particles that are essentially
30 free of replication competent virus.

Packaging cell lines are provided comprising an expression cassette which directs the expression of a synthetic Env (or Gag-polymerase) gene, an expression cassette which directs the expression of a Gag (or Env)

gene optimized for expression (e.g., Andre, S., et al., *Journal of Virology* 72(2):1497-1503, 1998; Haas, J., et al., *Current Biology* 6(3):315-324, 1996). A lentiviral vector is introduced into the packaging cell line to
5 produce a vector particle producing cell line.

As noted above, lentiviral vectors can be designed to carry or express a selected gene(s) or sequences of interest. Lentiviral vectors may be readily constructed from a wide variety of lentiviruses (see RNA Tumor
10 Viruses, Second Edition, Cold Spring Harbor Laboratory, 1985). Representative examples of lentiviruses included HIV, HIV-1, HIV-2, FIV and SIV. Such lentiviruses may either be obtained from patient isolates, or, more preferably, from depositories or collections such as the
15 American Type Culture Collection, or isolated from known sources using available techniques.

Portions of the lentiviral gene delivery vectors (or vehicles) may be derived from different viruses. For example, in a given recombinant lentiviral vector, LTRs
20 may be derived from an HIV, a packaging signal from SIV, and an origin of second strand synthesis from HrV-2. Lentiviral vector constructs may comprise a 5' lentiviral LTR, a tRNA binding site, a packaging signal, one or more heterologous sequences, an origin of second strand DNA
25 synthesis and a 3' LTR, wherein said lentiviral vector contains a nuclear transport element that is not RRE.

Briefly, Long Terminal Repeats ("LTRs") are subdivided into three elements, designated U5, R and U3. These elements contain a variety of signals which are
30 responsible for the biological activity of a retrovirus, including for example, promoter and enhancer elements which are located within U3. LTRs may be readily identified in the provirus (integrated DNA form) due to their precise duplication at either end of the genome.

As utilized herein, a 5' LTR should be understood to include a 5' promoter element and sufficient LTR sequence to allow reverse transcription and integration of the DNA form of the vector. The 3' LTR should be understood to include a polyadenylation signal, and sufficient LTR sequence to allow reverse transcription and integration of the DNA form of the vector.

The tRNA binding site and origin of second strand DNA synthesis are also important for a retrovirus to be biologically active, and may be readily identified by one of skill in the art. For example, retroviral tRNA binds to a tRNA binding site by Watson-Crick base pairing, and is carried with the retrovirus genome into a viral particle. The tRNA is then utilized as a primer for DNA synthesis by reverse transcriptase. The tRNA binding site may be readily identified based upon its location just downstream from the 5'LTR. Similarly, the origin of second strand DNA synthesis is, as its name implies, important for the second strand DNA synthesis of a retrovirus. This region, which is also referred to as the poly-purine tract, is located just upstream of the 3'LTR.

In addition to a 5' and 3' LTR, tRNA binding site, and origin of second strand DNA synthesis, recombinant retroviral vector constructs may also comprise a packaging signal, as well as one or more genes or coding sequences of interest. In addition, the lentiviral vectors have a nuclear transport element which, in preferred embodiments is not RRE. Representative examples of suitable nuclear transport elements include the element in Rous sarcoma virus (Ogert, et al., J Virol 70, 3834-3843, 1996), the element in Rous sarcoma virus (Liu & Mertz, Genes & Dev., 9, 1766-1789, 1995) and the element in the genome of simian retrovirus type I

(Zolotukhin, et al., *J Virol.* 68, 7944-7952, 1994).

Other potential elements include the elements in the histone gene (Kedes, *Annu. Rev. Biochem.* 48, 837-870, 1970), the α -interferon gene (Nagata et al., *Nature* 287, 401-408, 1980), the β -adrenergic receptor gene (Koilkka, et al., *Nature* 329, 75-79, 1987), and the c-Jun gene (Hattori, et al., *Proc. Natl. Acad. Sci. USA* 85, 9148-9152, 1988).

Recombinant lentiviral vector constructs typically lack both *Gag*-polymerase and *env* coding sequences. Recombinant lentiviral vector typically contain less than 20, preferably 15, more preferably 10, and most preferably 8 consecutive nucleotides found in *Gag*-polymerase or *env* genes. One advantage of the present invention is that the synthetic *Gag*-polymerase expression cassettes, which can be used to construct packaging cell lines for the recombinant retroviral vector constructs, have little homology to wild-type *Gag*-polymerase sequences and thus considerably reduce or eliminate the possibility of homologous recombination between the synthetic and wild-type sequences.

Lentiviral vectors may also include tissue-specific promoters to drive expression of one or more genes or sequences of interest. For example, lentiviral vector particles of the invention can contain a liver specific promoter to maximize the potential for liver specific expression of the exogenous DNA sequence contained in the vectors. Preferred liver specific promoters include the hepatitis B X-gene promoter and the hepatitis B core protein promoter. These liver specific promoters are preferably employed with their respective enhancers. The enhancer element can be linked at either the 5' or the 3' end of the nucleic acid encoding the sequences of interest. The hepatitis B X gene promoter and its

enhancer can be obtained from the viral genome as a 332 base pair *EcoRV-NcoI* DNA fragment employing the methods described in Twu, et al., *J Virol.* 61:3448-3453, 1987. The hepatitis B core protein promoter can be obtained
5 from the viral genome as a 584 base pair *BamHI-BglIII* DNA fragment employing the methods described in Gerlach, et al., *Virol* 189:59-66, 1992. It may be necessary to remove the negative regulatory sequence in the *BamHI-BglIII* fragment prior to inserting it. Other liver
10 specific promoters include the AFP (alpha fetal protein) gene promoter and the albumin gene promoter, as disclosed in EP Patent Publication 0 415 731, the -1 antitrypsin gene promoter, as disclosed in Rettenger, et al., *Proc. Natl. Acad. Sci.* 91:1460-1464, 1994, the fibrinogen
15 gene promoter, the APO-A1 (Apolipoprotein A1) gene promoter, and the promoter genes for liver transference enzymes such as, for example, SGOT, SGPT and glutamyle transferase. See also PCT Patent Publications WO 90/07936 and WO 91/02805 for a description of the use of
20 liver specific promoters in lentiviral vector particles.

Lentiviral vector constructs may be generated such that more than one gene of interest is expressed. This may be accomplished through the use of di- or oligo-cistronic cassettes (e.g., ~~where the coding regions are~~
25 separated by 80 nucleotides or less, see generally Levin et al., *Gene* 108:167-174, 1991), or through the use of Internal Ribosome Entry Sites ("IRES").

Packaging cell lines suitable for use with the above described recombinant retroviral vector constructs may be
30 readily prepared given the disclosure provided herein. Briefly, the parent cell line from which the packaging cell line is derived can be selected from a variety of

mammalian cell lines, including for example, 293, RD, COS-7, CHO, BHK, VERO, HT1080, and myeloma cells.

After selection of a suitable host cell for the generation of a packaging cell line, one or more
5 expression cassettes are introduced into the cell line in order to complement or supply in trans components of the vector which have been deleted.

Representative examples of suitable expression cassettes have been described herein and include
10 synthetic Env, tat, Gag, synthetic Gag-protease, synthetic Gag-reverse transcriptase and synthetic Gag-polymerase expression cassettes, which comprise a promoter and a sequence encoding, e.g., Env, tat, or Gag-polymerase and at least one of vpr, vpu, nef or vif,
15 wherein the promoter is operably linked to Env, tat or Gag-polymerase and vpr, vpu, nef or vif. As described above, optimized Env, Gag and/or tat coding sequences may also be utilized in various combinations in the generation of packaging cell lines.

20 Utilizing the above-described expression cassettes, a wide variety of packaging cell lines can be generated. For example, within one aspect packaging cell line are provided comprising an expression cassette that comprises a sequence encoding synthetic HIV (e.g., Gag, Env, tat,
25 Gag-polymerase, Gag-reverse transcriptase or Gag-protease) polypeptide, and a nuclear transport element, wherein the promoter is operably linked to the sequence encoding the HIV polypeptide. Within other aspects, packaging cell lines are provided comprising a promoter
30 and a sequence encoding Gag, tat, rev, or an envelope (e.g., HIV env), wherein the promoter is operably linked to the sequence encoding Gag, tat, rev, or, the envelope. Within further embodiments, the packaging cell line may comprise a sequence encoding any one or more of nef, vif,

vpu or vpr. For example, the packaging cell line may contain only nef, vif, vpu, or vpr alone, nef and vif, nef and vpu, nef and vpr, vif and vpu, vif and vpr, vpu and vpr, nef vif and vpu, nef vif and vpr, nef vpu and vpr, vvir vpu and vpr, or, all four of nef vif vpu and vpr.

In one embodiment, the expression cassette is stably integrated. Within another embodiment, the packaging cell line, upon introduction of a lentiviral vector, produces particles. Within further embodiments the promoter is inducible. Within certain preferred embodiments of the invention, the packaging cell line, upon introduction of a lentiviral vector, produces particles that are free of replication competent virus.

The synthetic cassettes containing optimized coding sequences are transfected into a selected cell line. Transfected cells are selected that (i) carry, typically, integrated, stable copies of the Gag, Pol, and Env coding sequences, and (ii) are expressing acceptable levels of these polypeptides (expression can be evaluated by methods known in the prior art, e.g., see Examples 1-4). The ability of the cell line to produce VLPs may also be verified (Examples 6, 7 and 15).

A sequence of interest is constructed into a suitable viral vector as discussed above. This defective virus is then transfected into the packaging cell line. The packaging cell line provides the viral functions necessary for producing virus-like particles into which the defective viral genome, containing the sequence of interest, are packaged. These VLPs are then isolated and can be used, for example, in gene delivery or gene therapy.

Further, such packaging cell lines can also be used to produce VLPs alone, which can, for example, be used as

adjuvants for administration with other antigens or in vaccine compositions. Also, co-expression of a selected sequence of interest encoding a polypeptide (for example, an antigen) in the packaging cell line can also result in the entrapment and/or association of the selected polypeptide in/with the VLPs.

2.3 DNA IMMUNIZATION AND GENE DELIVERY

A variety of polypeptide antigens can be used in the practice of the present invention. Polypeptide antigens can be included in DNA immunization constructs containing, for example, any of the synthetic expression cassettes described herein fused in-frame to a coding sequence for the polypeptide antigen, where expression of the construct results in VLPs presenting the antigen of interest. Antigens can be derived from a wide variety of viruses, bacteria, fungi, plants, protozoans and other parasites. For example, the present invention will find use for stimulating an immune response against a wide variety of proteins from the herpesvirus family, including proteins derived from herpes simplex virus (HSV) types 1 and 2, such as HSV-1 and HSV-2 gB, gD, gH, VP16 and VP22; antigens derived from varicella zoster virus (VZV), Epstein-Barr virus (EBV) and cytomegalovirus (CMV) including CMV-gB and gH; and antigens derived from other human herpesviruses such as HHV6 and HHV7. (See, e.g. Chee et al., *Cytomegaloviruses* (J.K. McDougall, ed., Springer-Verlag 1990) pp. 125-169, for a review of the protein coding content of cytomegalovirus; McGeoch et al., *J. Gen. Virol.* (1988) 69:1531-1574, for a discussion of the various HSV-1 encoded proteins; U.S. Patent No. 5,171,568 for a discussion of HSV-1 and HSV-2 gB and gD proteins and the genes encoding therefore; Baer et al., *Nature* (1984) 310:207-211, for the identification of

protein coding sequences in an EBV genome; and Davison and Scott, *J. Gen. Virol.* (1986) 67:1759-1816, for a review of VZV.)

Additionally, immune responses to antigens from the hepatitis family of viruses, including hepatitis A virus (HAV), hepatitis B virus (HBV), hepatitis C virus (HCV), the delta hepatitis virus (HDV), hepatitis E virus (HEV), and hepatitis G virus, can also be stimulated using the constructs of the present invention. By way of example, the HCV genome encodes several viral proteins, including E1 (also known as E) and E2 (also known as E2/NSI), which will find use with the present invention (see, Houghton et al. *Hepatology* (1991) 14:381-388, for a discussion of HCV proteins, including E1 and E2). The δ -antigen from HDV can also be used (see, e.g., U.S. Patent No. 5,389,528, for a description of the δ -antigen).

Similarly, influenza virus is another example of a virus for which the present invention will be particularly useful. Specifically, the envelope glycoproteins HA and NA of influenza A are of particular interest for generating an immune response. Numerous HA subtypes of influenza A have been identified (Kawaoka et al., *Virology* (1990) 179:759-767; Webster et al. "Antigenic variation among type A influenza viruses," p. 127-168. In: P. Palese and D.W. Kingsbury (ed.), *Genetics of influenza viruses*. Springer-Verlag, New York).

Other antigens of particular interest to be used in the practice of the present invention include antigens and polypeptides derived therefrom from human papillomavirus (HPV), such as one or more of the various early proteins including E6 and E7; tick-borne encephalitis viruses; and HIV-1 (also known as HTLV-III, LAV, ARV, etc.), including, but not limited to, antigens such as gp120, gp41, gp160, Gag and pol from a variety of

isolates including, but not limited to, HIV_{IIIB}, HIV_{SF2}, HIV-1_{SF162}, HIV-1_{SF170}, HIV_{LAV}, HIV_{LAI}, HIV_{MA}, HIV-1_{CM235}, HIV-1_{US4}, other HIV-1 strains from diverse subtypes (e.g., subtypes, A through G, and O), HIV-2 strains and diverse subtypes (e.g., HIV-2_{UC1} and HIV-2_{UC2}). See, e.g., Myers, et al., Los Alamos Database, Los Alamos National Laboratory, Los Alamos, New Mexico; Myers, et al., *Human Retroviruses and Aids*, 1990, Los Alamos, New Mexico: Los Alamos National Laboratory.

10 Proteins derived from other viruses will also find use in the claimed methods, such as without limitation, proteins from members of the families Picornaviridae (e.g., polioviruses, etc.); Caliciviridae; Togaviridae (e.g., rubella virus, dengue virus, etc.); Flaviviridae; 15 Coronaviridae; Reoviridae; Birnaviridae; Rhabdoviridae (e.g., rabies virus, etc.); Filoviridae; Paramyxoviridae (e.g., mumps virus, measles virus, respiratory syncytial virus, etc.); Orthomyxoviridae (e.g., influenza virus types A, B and C, etc.); Bunyaviridae; Arenaviridae; 20 Retroviridae, e.g., HTLV-I; HTLV-II; HIV-1; HIV-2; simian immunodeficiency virus (SIV) among others. See, e.g. Virology, 3rd Edition (W.K. Joklik ed. 1988); *Fundamental Virology*, 2nd Edition (B.N. Fields and D.M. Knipe, eds. 1991; Virology, 3rd Edition (Fields, BN, DM Knipe, PM 25 Howley, Editors, 1996, Lippincott-Raven, Philadelphia, PA) for a description of these and other viruses.

Particularly preferred bacterial antigens are derived from organisms that cause diphtheria, tetanus, pertussis, meningitis, and other pathogenic states, 30 including, without limitation, antigens derived from *Corynebacterium diphtheriae*, *Clostridium tetani*, *Bordetella pertussis*, *Neisseria meningitidis*, including serotypes Meningococcus A, B, C, Y and WI35 (MenA, B, C, Y and WI35), *Haemophilus influenza* type B (Hib), and

Helicobacter pylori. Examples of parasitic antigens include those derived from organisms causing malaria, tuberculosis, and Lyme disease.

Furthermore, the methods described herein provide means for treating a variety of malignant cancers. For example, the system of the present invention can be used to enhance both humoral and cell-mediated immune responses to particular proteins specific to a cancer in question, such as an activated oncogene, a fetal antigen, or an activation marker. Such tumor antigens include any of the various MAGEs (melanoma associated antigen E), including MAGE 1, 2, 3, 4, etc. (Boon, T. *Scientific American* (March 1993):82-89); any of the various tyrosinases; MART 1 (melanoma antigen recognized by T cells), mutant ras; mutant p53; p97 melanoma antigen; CEA (carcinoembryonic antigen), among others.

DNA immunization using synthetic expression cassettes of the present invention has been demonstrated to be efficacious (Examples 8 and 10-12). Animals were immunized with both the synthetic expression cassette and the wild type expression cassette. The results of the immunizations with plasmid-DNAs showed that the synthetic expression cassettes provide a clear improvement of immunogenicity relative to the native expression cassettes. Also, the second boost immunization induced a secondary immune response, for example after two to eight weeks. Further, the results of CTL assays showed increased potency of synthetic expression cassettes for induction of cytotoxic T-lymphocyte (CTL) responses by DNA immunization.

It is readily apparent that the subject invention can be used to mount an immune response to a wide variety of antigens and hence to treat or prevent a large number of diseases.

2.3.1 DELIVERY OF THE SYNTHETIC EXPRESSION CASSETTES OF THE
PRESENT INVENTION

Polynucleotide sequences coding for the above-described molecules can be obtained using recombinant
5 methods, such as by screening cDNA and genomic libraries from cells expressing the gene, or by deriving the gene from a vector known to include the same. The sequences can be analyzed by conventional sequencing techniques. Furthermore, the desired gene can be isolated directly
10 from cells and tissues containing the same, using standard techniques, such as phenol extraction and PCR of cDNA or genomic DNA. See, e.g., Sambrook et al., *supra*, for a description of techniques used to obtain, isolate and sequence DNA. Once the sequence is known, the gene
15 of interest can also be produced synthetically, rather than cloned. The nucleotide sequence can be designed with the appropriate codons for the particular amino acid sequence desired. In general, one will select preferred codons for the intended host in which the sequence will
20 be expressed. The complete sequence is assembled from overlapping oligonucleotides prepared by standard methods and assembled into a complete coding sequence. See, e.g., Edge, *Nature* (1981) 292:756; Nambair et al., *Science* (1984) 223:1299; Jay et al., *J.*
25 ~~*Biol. Chem.*~~ (1984) ~~259~~:6311; Stemmer, W.P.C., (1995) *Gene* 164:49-53.

Next, the gene sequence encoding the desired antigen can be inserted into a vector containing a synthetic expression cassette of the present invention (e.g., see
30 Example 1 for construction of various exemplary synthetic expression cassette). The antigen is inserted into the synthetic coding sequence such that when the combined sequence is expressed it results in the production of VLPs comprising the polypeptide and/or the antigen of

interest. Insertions can be made within the Gag coding sequence or at either end of the coding sequence (5', amino terminus of the expressed polypeptide; or 3', carboxy terminus of the expressed polypeptide -- e.g., see Example 1) (Wagner, R., et al., *Arch Virol.* 127:117-137, 1992; Wagner, R., et al., *Virology* 200:162-175, 1994; Wu, X., et al., *J. Virol.* 69(6):3389-3398, 1995; Wang, C-T., et al., *Virology* 200:524-534, 1994; Chazal, N., et al., *Virology* 68(1):111-122, 1994; Griffiths, J.C., et al., *J. Virol.* 67(6):3191-3198, 1993; Reicin, A.S., et al., *J. Virol.* 69(2):642-650, 1995).

Up to 50% of the coding sequences of p55Gag can be deleted without affecting the assembly to virus-like particles and expression efficiency (Borsetti, A., et al., *J. Virol.* 72(11):9313-9317, 1998; Gamier, L., et al., *J. Virol.* 72(6):4667-4677, 1998; Zhang, Y., et al., *J. Virol.* 72(3):1782-1789, 1998; Wang, C., et al., *J. Virol.* 72(10):7950-7959, 1998). In one embodiment of the present invention, immunogenicity of the high level expressing synthetic p55GagMod and p55GagProtMod expression cassettes can be increased by the insertion of different structural or non-structural HIV antigens, multiepitope cassettes, or cytokine sequences into deleted, mutated or truncated regions of p55GagMod sequence. In another embodiment of the present invention, immunogenicity of the high level expressing synthetic Env expression cassettes can be increased by the insertion of different structural or non-structural HIV antigens, multiepitope cassettes, or cytokine sequences into deleted regions of gp120Mod, gp140Mod or gp160Mod sequences. Such deletions may be generated following the teachings of the present invention and information available to one of ordinary skill in the art. One possible advantage of this approach, relative to using full-length modified Env

sequences fused to heterologous polypeptides, can be higher expression/secretion efficiency and/or higher immunogenicity of the expression product. Such deletions may be generated following the teachings of the present invention and information available to one of ordinary skill in the art. One possible advantage of this approach, relative to using full-length Env, Gag or Tat sequences fused to heterologous polypeptides, can be higher expression/secretion efficiency and/or immunogenicity of the expression product.

When sequences are added to the amino terminal end of Gag (for example, when using the synthetic p55GagMod expression cassette of the present invention), the polynucleotide can contain coding sequences at the 5' end that encode a signal for addition of a myristic moiety to the Gag-containing polypeptide (e.g., sequences that encode Met-Gly).

The ability of Gag-containing polypeptide constructs to form VLPs can be empirically determined following the teachings of the present specification.

HIV polypeptide/antigen synthetic expression cassettes include control elements operably linked to the coding sequence, which allow for the expression of the gene *in vivo* in the subject species. For example, typical promoters for mammalian cell expression include the SV40 early promoter, a CMV promoter such as the CMV immediate early promoter, the mouse mammary tumor virus LTR promoter, the adenovirus major late promoter (Ad MLP), and the herpes simplex virus promoter, among others. Other nonviral promoters, such as a promoter derived from the murine metallothionein gene, will also find use for mammalian expression. Typically, transcription termination and polyadenylation sequences will also be present, located 3' to the translation stop

codon. Preferably, a sequence for optimization of initiation of translation, located 5' to the coding sequence, is also present. Examples of transcription terminator/polyadenylation signals include those derived
5 from SV40, as described in Sambrook et al., *supra*, as well as a bovine growth hormone terminator sequence.

Enhancer elements may also be used herein to increase expression levels of the mammalian constructs. Examples include the SV40 early gene enhancer, as
10 described in Dijkema et al., *EMBO J.* (1985) 4:761, the enhancer/promoter derived from the long terminal repeat (LTR) of the Rous Sarcoma Virus, as described in Gorman et al., *Proc. Natl. Acad. Sci. USA* (1982b) 79:6777 and elements derived from human CMV, as described in Boshart
15 et al., *Cell* (1985) 41:521, such as elements included in the CMV intron A sequence.

Furthermore, plasmids can be constructed which include a chimeric antigen-coding gene sequences, encoding, e.g., multiple antigens/epitopes of interest,
20 for example derived from a single or from more than one viral isolate.

Typically the antigen coding sequences precede or follow the synthetic coding sequences and the chimeric transcription unit will have a single open reading frame
25 ~~encoding both the antigen of interest and the synthetic~~
Gag coding sequences. Alternatively, multi-cistronic cassettes (e.g., bi-cistronic cassettes) can be constructed allowing expression of multiple antigens from a single mRNA using the EMCV IRES, or the like. Lastly,
30 antigens can be encoded on separate transcripts from independent promoters on a single plasmid or other vector.

Once complete, the constructs are used for nucleic acid immunization or the like using standard gene

delivery protocols. Methods for gene delivery are known in the art. See, e.g., U.S. Patent Nos. 5,399,346, 5,580,859, 5,589,466. Genes can be delivered either directly to the vertebrate subject or, alternatively, delivered ex vivo, to cells derived from the subject and the cells reimplanted in the subject.

A number of viral based systems have been developed for gene transfer into mammalian cells. For example, retroviruses provide a convenient platform for gene delivery systems. Selected sequences can be inserted into a vector and packaged in retroviral particles using techniques known in the art. The recombinant virus can then be isolated and delivered to cells of the subject either in vivo or ex vivo. A number of retroviral systems have been described (U.S. Patent No. 5,219,740; Miller and Rosman, *BioTechniques* (1989) 7:980-990; Miller, A.D., *Human Gene Therapy* (1990) 1:5-14; Scarpa et al., *Virology* (1991) 180:849-852; Burns et al., *Proc. Natl. Acad. Sci. USA* (1993) 90:8033-8037; and Boris-Lawrie and Temin, *Cur. Opin. Genet. Develop.* (1993) 3:102-109.

A number of adenovirus vectors have also been described. Unlike retroviruses which integrate into the host genome, adenoviruses persist extrachromosomally thus minimizing the risks associated with insertional mutagenesis (Haj-Ahmad and Graham, *J. Virol.* (1986) 57:267-274; Bett et al., *J. Virol.* (1993) 67:5911-5921; Mittereder et al., *Human Gene Therapy* (1994) 5:717-729; Seth et al., *J. Virol.* (1994) 68:933-940; Barr et al., *Gene Therapy* (1994) 1:51-58; Berkner, K.L. *BioTechniques* (1988) 6:616-629; and Rich et al., *Human Gene Therapy* (1993) 4:461-476).

Additionally, various adeno-associated virus (AAV) vector systems have been developed for gene delivery.

AAV vectors can be readily constructed using techniques well known in the art. See, e.g., U.S. Patent Nos. 5,173,414 and 5,139,941; International Publication Nos. WO 92/01070 (published 23 January 1992) and WO 93/03769 (published 4 March 1993); Lebkowski et al., *Molec. Cell. Biol.* (1988) 8:3988-3996; Vincent et al., *Vaccines* 90 (1990) (Cold Spring Harbor Laboratory Press); Carter, B.J. *Current Opinion in Biotechnology* (1992) 3:533-539; Muzyczka, N. *Current Topics in Microbiol. and Immunol.* (1992) 158:97-129; Kotin, R.M. *Human Gene Therapy* (1994) 5:793-801; Shelling and Smith, *Gene Therapy* (1994) 1:165-169; and Zhou et al., *J. Exp. Med.* (1994) 179:1867-1875.

Another vector system useful for delivering the polynucleotides of the present invention is the enterically administered recombinant poxvirus vaccines described by Small, Jr., P.A., et al. (U.S. Patent No. 5,676,950, issued October 14, 1997).

Additional viral vectors which will find use for delivering the nucleic acid molecules encoding the antigens of interest include those derived from the pox family of viruses, including vaccinia virus and avian poxvirus. By way of example, vaccinia virus recombinants expressing the genes can be constructed as follows. The DNA encoding the particular synthetic Gag/antigen coding sequence is first inserted into an appropriate vector so that it is adjacent to a vaccinia promoter and flanking vaccinia DNA sequences, such as the sequence encoding thymidine kinase (TK). This vector is then used to transfect cells which are simultaneously infected with vaccinia. Homologous recombination serves to insert the vaccinia promoter plus the gene encoding the coding sequences of interest into the viral genome. The resulting TK recombinant can be selected by culturing the

cells in the presence of 5-bromodeoxyuridine and picking viral plaques resistant thereto.

Alternatively, avipoxviruses, such as the fowlpox and canarypox viruses, can also be used to deliver the
5 genes. Recombinant avipox viruses, expressing immunogens from mammalian pathogens, are known to confer protective immunity when administered to non-avian species. The use of an avipox vector is particularly desirable in human and other mammalian species since members of the avipox
10 genus can only productively replicate in susceptible avian species and therefore are not infective in mammalian cells. Methods for producing recombinant avipoxviruses are known in the art and employ genetic recombination, as described above with respect to the
15 production of vaccinia viruses. See, e.g., WO 91/12882; WO 89/03429; and WO 92/03545.

Molecular conjugate vectors, such as the adenovirus chimeric vectors described in Michael et al., *J. Biol. Chem.* (1993) 268:6866-6869 and Wagner et al., *Proc. Natl. Acad. Sci. USA* (1992) 89:6099-6103, can also be used for
20 gene delivery.

Members of the Alphavirus genus, such as, but not limited to, vectors derived from the Sindbis, Semliki Forest, and Venezuelan Equine Encephalitis viruses, will
25 ~~also find use as viral vectors for delivering the~~
polynucleotides of the present invention (for example, a synthetic Gag- or Env-polypeptide encoding expression cassette as described in Example 14 below). For a description of Sindbis-virus derived vectors useful for
30 the practice of the instant methods, see, Dubensky et al., *J. Virol.* (1996) 70:508-519; and International Publication Nos. WO 95/07995 and WO 96/17072; as well as, Dubensky, Jr., T.W., et al., U.S. Patent No. 5,843,723,

issued December 1, 1998, and Dubensky, Jr., T.W., U.S. Patent No. 5,789,245, issued August 4, 1998.

A vaccinia based infection/transfection system can be conveniently used to provide for inducible, transient
5 expression of the coding sequences of interest (for example, a synthetic Gag/HCV-core expression cassette) in a host cell. In this system, cells are first infected in vitro with a vaccinia virus recombinant that encodes the bacteriophage T7 RNA polymerase. This polymerase
10 displays exquisite specificity in that it only transcribes templates bearing T7 promoters. Following infection, cells are transfected with the polynucleotide of interest, driven by a T7 promoter. The polymerase expressed in the cytoplasm from the vaccinia virus
15 recombinant transcribes the transfected DNA into RNA which is then translated into protein by the host translational machinery. The method provides for high level, transient, cytoplasmic production of large quantities of RNA and its translation products. See,
20 e.g., Elroy-Stein and Moss, *Proc. Natl. Acad. Sci. USA* (1990) 87:6743-6747; Fuerst et al., *Proc. Natl. Acad. Sci. USA* (1986) 83:8122-8126.

As an alternative approach to infection with vaccinia or avipox virus recombinants, or to the delivery
25 of genes using other viral vectors, an amplification system can be used that will lead to high level expression following introduction into host cells. Specifically, a T7 RNA polymerase promoter preceding the coding region for T7 RNA polymerase can be engineered.
30 Translation of RNA derived from this template will generate T7 RNA polymerase which in turn will transcribe more template. Concomitantly, there will be a cDNA whose expression is under the control of the T7 promoter. Thus, some of the T7 RNA polymerase generated from

translation of the amplification template RNA will lead to transcription of the desired gene. Because some T7 RNA polymerase is required to initiate the amplification, T7 RNA polymerase can be introduced into cells along with the template(s) to prime the transcription reaction. The polymerase can be introduced as a protein or on a plasmid encoding the RNA polymerase. For a further discussion of T7 systems and their use for transforming cells, see, e.g., International Publication No. WO 94/26911; Studier and Moffatt, *J. Mol. Biol.* (1986) 189:113-130; Deng and Wolff, *Gene* (1994) 143:245-249; Gao et al., *Biochem. Biophys. Res. Commun.* (1994) 200:1201-1206; Gao and Huang, *Nuc. Acids Res.* (1993) 21:2867-2872; Chen et al., *Nuc. Acids Res.* (1994) 22:2114-2120; and U.S. Patent No. 5,135,855.

The synthetic expression cassette of interest can also be delivered without a viral vector. For example, the synthetic expression cassette can be packaged as DNA or RNA in liposomes prior to delivery to the subject or to cells derived therefrom. Lipid encapsulation is generally accomplished using liposomes which are able to stably bind or entrap and retain nucleic acid. The ratio of condensed DNA to lipid preparation can vary but will generally be around 1:1 (mg DNA:micromoles lipid), or more of lipid. For a review of the use of liposomes as carriers for delivery of nucleic acids, see, Hug and Sleight, *Biochim. Biophys. Acta.* (1991) 1097:1-17; Straubinger et al., in *Methods of Enzymology* (1983), Vol. 101, pp. 512-527.

Liposomal preparations for use in the present invention include cationic (positively charged), anionic (negatively charged) and neutral preparations, with cationic liposomes particularly preferred. Cationic liposomes have been shown to mediate intracellular

delivery of plasmid DNA (Felgner et al., *Proc. Natl. Acad. Sci. USA* (1987) 84:7413-7416); mRNA (Malone et al., *Proc. Natl. Acad. Sci. USA* (1989) 86:6077-6081); and purified transcription factors (Debs et al., *J. Biol. Chem.* (1990) 265:10189-10192), in functional form.

5 Cationic liposomes are readily available. For example, N[1-2,3-dioleoyloxy)propyl]-N,N,N-triethylammonium (DOTMA) liposomes are available under the trademark Lipofectin, from GIBCO BRL, Grand Island, NY.
10 (See, also, Felgner et al., *Proc. Natl. Acad. Sci. USA* (1987) 84:7413-7416). Other commercially available lipids include (DDAB/DOPE) and DOTAP/DOPE (Boehringer). Other cationic liposomes can be prepared from readily available materials using techniques well known in the
15 art. See, e.g., Szoka et al., *Proc. Natl. Acad. Sci. USA* (1978) 75:4194-4198; PCT Publication No. WO 90/11092 for a description of the synthesis of DOTAP (1,2-bis(oleoyloxy)-3-(trimethylammonio)propane) liposomes.

Similarly, anionic and neutral liposomes are readily
20 available, such as, from Avanti Polar Lipids (Birmingham, AL), or can be easily prepared using readily available materials. Such materials include phosphatidyl choline, cholesterol, phosphatidyl ethanolamine, dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl
25 glycerol (DOPG), dioleoylphosphatidyl-ethanolamine (DOPE), among others. These materials can also be mixed with the DOTMA and DOTAP starting materials in appropriate ratios. Methods for making liposomes using these materials are well known in the art.

30 The liposomes can comprise multilammellar vesicles (MLVs), small unilamellar vesicles (SUVs), or large unilamellar vesicles (LUVs). The various liposome-nucleic acid complexes are prepared using methods known in the art. See, e.g., Straubinger et al., in *METHODS OF*

IMMUNOLOGY (1983), Vol. 101, pp. 512-527; Szoka et al.,
Proc. Natl. Acad. Sci. USA (1978) 75:4194-4198;
Papahadjopoulos et al., Biochim. Biophys. Acta (1975)
394:483; Wilson et al., Cell (1979) 17:77; Deamer and
5 Bangham, Biochim. Biophys. Acta (1976) 443:629; Ostro et
al., Biochem. Biophys. Res. Commun. (1977) 76:836; Fraley
et al., Proc. Natl. Acad. Sci. USA (1979) 76:3348; Enoch
and Strittmatter, Proc. Natl. Acad. Sci. USA (1979)
76:145; Fraley et al., J. Biol. Chem. (1980) 255:10431;
10 Szoka and Papahadjopoulos, Proc. Natl. Acad. Sci. USA
(1978) 75:145; and Schaefer-Ridder et al., Science (1982)
215:166.

The DNA and/or protein antigen(s) can also be
delivered in cochleate lipid compositions similar to
15 those described by Papahadjopoulos et al., Biochem.
Biophys. Acta. (1975) 394:483-491. See, also, U.S.
Patent Nos. 4,663,161 and 4,871,488.

The synthetic expression cassette of interest (e.g.,
any of the synthetic expression cassettes described in
20 Example 1) may also be encapsulated, adsorbed to, or
associated with, particulate carriers. Such carriers
present multiple copies of a selected antigen to the
immune system and promote migration, trapping and
retention of antigens in local lymph nodes. The
25 ~~particles can be taken up by profession antigen~~
presenting cells such as macrophages and dendritic cells,
and/or can enhance antigen presentation through other
mechanisms such as stimulation of cytokine release.
Examples of particulate carriers include those derived
30 from polymethyl methacrylate polymers, as well as
microparticles derived from poly(lactides) and
poly(lactide-co-glycolides), known as PLG. See, e.g.,
Jeffery et al., Pharm. Res. (1993) 10:362-368; McGee JP,

et al., *J Microencapsul.* 14(2):197-210, 1997; O'Hagan DT, et al., *Vaccine* 11(2):149-54, 1993.

Furthermore, other particulate systems and polymers can be used for the *in vivo* or *ex vivo* delivery of the gene of interest. For example, polymers such as polylysine, polyarginine, polyornithine, spermine, spermidine, as well as conjugates of these molecules, are useful for transferring a nucleic acid of interest. Similarly, DEAE dextran-mediated transfection, calcium phosphate precipitation or precipitation using other insoluble inorganic salts, such as strontium phosphate, aluminum silicates including bentonite and kaolin, chromic oxide, magnesium silicate, talc, and the like, will find use with the present methods. See, e.g., Felgner, P.L., *Advanced Drug Delivery Reviews* (1990) 5:163-187, for a review of delivery systems useful for gene transfer. Peptoids (Zuckerman, R.N., et al., U.S. Patent No. 5,831,005, issued November 3, 1998) may also be used for delivery of a construct of the present invention.

Additionally, biolistic delivery systems employing particulate carriers such as gold and tungsten, are especially useful for delivering synthetic expression cassettes of the present invention. The particles are coated with the synthetic expression cassette(s) to be delivered and accelerated to high velocity, generally under a reduced atmosphere, using a gun powder discharge from a "gene gun." For a description of such techniques, and apparatuses useful therefore, see, e.g., U.S. Patent Nos. 4,945,050; 5,036,006; 5,100,792; 5,179,022; 5,371,015; and 5,478,744. Also, needle-less injection systems can be used (Davis, H.L., et al, *Vaccine* 12:1503-1509, 1994; Bioject, Inc., Portland, OR).

Recombinant vectors carrying a synthetic expression cassette of the present invention are formulated into compositions for delivery to the vertebrate subject. These compositions may either be prophylactic (to prevent
5 infection) or therapeutic (to treat disease after infection). The compositions will comprise a "therapeutically effective amount" of the gene of interest such that an amount of the antigen can be produced *in vivo* so that an immune response is generated
10 in the individual to which it is administered. The exact amount necessary will vary depending on the subject being treated; the age and general condition of the subject to be treated; the capacity of the subject's immune system to synthesize antibodies; the degree of protection
15 desired; the severity of the condition being treated; the particular antigen selected and its mode of administration, among other factors. An appropriate effective amount can be readily determined by one of skill in the art. Thus, a "therapeutically effective
20 amount" will fall in a relatively broad range that can be determined through routine trials.

The compositions will generally include one or more "pharmaceutically acceptable excipients or vehicles" such as water, saline, glycerol, polyethyleneglycol,
25 hyaluronic acid, ethanol, etc. Additionally, auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, surfactants and the like, may be present in such vehicles. Certain facilitators of immunogenicity or of nucleic acid uptake and/or
30 expression can also be included in the compositions or coadministered, such as, but not limited to, bupivacaine, cardiotoxin and sucrose.

Once formulated, the compositions of the invention can be administered directly to the subject (e.g., as

described above) or, alternatively, delivered ex vivo, to cells derived from the subject, using methods such as those described above. For example, methods for the ex vivo delivery and reimplantation of transformed cells into a subject are known in the art and can include, e.g., dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, lipofectamine and LT-1 mediated transfection, protoplast fusion, electroporation, encapsulation of the polynucleotide(s) (with or without the corresponding antigen) in liposomes, and direct microinjection of the DNA into nuclei.

Direct delivery of synthetic expression cassette compositions in vivo will generally be accomplished with or without viral vectors, as described above, by injection using either a conventional syringe, needless devices such as Bioject® or a gene gun, such as the Accell® gene delivery system (PowderJect Technologies, Inc., Oxford, England). The constructs can be delivered (e.g., injected) either subcutaneously, epidermally, intradermally, intramuscularly, intravenous, intramucosally (such as nasally, rectally and vaginally), intraperitoneally or orally. Delivery of DNA into cells of the epidermis is particularly preferred as this mode of administration provides access to skin-associated lymphoid cells and provides for a transient presence of DNA in the recipient. Other modes of administration include oral ingestion and pulmonary administration, suppositories, needle-less injection, transcutaneous and transdermal applications. Dosage treatment may be a single dose schedule or a multiple dose schedule.

2.3.2 EX VIVO DELIVERY OF THE SYNTHETIC EXPRESSION

CASSETTES OF THE PRESENT INVENTION

In one embodiment, T cells, and related cell types (including but not limited to antigen presenting cells, such as, macrophage, monocytes, lymphoid cells, dendritic cells, B-cells, T-cells, stem cells, and progenitor cells thereof), can be used for ex vivo delivery of the synthetic expression cassettes of the present invention. T cells can be isolated from peripheral blood lymphocytes (PBLs) by a variety of procedures known to those skilled in the art. For example, T cell populations can be "enriched" from a population of PBLs through the removal of accessory and B cells. In particular, T cell enrichment can be accomplished by the elimination of non-T cells using anti-MHC class II monoclonal antibodies. Similarly, other antibodies can be used to deplete specific populations of non-T cells. For example, anti-Ig antibody molecules can be used to deplete B cells and anti-MacI antibody molecules can be used to deplete macrophages.

T cells can be further fractionated into a number of different subpopulations by techniques known to those skilled in the art. Two major subpopulations can be isolated based on their differential expression of the cell surface markers CD4 and CD8. For example, following the enrichment of T cells as described above, CD4⁺ cells can be enriched using antibodies specific for CD4 (see Coligan et al., *supra*). The antibodies may be coupled to a solid support such as magnetic beads. Conversely, CD8⁺ cells can be enriched through the use of antibodies specific for CD4 (to remove CD4⁺ cells), or can be isolated by the use of CD8 antibodies coupled to a solid support. CD4

lymphocytes from HIV-1 infected patients can be expanded ex vivo, before or after transduction as described by Wilson et. al. (1995) *J. Infect. Dis.* 172:88.

5 Following purification of T cells, a variety of methods of genetic modification known to those skilled in the art can be performed using non-viral or viral-based gene transfer vectors constructed as described herein. For example, one such approach involves transduction of
10 the purified T cell population with vector-containing supernatant of cultures derived from vector producing cells. A second approach involves co-cultivation of an irradiated monolayer of vector-producing cells with the purified T cells. A third approach involves a similar
15 co-cultivation approach; however, the purified T cells are pre-stimulated with various cytokines and cultured 48 hours prior to the co-cultivation with the irradiated vector producing cells. Pre-stimulation prior to such transduction increases effective gene transfer (Nolta et
20 al. (1992) *Exp. Hematol.* 20:1065). Stimulation of these cultures to proliferate also provides increased cell populations for re-infusion into the patient. Subsequent to co-cultivation, T cells are collected from the vector producing cell monolayer, expanded, and frozen in liquid
25 nitrogen.

Gene transfer vectors, containing one or more synthetic expression cassette of the present invention (associated with appropriate control elements for delivery to the isolated T cells) can be assembled using
30 known methods.

Selectable markers can also be used in the construction of gene transfer vectors. For example, a marker can be used which imparts to a mammalian cell transduced with the gene transfer vector resistance to a

cytotoxic agent. The cytotoxic agent can be, but is not limited to, neomycin, aminoglycoside, tetracycline, chloramphenicol, sulfonamide, actinomycin, netropsin, distamycin A, anthracycline, or pyrazinamide. For
5 example, neomycin phosphotransferase II imparts resistance to the neomycin analogue geneticin (G418).

The T cells can also be maintained in a medium containing at least one type of growth factor prior to being selected. A variety of growth factors are known in
10 the art which sustain the growth of a particular cell type. Examples of such growth factors are cytokine mitogens such as rIL-2, IL-10, IL-12, and IL-15, which promote growth and activation of lymphocytes. Certain types of cells are stimulated by other growth factors
15 such as hormones, including human chorionic gonadotropin (hCG) and human growth hormone. The selection of an appropriate growth factor for a particular cell population is readily accomplished by one of skill in the art.

20 For example, white blood cells such as differentiated progenitor and stem cells are stimulated by a variety of growth factors. More particularly, IL-3, IL-4, IL-5, IL-6, IL-9, GM-CSF, M-CSF, and G-CSF, produced by activated T_H and activated macrophages,
25 ~~stimulate myeloid stem cells, which then differentiate~~ into pluripotent stem cells, granulocyte-monocyte progenitors, eosinophil progenitors, basophil progenitors, megakaryocytes, and erythroid progenitors. Differentiation is modulated by growth factors such as
30 GM-CSF, IL-3, IL-6, IL-11, and EPO.

Pluripotent stem cells then differentiate into lymphoid stem cells, bone marrow stromal cells, T cell progenitors, B cell progenitors, thymocytes, T_H Cells, T_c cells, and B cells. This differentiation is modulated by

growth factors such as IL-3, IL-4, IL-6, IL-7, GM-CSF, M-CSF, G-CSF, IL-2, and IL-5.

Granulocyte-monocyte progenitors differentiate to monocytes, macrophages, and neutrophils. Such
5 differentiation is modulated by the growth factors GM-CSF, M-CSF, and IL-8. Eosinophil progenitors differentiate into eosinophils. This process is modulated by GM-CSF and IL-5.

The differentiation of basophil progenitors into
10 mast cells and basophils is modulated by GM-CSF, IL-4, and IL-9. Megakaryocytes produce platelets in response to GM-CSF, EPO, and IL-6. Erythroid progenitor cells differentiate into red blood cells in response to EPO.

Thus, during activation by the CD3-binding agent, T
15 cells can also be contacted with a mitogen, for example a cytokine such as IL-2. In particularly preferred embodiments, the IL-2 is added to the population of T cells at a concentration of about 50 to 100 $\mu\text{g/ml}$. Activation with the CD3-binding agent can be carried out
20 for 2 to 4 days.

Once suitably activated, the T cells are genetically modified by contacting the same with a suitable gene transfer vector under conditions that allow for transfection of the vectors into the T cells. Genetic
25 ~~modification is carried out when the cell density of the~~
T cell population is between about 0.1×10^6 and 5×10^6 , preferably between about 0.5×10^6 and 2×10^6 . A number of suitable viral and nonviral-based gene transfer vectors have been described for use herein.

30 After transduction, transduced cells are selected away from non-transduced cells using known techniques. For example, if the gene transfer vector used in the transduction includes a selectable marker which confers resistance to a cytotoxic agent, the cells can be

contacted with the appropriate cytotoxic agent, whereby non-transduced cells can be negatively selected away from the transduced cells. If the selectable marker is a cell surface marker, the cells can be contacted with a binding
5 agent specific for the particular cell surface marker, whereby the transduced cells can be positively selected away from the population. The selection step can also entail fluorescence-activated cell sorting (FACS) techniques, such as where FACS is used to select cells
10 from the population containing a particular surface marker, or the selection step can entail the use of magnetically responsive particles as retrievable supports for target cell capture and/or background removal.

More particularly, positive selection of the
15 transduced cells can be performed using a FACS cell sorter (e.g. a FACSVantage™ Cell Sorter, Becton Dickinson Immunocytometry Systems, San Jose, CA) to sort and collect transduced cells expressing a selectable cell surface marker. Following transduction, the cells are
20 stained with fluorescent-labeled antibody molecules directed against the particular cell surface marker. The amount of bound antibody on each cell can be measured by passing droplets containing the cells through the cell sorter. By imparting an electromagnetic charge to
25 droplets containing the stained cells, the transduced cells can be separated from other cells. The positively selected cells are then harvested in sterile collection vessels. These cell sorting procedures are described in detail, for example, in the FACSVantage™ Training Manual,
30 with particular reference to sections 3-11 to 3-28 and 10-1 to 10-17.

Positive selection of the transduced cells can also be performed using magnetic separation of cells based on expression of a particular cell surface marker. In such

separation techniques, cells to be positively selected are first contacted with specific binding agent (e.g., an antibody or reagent that interacts specifically with the cell surface marker). The cells are then contacted with
5 retrievable particles (e.g., magnetically responsive particles) which are coupled with a reagent that binds the specific binding agent (that has bound to the positive cells). The cell-binding agent-particle complex can then be physically separated from non-labeled cells,
10 for example using a magnetic field. When using magnetically responsive particles, the labeled cells can be retained in a container using a magnetic field while the negative cells are removed. These and similar separation procedures are known to those of ordinary
15 skill in the art.

Expression of the vector in the selected transduced cells can be assessed by a number of assays known to those skilled in the art. For example, Western blot or Northern analysis can be employed depending on the nature
20 of the inserted nucleotide sequence of interest. Once expression has been established and the transformed T cells have been tested for the presence of the selected synthetic expression cassette, they are ready for infusion into a patient via the peripheral blood stream.

~~25 The invention includes a kit for genetic~~
modification of an ex vivo population of primary mammalian cells. The kit typically contains a gene transfer vector coding for at least one selectable marker and at least one synthetic expression cassette contained
30 in one or more containers, ancillary reagents or hardware, and instructions for use of the kit.

EXPERIMENTAL

Below are examples of specific embodiments for carrying out the present invention. The examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way.

Efforts have been made to ensure accuracy with respect to numbers used (e.g., amounts, temperatures, etc.), but some experimental error and deviation should, of course, be allowed for.

Example 1Generation of Synthetic Gag and Env Expression Cassettes

15 A. Modification of HIV-1 Gag, Gag-protease, Gag-reverse transcriptase and Gag-polymerase Nucleic Acid Coding Sequences

The Gag (SEQ ID NO:1), Gag-protease (SEQ ID NO:2), Gag-polymerase (SEQ ID NO:3), and Gag-reverse transcriptase (SEQ ID NO:77) coding sequences were selected from the HIV-1SF2 strain (Sanchez-Pescador, R., et al., Science 227(4686): 484-492, 1985; Luciw, P.A., et al. U.S. Patent No. 5,156,949, issued October 20, 1992; Luciw, P.A., et al., U.S. Patent No. 5,688,688, November 25 18, 1997). These sequences were manipulated to maximize expression of their gene products.

First, the HIV-1 codon usage pattern was modified so that the resulting nucleic acid coding sequence was comparable to codon usage found in highly expressed human genes. The HIV codon usage reflects a high content of the nucleotides A or T of the codon-triplet. The effect of the HIV-1 codon usage is a high AT content in the DNA sequence that results in a high AU content in the RNA and in a decreased translation ability and instability of the

mRNA. In comparison, highly expressed human codons prefer the nucleotides G or C. The Gag-encoding sequences were modified to be comparable to codon usage found in highly expressed human genes.

5 Figure 11 presents a comparison of the percent A-T content for the cDNAs of stable versus unstable RNAs (comparison window size = 50). Human IFN γ mRNA is known to (i) be unstable, (ii) have a short half-life, and (iii) have a high A-U content. Human GAPDH
10 (glyceraldehyde-3-phosphate dehydrogenase) mRNA is known to (i) be a stable RNA, and (i) have a low A-U content. In Figure 11, the percent A-T content of these two sequences are compared to the percent A-T content of native HIV-1SF2 Gag cDNA and to the synthetic Gag cDNA
15 sequence of the present invention. The top two panels of the figure show the percent A-T content over the length of the sequences for IFN γ and native Gag. The bottom two panels of the figure show the percent A-T content over the length of the sequences for GAPDH and the synthetic
20 Gag. Experiments performed in support of the present invention showed that the synthetic Gag sequences were capable of higher level of protein production (see the Examples) than the native Gag sequences. The data in Figure 11 suggest that one reason for this increased
25 production may be ~~increased stability of the mRNA~~ corresponding to the synthetic Gag coding sequences versus the mRNA corresponding to the native Gag coding sequences.

Second, there are inhibitory (or instability)
30 elements (INS) located within the coding sequences of the Gag and Gag-protease coding sequences (Schneider R, et al., *J Virol.* 71(7):4892-4903, 1997). RRE is a secondary RNA structure that interacts with the HIV encoded Rev-protein to overcome the expression down-regulating

effects of the INS. To overcome the requirement for post-transcriptional activating mechanisms of RRE and Rev, and to enhance independent expression of the Gag polypeptide, the INS were inactivated by introducing multiple point mutations that did not alter the reading frame of the encoded proteins. Figure 1 shows the original SF2 Gag sequence, the location of the INS sequences, and the modifications made to the INS sequences to reduce their effects.

For the Gag-protease sequence (wild type, SEQ ID NO:2; synthetic, SEQ ID NOs:5, 78 and 79), the changes in codon usage were restricted to the regions up to the -1 frameshift and starting again at the end of the Gag reading frame (Figure 2; the region indicated in lower case letters in Figure 2 is the unmodified region). Further, inhibitory (or instability) elements (INS) located within the coding sequences of the Gag-protease polypeptide coding sequence were altered as well (indicated in Figure 2). The synthetic coding sequences were assembled by the Midland Certified Reagent Company (Midland, Texas).

Modification of the Gag-polymerase sequences (wild type, SEQ ID NO:3; synthetic, SEQ ID NO:6) and Gag-reverse transcriptase sequences (SEQ ID NOs:80 through 84) include similar modifications as described for Gag-protease in order to preserve the frameshift region. Locations of the inactivation sites and changes to the sequence to alter the inactivation sites are presented in Figure 12 for the native HIV-1_{SF2} Gag-polymerase sequence.

In one embodiment of the invention, the full length polymerase coding region of the Gag-polymerase sequence is included with the synthetic Gag sequences in order to increase the number of epitopes for virus-like particles expressed by the synthetic, optimized Gag expression

- cassette. Because synthetic HIV-1 Gag-polymerase expresses the potentially deleterious functional enzymes reverse transcriptase (RT) and integrase (INT) (in addition to the structural proteins and protease), it is important to inactivate RT and INT functions. Several in-frame deletions in the RT and INT reading frame can be made to achieve catalytic nonfunctional enzymes with respect to their RT and INT activity. {Jay. A. Levy (Editor) (1995) *The Retroviridae*, Plenum Press, New York. ISBN 0-306-45033X. Pages 215-20; Grimison, B. and Laurence, J. (1995), *Journal Of Acquired Immune Deficiency Syndromes and Human Retrovirology* 9(1):58-68; Wakefield, J. K., et al., (1992) *Journal Of Virology* 66(11):6806-6812; Esnouf, R., et al., (1995) *Nature Structural Biology* 2(4):303-308; Maignan, S., et al., (1998) *Journal Of Molecular Biology* 282(2):359-368; Katz, R. A. and Skalka, A. M. (1994) *Annual Review Of Biochemistry* 73 (1994); Jacobo-Molina, A., et al., (1993) *Proceedings Of the National Academy Of Sciences Of the United States Of America* 90(13):6320-6324; Hickman, A. B., et al., (1994) *Journal Of Biological Chemistry* 269(46):29279-29287; Goldgur, Y., et al., (1998) *Proceedings Of the National Academy Of Sciences Of the United States Of America* 95(16):9150-9154; Goette, M., et al., (1998) *Journal Of Biological Chemistry* 273(17):10139-10146; Gorton, J. L., et al., (1998) *Journal of Virology* 72(6):5046-5055; Engelman, A., et al., (1997) *Journal Of Virology* 71(5):3507-3514; Dyda, F., et al., *Science* 266(5193):1981-1986; Davies, J. F., et al., (1991) *Science* 252(5002):88-95; Bujacz, G., et al., (1996) *Febs Letters* 398(2-3):175-178; Beard, W. A., et al., (1996) *Journal Of Biological Chemistry* 271(21):12213-12220; Kohlstaedt, L. A., et al., (1992)

Science 256(5065):1783-1790; Krug, M. S. and Berger, S. L. (1991) *Biochemistry* 30(44):10614-10623; Mazumder, A., et al., (1996) *Molecular Pharmacology* 49(4):621-628; Palaniappan, C., et al., (1997) *Journal Of Biological*
5 *Chemistry* 272(17):11157-11164; Rodgers, D. W., et al., (1995) *Proceedings Of the National Academy Of Sciences Of the United States Of America* 92(4):1222-1226; Sheng, N. and Dennis, D. (1993) *Biochemistry* 32(18):4938-4942; Spence, R. A., et al., (1995) *Science* 267(5200):988-993.}

10 Furthermore selected B- and/or T-cell epitopes can be added to the Gag-polymerase constructs within the deletions of the RT- and INT-coding sequence to replace and augment any epitopes deleted by the functional modifications of RT and INT. Alternately, selected B-
15 and T-cell epitopes (including CTL epitopes) from RT and INT can be included in a minimal VLP formed by expression of the synthetic Gag or synthetic GagProt cassette, described above. (For descriptions of known HIV B- and T-cell epitopes see, HIV Molecular Immunology Database CTL
20 Search Interface; Los Alamos Sequence Compendia, 1987-1997; Internet address: <http://hiv-web.lanl.gov/immunology/index.html>.)

The resulting modified coding sequences are presented as a synthetic Gag expression cassette (SEQ ID
25 NO:4), a synthetic Gag-protease expression cassette (SEQ ID NOs:5, 78 and 79), and a synthetic Gag-polymerase expression cassette (SEQ ID NO:6). Synthetic expression cassettes containing codon modifications in the reverse transcriptase region are shown in SEQ ID NOs:80 through
30 84. An alignment of selected sequences is presented in Figure 7. A common region (Gag-common; SEQ ID NO:9) extends from position 1 to position 1262.

The synthetic DNA fragments for Gag and Gag-protease were cloned into the following expression vectors:

pCMVKm2, for transient expression assays and DNA immunization studies, the pCMVKm2 vector was derived from pCMV6a (Chapman et al., *Nuc. Acids Res.* (1991) 19:3979-3986) and comprises a kanamycin selectable marker, a
5 ColeE1 origin of replication, a CMV promoter enhancer and Intron A, followed by an insertion site for the synthetic sequences described below followed by a polyadenylation signal derived from bovine growth hormone -- the pCMVKm2 vector differs from the pCMV-link vector only in that a
10 polylinker site was inserted into pCMVKm2 to generate pCMV-link (Figure 14, polylinker at positions 1646 to 1697); pESN2dhfr (Figure 13A) and pCMVPLEdhfr (also known as pCMVIII as shown in Figure 13B), for expression in Chinese Hamster Ovary (CHO) cells; and, pAcC13, a shuttle
15 vector for use in the Baculovirus expression system (pAcC13, was derived from pAcC12 which was described by Munemitsu S., et al., *Mol Cell Biol.* 10(11):5977-5982, 1990).

A restriction map for vector pCMV-link is presented
20 in Figure 14. In the figure, the CMV promoter (CMV IE ENH/PRO), bovine growth hormone terminator (BGH pA), kanamycin selectable marker (kan), and a ColeE1 origin of replication (ColeE1 ori) are indicated. A polycloning site is also indicated in the figure following the CMV
25- promoter sequences.

A restriction map for vector pESN2dhfr is presented in Figure 13A. In the figure, the CMV promoter (pCMV, hCMVIE), bovine growth hormone terminator (BGHpA), SV40 origin of replication (SV40ori), neomycin selectable
30 marker (Neo), SV40 polyA (SV40pA), Adenovirus 2 late promoter (Ad2VLP), and the murine dhfr gene (mu dhfr) are indicated. A polycloning site is also indicated in the figure following the CMV promoter sequences.

Briefly, construction of pCMVPLEdhfr (pCMVIII) was as follows. To construct a DHFR cassette, the EMCV IRES (internal ribosome entry site) leader was PCR-amplified from pCite-4a+ (Novagen, Inc., Milwaukee, WI) and
5 inserted into pET-23d (Novagen, Inc., Milwaukee, WI) as an *Xba*-*Nco* fragment to give pET-EMCV. The *dhfr* gene was PCR-amplified from pESN2dhfr to give a product with a Gly-Gly-Gly-Ser spacer in place of the translation stop codon and inserted as an *Nco*-*Bam*H1 fragment to give pET-
10 E-DHFR. Next, the attenuated neo gene was PCR amplified from a pSV2Neo (Clontech, Palo Alto, CA) derivative and inserted into the unique *Bam*H1 site of pET-E-DHFR to give pET-E-DHFR/Neo_(m2). Then, the bovine growth hormone terminator from pCDNA3 (Invitrogen, Inc., Carlsbad, CA)
15 was inserted downstream of the neo gene to give pET-E-DHFR/Neo_(m2)BGht. The EMCV-*dhfr*/neo selectable marker cassette fragment was prepared by cleavage of pET-E-DHFR/Neo_(m2)BGht. The CMV enhancer/promoter plus Intron A was transferred from pCMV6a (Chapman et al., *Nuc. Acids*
20 *Res.* (1991) 19:3979-3986) as a *Hind*III-*Sal*I fragment into pUC19 (New England Biolabs, Inc., Beverly, MA). The vector backbone of pUC19 was deleted from the *Nde*I to the *Sap*I sites. The above described DHFR cassette was added to the construct such that the EMCV IRES followed the CMV
25 promoter to produce the final construct. The vector also contained an *amp^r* gene and an SV40 origin of replication.

Selected pCMVKm2 vectors containing the synthetic expression cassettes have been designated as follows:
pCMVKm2.GagMod.SF2, pCMVKm2.GagprotMod.SF2, and
30 pCMVKm2.GagpolMod.SF2, pCMVKm2.GagprotMod.SF2.GP1 (SEQ ID NO:78) and pCMVKm2.GagprotMod.SF2.GP2 (SEQ ID NO:79).
Other exemplary Gag-encoding expressing cassettes are shown in the Figures and as Sequence Listings.

B. Modification of HIV-1 Gag/Hepatitis C Core Chimeric Protein Nucleic Acid Coding Sequences Generation of Synthetic Expression Cassettes

To facilitate the ligation of the Gag and HCV core coding sequences, PCR amplification was employed. The synthetic p55Gag expression cassette was used as a PCR template with the following primers: GAG5 (SEQ ID NO:11) and P55-SAL3 (SEQ ID NO:12). The PCR amplification was conducted at 55°C for 25 cycles using Stratagene's Pfu polymerase. The resulting PCR product was rendered free of nucleotides and primers using the Promega PCR clean-up kit and then subjected to EcoRI and SalI digestions. For HCV core coding sequences, the following primers were used with an HCV template (Houghton, M., et al., U.S. Patent No. 5,714,596, issued February 3, 1998; Houghton, M., et al., U.S. Patent No. 5,712,088, issued January 27, 1998; Houghton, M., et al., U.S. Patent No. 5,683,864, issued November 4, 1997; Weiner, A.J., et al., U.S. Patent No. 5,728,520, issued March 17, 1998; Weiner, A.J., et al., U.S. Patent No. 5,766,845, issued June 16, 1998; Weiner, A.J., et al., U.S. Patent No. 5,670,152, issued September 23, 1997): CORESAL 5 (SEQ ID NO:13) and 173CORE (SEQ ID NO:14) using the conditions outlined above. The purified product was digested with SalI and BamHI restriction enzymes. The digested Gag and HCV core PCR products were ligated into the pCMVKm2 vector digested with EcoRI and BamHI. Ligation of the PCR products at the SalI site resulted in a direct fusion of the final amino acid of p55Gag to the second amino acid of HCV core, serine. Amino acid 173 of core is a serine and is followed immediately by a TAG termination codon. The sequence of the fusion clone was confirmed. The pCMVKm2 vector containing the synthetic expression

cassette was designated as pCMVKm2.GagModHCVcore.

The EcoRI-BamHI fragment of p55Gag-core 173 was also cloned into EcoRI-BamHI-digested pAcC13 for baculovirus expression. Western blots confirmed expression and sucrose gradient sedimentation along with electron microscopy confirmed particle formation. To generate the above clone but containing the synthetic Gag sequences (instead of wild-type), the following steps were performed: pCMVKm2-modified p55Gag was used as template for PCR amplification with MS65 (SEQ ID NO:15) and MS66 (SEQ ID NO:16) primers. The region amplified corresponds to the BspHI and SalI sites at the C-terminus of synthetic Gag sequence. The amplification product was digested with BspHI and SalI and ligated to SalI/BamHI digested pCMV-link along with the Sal/BspHI fragment from pCMV-Km-p55modGag, representing the amino terminal end of modified Gag, and the SalI/BamHI fragment from pCMV-p55Gag-core173. Thereafter, a T4-blunted-SalI partial/BamHI fragment was ligated into pAcC4-SmaI/BamHI to generate pAcC4-p55GagMod-core173 (containing the synthetic sequence presented as SEQ ID NO:7).

C. Defining of the Major Homology Region (MHR) of HIV-1 p55Gag

25 ~~The Major Homology Region-(MHR)-of-HIV-1 p55-(Gag)~~
is located in the p24-CA sequence of Gag. It is a conserved stretch of 20 amino acids (SEQ ID NO:19). The position in the wild type HIV-1_{SF2} Gag protein is from aa 286-305 and spans a region from nucleotides 856-915 in the native HIV-1_{SF2} Gag DNA-sequence. The position in the synthetic Gag protein is from aa 288-307 and spans a region from nucleotides 862-921 for the synthetic Gag DNA-sequence. The nucleotide sequence for the MHR in the synthetic

GagMod.SF2 is presented as SEQ ID NO:20. Mutations or deletions in the amino acid sequence of the MHR can severely impair particle production (Borsetti, A., et al., *J. Virol.* 72(11):9313-9317, 1998; Mammano, F., et al., *J Virol* 68(8):4927-4936, 1994).

Percent identity to the MHR nucleotide sequence can be determined, for example, using the MacDNAsis program (Hitachi Software Engineering America Limited, South San Francisco, CA), Higgins algorithm, with the following exemplary parameters: gap penalty = 5, no. of top diagonals = 5, fixed gap penalty = 5, K-tuple = 2, window size = 5, and floating gap penalty = 10.

D. Generation of Synthetic Env Expression Cassettes

Env coding sequences of the present invention include, but are not limited to, polynucleotide sequences encoding the following HIV-encoded polypeptides: gp160, gp140, and gp120 (see, e.g., U.S. Patent No. 5,792,459 for a description of the HIV-1_{SF2} ("SF2") Env polypeptide). The relationships between these polypeptides is shown schematically in Figure 15 (in the figure: the polypeptides are indicated as lines, the amino and carboxy termini are indicated on the gp160 line; the open circle represents the oligomerization domain; the open square represents a transmembrane spanning domain (TM); and "c" represents the location of a cleavage site, in gp140.mut the "X" indicates that the cleavage site has been mutated such that it no longer functions as a cleavage site). The polypeptide gp160 includes the coding sequences for gp120 and gp41. The polypeptide gp41 is comprised of several domains including an oligomerization domain (OD) and a transmembrane spanning domain (TM). In the native envelope, the oligomerization domain is required for the

non-covalent association of three gp41 polypeptides to form a trimeric structure: through non-covalent interactions with the gp41 trimer (and itself), the gp120 polypeptides are also organized in a trimeric structure.

5 A cleavage site (or cleavage sites) exists approximately between the polypeptide sequences for gp120 and the polypeptide sequences corresponding to gp41. This cleavage site(s) can be mutated to prevent cleavage at the site. The resulting gp140 polypeptide corresponds to

10 a truncated form of gp160 where the transmembrane spanning domain of gp41 has been deleted. This gp140 polypeptide can exist in both monomeric and oligomeric (i.e. trimeric) forms by virtue of the presence of the oligomerization domain in the gp41 moiety. In the

15 situation where the cleavage site has been mutated to prevent cleavage and the transmembrane portion of gp41 has been deleted the resulting polypeptide product is designated "mutated" gp140 (e.g., gp140.mut). As will be apparent to those in the field, the cleavage site can be

20 mutated in a variety of ways. The native amino acid sequence in the SF162 cleavage sites is: APTKAKRRVVQREKR (SEQ ID NO:21), where KAKRR (SEQ ID NO:22) is termed the "second" site and REKR (SEQ ID NO:23) is the "first site". Exemplary mutations include the following

25 constructs: gp140.mut7.modSF162 which encodes the amino acid sequence APTKAISSVVQSEKS (SEQ ID NO:24) in the cleavage site region; gp140.mut8.modSF162 which encodes the amino acid sequence APTIAISSVVQSEKS (SEQ ID NO:25) in the cleavage site region and gp140mut.modSF162 which

30 encodes the amino acid sequence APTKAKRRVVQREKS (SEQ ID NO:26). Mutations are denoted in bold. The native amino acid sequence in the US4 cleavage sites is: APTQAKRRVVQREKR (SEQ ID NO:27), where QAKRR (SEQ ID NO:28) is termed the "second" site and REKR (SEQ ID

NO:23) is the "first site". Exemplary mutations include the following construct: gp140.mut.modUS4 which encodes the amino acid sequence APTQAKRRVVQREKS (SEQ ID NO:29) in the cleavage site region. Mutations are denoted in bold.

5

E. Modification of HIV-1 Env (Envelope) Nucleic Acid Coding Sequences

In one embodiment of the present invention, wild-type Env coding sequences were selected from the HIV-1^{SF162} ("SF162") strain (Cheng-Mayer (1989) PNAS USA 86:8575-8579). These SF162 sequences were as follows: gp120, SEQ ID NO:30 (Fig. 16); gp140, SEQ ID NO:31 (Fig. 17); and gp160, SEQ ID NO:32 (Fig. 18).

In another embodiment of the present invention, wild-type Env coding sequences were selected from the HIV-US4 strain (Mascola, et al. (1994) J. Infect. Dis. 169:48-54). These US4 sequences were as follows: gp120, SEQ ID NO:51 (Fig. 38); gp140, SEQ ID NO:52 (Fig. 39); and gp160, SEQ ID NO:53 (Fig. 40).

These Env coding sequences were manipulated to maximize expression of their gene products.

First, the wild-type coding region was modified in one or more of the following ways. In one embodiment, sequences encoding hypervariable regions of Env, particularly V1 and/or V2 were deleted. In other embodiments, mutations were introduced into sequences encoding the cleavage site in Env to abrogate the enzymatic cleavage of oligomeric gp140 into gp120 monomers. (See, e.g., Earl et al. (1990) PNAS USA 87:648-652; Earl et al. (1991) J. Virol. 65:31-41). In yet other embodiments, hypervariable region(s) were deleted, N-glycosylation sites were removed and/or cleavage sites mutated.

Second, the HIV-1 codon usage pattern was modified

so that the resulting nucleic acid coding sequence was comparable to codon usage found in highly expressed human genes. The HIV codon usage reflects a high content of the nucleotides A or T in the codon-triplet. The effect of the HIV-1 codon usage is a high AT content in the DNA sequence that results in a decreased translation ability and instability of the mRNA. In comparison, highly expressed human codons prefer the nucleotides G or C. The Env coding sequences were modified to be comparable to codon usage found in highly expressed human genes.

Figures 22A-22H present comparisons of the percent A-T content for the cDNAs of stable versus unstable RNAs (comparison window size = 50). Human IFN γ mRNA is known to (i) be unstable, (ii) have a short half-life, and (iii) have a high A-U content. Human GAPDH (glyceraldehyde-3-phosphate dehydrogenase) mRNA is known to (i) be a stable RNA, and (i) have a low A-U content. In Figures 22A-H, the percent A-T content of these two sequences are compared to the percent A-T content of (1) native HIV-1 US4 Env gp160 cDNA, a synthetic US4 Env gp160 cDNA sequence (i.e., having modified codons) of the present invention; and (2) native HIV-1 SF162 Env gp160 cDNA, a synthetic SF162 Env gp160 cDNA sequence (i.e., having modified codons) of the present invention.

Figures 22A-H show the percent A-T content over the length of the sequences for IFN γ (Figures 22C and 22G); native gp160 Env US4 and SF162 (Figures 22A and 22E, respectively); GAPDH (Figures 22D and 22H); and the synthetic gp160 Env for US4 and SF162 (Figures 22B and 22F). Experiments performed in support of the present invention showed that the synthetic Env sequences were capable of higher level of protein production (see the Examples) than the native Env sequences. The data in Figures 22A-H suggest that one reason for this increased

production is increased stability of the mRNA corresponding to the synthetic Env coding sequences versus the mRNA corresponding to the native Env coding sequences.

5 To create the synthetic coding sequences of the present invention the gene cassettes were designed to comprise the entire coding sequence of interest. Synthetic gene cassettes were constructed by
10 oligonucleotide synthesis and PCR amplification to generate gene fragments. Primers were chosen to provide convenient restriction sites for subcloning. The resulting fragments were then ligated to create the entire desired sequence which was then cloned into an appropriate vector. The final synthetic sequences were
15 (i) screened by restriction endonuclease digestion and analysis, (ii) subjected to DNA sequencing in order to confirm that the desired sequence had been obtained and (iii) the identity and integrity of the expressed protein confirmed by SDS-PAGE and Western blotting (See,
20 Examples. The synthetic coding sequences were assembled at Chiron Corp. or by the Midland Certified Reagent Company (Midland, Texas).

Exemplary modified coding sequences are presented as synthetic Env expression cassettes in Table 1A and 1B.

25 The following expression cassettes (i) have unique, terminal *EcoRI* and *XbaI* cloning sites; (ii) include Kozak sequences to promote optimal translation; (iii) tPA signal sequences (to direct the ENV polypeptide to the cell membrane, see, e.g., Chapman et al., *infra*); (iv)
30 open reading frames optimized for expression in mammalian cells; and (v) a translational stop signal codon.

Table 1A: Exemplary Synthetic Env Expression
Cassettes (SF162)

	Expression Cassette	Seq Id	Further Information
5	gp120 SF162	30	wild-type; Figure 16
	gp140 SF162	31	wild-type; Figure 17
	gp160 SF162	32	wild-type; Figure 18
	gp120.modSF162	33	none; Figure 19
	gp120.modSF162.delV2	34	deleted V2 loop; Figure 20
10	gp120.modSF162.delV1/V2	35	deleted V1 and V2; Figure 21
	gp140.modSF162	36	none; Figure 23
	gp140.modSF162.delV2	37	deleted V2 loop; Figure 24
	gp140.modSF162.delV1/V2	38	deleted V1 and V2; Figure 25
	gp140.mut.modSF162	39	mutated cleavage site; Fig. 26
15	gp140.mut.modSF162.delV2	40	deleted V2; mutated cleavage site; Figure 27
	gp140.mut.modSF162.delV1/V 2	41	deleted V1 & V2; mutated cleavage site; Figure 28
	gp140.mut7.modSF162	42	mutated cleavage site; Fig. 29
	gp140.mut7.modSF162.delV2	43	mutated cleavage site; deleted V2; Figure 30
20	gp140.mut7.modSF162.delV1/ V2	44	mutated cleavage site; deleted V1 and V2; Figure 31
	gp140.mut8.modSF162	45	mutated cleavage site; Fig. 32
	gp140.mut8.modSF162.delV2	46	mutated cleavage site; deleted V2; Figure 33
25	gp140.mut8.modSF162.delV1/ V2	47	mutated cleavage site; deleted V1 and V2; Figure 34
	gp160.modSF162	48	none; Figure 35
	gp160.modSF162.delV2	49	deleted V2 loop; Figure 36
	gp160.modSF162.delV1/V2	50	deleted V1 & V2; Figure 37

Table 1B:

Exemplary Synthetic Env Expression Cassettes (US4)

Expression Cassette	Seq Id	Further Information
gp120 US4	51	wild-type; Figure 38
gp140 US4	52	wild-type; Figure 39
gp160 US4	53	wild-type; Figure 40
gp120.modUS4	54	none; Figure 41
gp120.modUS4.del 128-194	55	deletion in V1 and V2 regions; Figure 42
gp140.modUS4	56	none; Figure 43
gp140.mut.modUS4	57	mutated cleavage site; Figure 44
gp140TM.modUS4	58	native transmembrane region; Figure 45
gp140.modUS4.delV1/V2	59	deleted V1 and V2; Figure 46
gp140.modUS4.delV2	60	deleted V1; Figure 47
gp140.mut.modUS4.delV1/V2	61	mutated cleavage site; deleted V1 and V2; Figure 48
gp140.modUS4.del 128-194	62	deletion in V1 and V2 regions; Figure 49
gp140.mut.modUS4.del 128-194	63	mutated cleavage site; deletion in V1 and V2 regions; Figure 50
gp160.modUS4	64	none; Figure 51
gp160.modUS4.delV1	65	deleted V1; Figure 52
gp160.modUS4.delV2	66	deleted V2; Figure 53
gp160.modUS4.delV1/V2	67	deleted V1 and V2; Figure 54
gp160.modUS4del 128-194	68	deletion in V1 and V2 regions; Figure 55

Alignments of the sequences presented in the above tables are presented in Figures 66A and 66B.

A common region (Env-common) extends from nucleotide position 1186 to nucleotide position 1329 (SEQ ID NO:69,

Fig. 56) relative to the wild-type US4 sequence and from nucleotide position 1117 to position 1260 (SEQ ID NO:79, Fig. 57) relative to the wild-type SF162 sequence. The synthetic sequences of the present invention

5 corresponding to these regions are presented, as SEQ ID NO:71 (Figure 58) for the synthetic Env US4 common region and as SEQ ID NO:72 (Figure 59) for the synthetic Env SF162 common region.

Percent identity to this sequence can be determined, 10 for example, using the Smith-Waterman search algorithm (Time Logic, Incline Village, NV), with the following exemplary parameters: weight matrix = nuc4x4hb; gap opening penalty = 20, gap extension penalty = 5, reporting threshold = 1; alignment threshold = 20.

15 Various forms of the different embodiments of the present invention (e.g., constructs) may be combined.

F. Cloning Synthetic Env Expression Cassettes of the Present Invention.

20 The synthetic DNA fragments encoding the Env polypeptides were typically cloned into the eucaryotic expression vectors described above for Gag, for example, pCMVKm2/pCMVlink (Figure 4), pCMV6a, pESN2dhfr (Figure 13A), pCMVIII (Figure 13B; alternately designated as the 25 pCMV-PL-E-dhfr/neo vector).

Exemplary designations for pCMVlink vectors containing synthetic expression cassettes of the present invention are as follows: pCMVlink.gp140.modSF162; pCMVlink.gp140.-modSF162.delV2; 30 pCMVlink.gp140.mut.modSF162; pCMVlink.gp140.mut.modSF162.delV2; pCMVKm2.gp140modUS4; pCMVKm2.gp140.modUS4.delV2; pCMVKm2.gp140.mut.modUS4; and, pCMVKm2.gp140.mut.modUS4.delV1/V2.

G. Generation of Synthetic Tat Expression Cassettes

Tat coding sequences have also been modified according to the teachings of the present specification. The wild type nucleotide sequence encoding tat from variant SF162 is presented in Figure 76 (SEQ ID NO:85). The corresponding wild-type amino acid sequence is presented in Figure 77 (SEQ ID NO:86). Figure 81 (SEQ ID NO:89) shows the nucleotide sequence encoding the amino terminal of the tat protein and the codon encoding cystein-22 is underlined. Other exemplary constructs encoding synthetic tat polypeptides are shown in Figures 78 and 79 (SEQ ID NOs:87 and 88). In one embodiment (SEQ ID NO:88), the cystein residue at position 22 is replaced by a glycine. Caputo et al. (1996) *Gene Therapy* 3:235 have shown that this mutation affects the trans activation domain of Tat.

Various forms of the different embodiments of the invention, described herein, may be combined.

H. Deposit of Vectors

Selected exemplary constructs shown below and described herein are deposited at Chiron Corporation, Emeryville, CA, 94662-8097, and were sent to the American Type Culture Collection, 10801 University Boulevard, Manassas, VA-20110-2209 on December 27, 1999.

	Plasmid Name	Chiron Deposit #	Date Sent to ATCC
	pCMVgpl60.modUS4	5094	27 Dec 99
	pCMVgpl60del11.modUS4	5095	27 Dec 99
	pCMVgpl60del12.modUS4	5096	27 Dec 99
5	pCMVgpl60del-2.modUS4	5097	27 Dec 99
	pCMVgpl60del128-194.mod.US4	5098	27 Dec 99
	pCMVgpl40mut.modUS4del128-194	5100	27 Dec 99
	pCMVgpl40.mut.mod.US	5101	27 Dec 99
	pCMVgpl60.modSF162	5125	27 Dec 99
10	pCMVgpl60.modSF162.delV2	5126	27 Dec 99
	pCMVgpl60.modSF162.delV1V2	5127	27 Dec 99
	pCMVgpl40.mut.modSF162delV2	5128	27 Dec 99
	pCMVgpl40.mut7.modSF162	5129	27 Dec 99
	pCMVgpl40.mut7.modSF162delV2	5130	27 Dec 99
15	pCMVgpl40.mut8.modSF162	5131	27 Dec 99
	pCMVgpl40.mut8.modSF162delV2	5132	27 Dec 99
	pCMVgpl40.mut8.modSF162delV1V2	5133	27 Dec 99
	pCMVKm2.Gagprot.Mod.SF2.GP1	5150	27 Dec 99
	pCMVKm2.Gagprot.Mod.SF2.GP2	5151	27 Dec 99
20			

Example 2

Expression Assays for the

Synthetic Gag, Env and Tat Coding Sequences

25 A. Gag and Gag-Protease Coding Sequences

The HIV-1SF2 wild-type Gag (SEQ ID NO:1) and Gag-protease (SEQ ID NO:2) sequences were cloned into expression vectors having the same features as the vectors into which the synthetic Gag (SEQ ID NO:4) and

30 Gag-protease (SEQ ID NOs:5, 78 or 79)) sequences were cloned.

Expression efficiencies for various vectors carrying the HIV-1SF2 wild-type and synthetic Gag sequences were evaluated as follows. Cells from several mammalian cell lines (293, RD, COS-7, and CHO; all obtained from the American Type Culture Collection, 10801 University Boulevard, Manassas, VA 20110-2209) were transfected with 2 µg of DNA in transfection reagent LT1 (PanVera Corporation, 545 Science Dr., Madison, WI). The cells were incubated for 5 hours in reduced serum medium (Opti-MEM, Gibco-BRL, Gaithersburg, MD). The medium was then replaced with normal medium as follows: 293 cells, IMDM, 10% fetal calf serum, 2% glutamine (BioWhittaker, Walkersville, MD); RD and COS-7 cells, D-MEM, 10% fetal calf serum, 2% glutamine (Opti-MEM, Gibco-BRL, Gaithersburg, MD); and CHO cells, Ham's F-12, 10% fetal calf serum, 2% glutamine (Opti-MEM, Gibco-BRL, Gaithersburg, MD). The cells were incubated for either 48 or 60 hours. Supernatants were harvested and filtered through 0.45 µm syringe filters and, optionally, stored at -20°C.

Supernatants were evaluated using the Coulter p24-assay (Coulter Corporation, Hialeah, FL, US), using 96-well plates coated with a murine monoclonal antibody directed against HIV core antigen. The HIV-1 p24 antigen binds to the coated wells. Biotinylated antibodies against HIV recognize the bound p24 antigen. Conjugated streptavidin-horseradish peroxidase reacts with the biotin. Color develops from the reaction of peroxidase with TMB substrate. The reaction is terminated by addition of 4N H₂SO₄. The intensity of the color is directly proportional to the amount of HIV p24 antigen in a sample.

The results of these expression assays are presented in Tables 2A and 2B. Tables 2A and 2B shows data

obtained using the synthetic Gag-protease expression cassette of SEQ ID NO:5. Similar results were obtained using the Gag-protease expression cassettes of SEQ ID NOs:78 and 79.

5

Table 2: in vitro gag and gagprot p24 expression

5 TABLE 2a. Increased in vitro expression from modified vs. native gag plasmids in supernatants and lysates from transiently transfected cells

experiment	native (nat) ^a modified (mod) ^b	supernatant (sup) lysate (lys)	cell line	hours post transfection	total ng p24 (fold increase)
1	nat	sup	293	48	3.4
	mod	sup	293	48	1260 (371)
	nat	sup	293	60	3.2
	mod	sup	293	60	2222 (694)
2	nat	sup	293	60	1.8
	mod	sup	293	60	1740 (966)
3	nat	sup	293	60	1.8
	mod	sup	293	60	580 (322)
4	nat	lys	293	60	1.5
	mod	lys	293	60	85 (57)
1	nat	sup	RD	48	5.6
	mod	sup	RD	48	66 (12)
	nat	sup	RD	60	7.8
	mod	sup	RD	60	70.2 (9)
2	nat	lys	RD	60	1.9
	mod	lys	RD	60	7.8 (4)
1	nat	sup	COS-7	48	0.4
	mod	sup	COS-7	48	33.4 (84)
2	nat	sup	COS-7	48	0.4
	mod	sup	COS-7	48	10 (25)
	nat	lys	COS-7	48	3
	mod	lys	COS-7	48	14 (5)

^a pCMVLink.Gag.SF2.PRE

^b pCMVKm2.GagMod.SF2

5 TABLE 2b. In vitro expression from modified gag and gagprotease plasmids in supernatants and lysates from transiently transfected cells

plasmid	supernatant (sup) lysate (lys)	cell line	hours post transfection	total ng p24 ^d
Gag ^a	sup	293	60	760
GagProt(GP1) ^b	sup	293	60	380
GagProt(GP2) ^c	sup	293	60	320
Gag	lys	293	60	78
GagProt(GP1)	lys	293	60	1250
GagProt(GP2)	lys	293	60	400
Gag	sup	COS-7	72	40
GagProt(GP1)	sup	COS-7	72	150
GagProt(GP2)	sup	COS-7	72	290
Gag	lys	COS-7	72	60
GagProt(GP1)	lys	COS-7	72	63
GagProt(GP2)	lys	COS-7	72	58

^a pCMVKm2.GagMod.SF2

^b pCMVKm2.GagProtMod.SF2(GP1) gagprotease with codon optimization and inactivation of INS in protease

^c pCMVKm2.GagProtMod.SF2(GP2) gagprotease with only inactivation of INS in protease

^d Shown are representative results from 3 independent experiments for each cell line tested.

The data showed that the synthetic Gag and Gag-protease expression cassettes provided dramatic increases in production of their protein products, relative to the native (HIV-1SF2 wild-type) sequences, when expressed in a variety of cell lines.

B. Env Coding Sequences

The HIV-SF162 ("SF162") wild-type Env (SEQ ID NO:1-3) and HIV-US4 ("US4") wild-type Env (SEQ ID NO:22-24) sequences were cloned into expression vectors having the same features as the vectors into which the synthetic Env sequences were cloned.

Expression efficiencies for various vectors carrying the SF162 and US4 wild-type and synthetic Env sequences were evaluated essentially as described above for Gag except that cell lysates were prepared in 40 μ l lysis buffer (1.0 % NP40, 0.1 M Tris pH 7.5) and frozen at -20°C and capture ELISAs were performed as follows.

For Capture ELISAs, 250 ng of an ammonium sulfate IgG cut of goat polyclonal antibody to gp120SF2/env2-3 was used to coat each well of a 96-well plate (Corning, Corning, NY). Serial dilutions of gp120/SF2 protein (MID 167) were used to set the quantitation curve from which expression of US4 or SF162 gp120 proteins from transfection supernatant and lysates were calculated.

Samples were screened undiluted and, optionally, by serial 2-fold dilutions. A human polyclonal antibody to HIV-1 gp120/SF2 was used to detect bound gp120 envelope protein, followed by horse-radish peroxidase (HRP)-labeled goat anti-human IgG conjugates. TMB (Pierce, Rockford, IL) was used as the substrate and the reaction is terminated by addition of 4N H₂SO₄. The reaction was quantified by measuring the optical density (OD) at 450 nm. The intensity of the color is directly

proportional to the amount of HIV gp120 antigen in a sample. Purified SF2 gp120 protein was diluted and used as a standard.

5 The results of the transient expression assays are presented in Tables 3 and 4. Table 3 depicts transient expression in 293 cells transfected with a pCMVKm2 vector carrying the Env cassette of interest. Table 4 depicts transient expression in RD cells transfected with a pCMVKm2 vector carrying the Env cassette of interest.

5

Table 3

Native (N) Synthetic (S)	Cell Line	Total sup (ng)	Sup fold increase (S v. N)	Total cell lysate (ng)	Cell lysate fold increase (S v. N)	Total (ng)	Total fold increase (S v. N)
N-gp120.US4	RD	87		<1		88	
S-gp120.modUS4	RD	690	8	2	5	693	8
N-gp140.US4	RD	526		0		526	
S-gp140.modUS4	RD	1305	2	1	2	1306	2
S-gp140mut.modUS4	RD	35	N/A	25	N/A	60	N/A
S-gp140TX.modUS4	RD	0	N/A	5	N/A	5	N/A
N-gp160.US4	RD	0		8		8	
S-gp160.modUS4	RD	0	0	30	4	30	4

Table 4

5

10

CHO Cell Lines Expression Level of US4 Envelope Constructs			
Constructs	CHO Clone #	MTX Level	Expression Level* (ng/ml)
gp120.modUS4	1	3.2 μ M	250-450
	2	1.6 μ M	350-450
	3	200nM	230-580
	4	200nM	300-500
gp140.modUS4	1	1 μ M	155-300
	2	1 μ M	100-260
	3	1 μ M	200-430
gp140.mut. modUS4	1	1 μ M	110-270
	2	1 μ M	100-235
	3	1 μ M	100-220
gp140.modUS4 .delV1/V2	1	50nM	313-587**
	2	50nM	237-667**
	3	50nM	492-527**
gp140.mut. modUS4.delV1 /V2	1	50nM	46-328**
	2	50nM	82-318**
	3	50nM	204-385**

- 15 *All samples measured at T-75 flask stage unless otherwise indicated
- **at 24 well and 6 well plate stages
- ***in a three liter bioreactor perfusion culture this clone yielded approximately 2-5 μ g/ml.

The data showed that the synthetic Env and expression cassettes provided a significant increase in production of their protein products, relative to the native (HIV-1SF162 or US4 wild-type) sequences, when
5 expressed in a variety of cell lines.

C. CHO Cell line Env expression data

Chinese hamster ovary (CHO) cells were transfected with plasmid DNA encoding the synthetic HIV-1 gp120 or
10 gp140 proteins (e.g., pESN2dhfr or pCMVIII vector backbone) using Mirus TransIT-LT1 polyamine transfection reagent (Pan Vera) according to the manufacturers instructions and incubated for 96 hours. After 96 hours, media was changed to selective media (F12 special with
15 250 μ g/ml G418) and cells were split 1:5 and incubated for an additional 48 hours. Media was changed every 5-7 days until colonies started forming at which time the colonies were picked, plated into 96 well plates and screened by gp120 Capture ELISA. Positive clones were
20 expanded in 24 well plates and screened several times for Env protein production by Capture ELISA, as described above. After reaching confluency in 24 well plates, positive clones were expanded to T25 flasks (Corning, Corning, NY). These were screened several times after
25 ~~confluency and positive clones were expanded to T75~~ flasks.

Positive T75 clones were frozen in LN2 and the highest expressing clones amplified with 0-5 μ M methotrexate (MTX) at several concentrations and plated in
30 100mm culture dishes. Plates were screened for colony formation and all positive clones were again expanded as described above. Clones were expanded and amplified and screened at each step by gp120 capture ELISA. Positive clones were frozen at each methotrexate level. Highest

producing clones were grown in perfusion bioreactors (3L, 100L) for expansion and adaptation to low serum suspension culture conditions for scale-up to larger bioreactors.

- 5 Tables 5 and 6 show Capture ELISA data from CHO cells transfected with pCMVIII vector carrying a cassette encoding synthetic HIV-US4 and SF162 Env polypeptides (e.g., mutated cleavage sites, modified codon usage and/or deleted hypervariable regions). Thus, stably
- 10 transfected CHO cell lines which express Env polypeptides (e.g., gp120, gp140-monomeric, and gp140-oligomeric) have been produced.

Table 5

CHO Cell Lines Expression Level of US4 Envelope Constructs			
Constructs	CHO Clone #	MTX Level	Expression Level* (ng/ml)
gp120.modUS4	1	3.2 μ M	250-450
	2	1.6 μ M	350-450
	3	200nM	230-580***
	4	200nM	300-500
gp140.modUS4	1	1 μ M	155-300
	2	1 μ M	100-260
	3	1 μ M	200-430
gp140.mut. modUS4	1	1 μ M	110-270
	2	1 μ M	100-235
	3	1 μ M	100-220
gp140.modUS4 .delV1/V2	1	50nM	313-587**
	2	50nM	237-667**
	3	50nM	492-527**
gp140.mut. modUS4.delV1 /V2	1	50nM	46-328**
	2	50nM	82-318**
	3	50nM	204-385**

*All samples measured at T-75 flask stage unless otherwise indicated

**at 24-well and 6 well plate stages

***in a three liter bioreactor perfusion culture this clone yielded approximately 2-5 μ g/ml.

Table 6

CHO Cell Lines Expression Level of SF162 Envelope Constructs			
Constructs	CHO Clone #	MTX Level	Expression Level (ng/ml)
gp120.modSF162	1	0	755-2705
	2	0	928-1538
	3	0	538-1609
gp140.modSF162	1	20 nM	180-350
gp140.mut. modSF162	1	20 nM	164-451
	2	20 nM	188-487
	3	20 nM	233-804
gp120.modSF162 .delV2	1	800nM	528-1560
	2	800nM	487-1878
	3	800nM	589-1212
gp140.modSF162 .delV2	1	800nM	300-600
	2	800nM	200-400
	3	800nM	200-500
gp140.mut. modSF162.delV2	1	800nM	300-700
	2	400nM	1161
	3	800nM	400-600
	4	400nM	1600-2176

15 All samples measured at T-75 flask stage unless otherwise indicated

20 The results presented above demonstrate the ability
 of the constructs of the present invention to provide
 expression of Env polypeptides in CHO cells. Production
 of polypeptides using CHO cells provides (i) correct
 glycosylation patterns and protein conformation (as
 determined by binding to panel of MABs); (ii) correct
 25 binding to CD4 receptor molecules; (iii) absence of non-

mammalian cell contaminants (e.g., insect viruses and/or cells); and (iv) ease of purification.

D. Tat Coding Sequences

5 The HIV-SF162 ("SF162") wild-type Tat (SEQ ID NO:85) sequences were cloned into expression vectors having the same features as the vectors into which the synthetic Tat sequences were cloned (SEQ ID NOS:87, 88 and 89).

10 Expression efficiencies for various vectors carrying the SF162 wild-type and synthetic Tat sequences are evaluated essentially as described above for Gag and Env using capture ELISAs with the appropriate anti-tat antibodies and/or CHO cell assays. Expression of the polypeptides encoded by the synthetic cassettes is
15 improved relative to wild type.

Example 3

Western Blot Analysis of Expression

A. Gag and Gag-Protease Coding Sequences

20 Human 293 cells were transfected as described in Example 2 with pCMV6a-based vectors containing native or synthetic Gag expression cassettes. Cells were cultivated for 60 hours post-transfection. Supernatants were prepared as described. Cell lysates were prepared
25 as follows. The cells were washed once with phosphate-buffered saline, lysed with detergent [1% NP40 (Sigma Chemical Co., St. Louis, MO) in 0.1 M Tris-HCl, pH 7.5], and the lysate transferred into fresh tubes. SDS-polyacrylamide gels (pre-cast 8-16%; Novex, San Diego,
30 CA) were loaded with 20 μ l of supernatant or 12.5 μ l of cell lysate. A protein standard was also loaded (5 μ l, broad size range standard; BioRad Laboratories, Hercules, CA). Electrophoresis was carried out and the proteins were transferred using a BioRad Transfer Chamber (BioRad

Laboratories, Hercules, CA) to Immobilon P membranes (Millipore Corp., Bedford, MA) using the transfer buffer recommended by the manufacturer (Millipore), where the transfer was performed at 100 volts for 90 minutes. The
5 membranes were exposed to HIV-1-positive human patient serum and immunostained using o-phenylenediamine dihydrochloride (OPD; Sigma).

The results of the immunoblotting analysis showed that cells containing the synthetic Gag expression
10 cassette produced the expected p55 protein at higher per-cell concentrations than cells containing the native expression cassette. The Gag p55 protein was seen in both cell lysates and supernatants. The levels of
15 production were significantly higher in cell supernatants for cells transfected with the synthetic Gag expression cassette of the present invention. Experiments performed in support of the present invention suggest that cells
20 containing the synthetic Gag-prot expression cassette produced the expected Gag-prot protein at comparably higher per-cell concentrations than cells containing the native expression cassette.

In addition, supernatants from the transfected 293 cells were fractionated on sucrose gradients. Aliquots of the supernatant were transferred to Polyclar™ ultra-
25 centrifuge tubes (Beckman Instruments, Columbia, MD), under-laid with a solution of 20% (wt/wt) sucrose, and subjected to 2 hours centrifugation at 28,000 rpm in a Beckman SW28 rotor. The resulting pellet was suspended in PBS and layered onto a 20-60% (wt/wt) sucrose gradient
30 and subjected to 2 hours centrifugation at 40,000 rpm in a Beckman SW41ti rotor.

The gradient was then fractionated into approximately 10 x 1 ml aliquots (starting at the top, 20%-end, of the gradient). Samples were taken from

fractions 1-9 and were electrophoresed on 8-16% SDS polyacrylamide gels. Fraction number 4 (the peak fraction) corresponds to the expected density of Gag protein VLPs. The supernatants from 293/synthetic Gag cells gave much stronger p55 bands than supernatants from 293/native Gag cells, and, as expected, the highest concentration of p55 in either supernatant was found in fraction 4.

These results demonstrate that the synthetic Gag expression cassette provides superior production of both p55 protein and VLPs, relative to the native Gag coding sequences.

B. Env Coding Sequences

Human 293 cells were transfected as described in Example 2 with pCMVKm2-based; pCMVlink-based; p-CMVII-based or pESN2-based vectors containing native or synthetic Env expression cassettes. Cells were cultivated for 48 or 60 hours post-transfection. Cell lysates and supernatants were prepared as described (Example 2). Briefly, the cells were washed once with phosphate-buffered saline, lysed with detergent [1% NP40 (Sigma Chemical Co., St. Louis, MO)] in 0.1 M Tris-HCl, pH 7.5], and the lysate transferred into fresh tubes. SDS-polyacrylamide gels (pre-cast 8-16%; Novex, San Diego, CA) were loaded with 20 μ l of supernatant or 12.5 μ l of cell lysate. A protein molecular weight standard and an HIV SF2 gp120 positive control protein (5 μ l, broad size range standard; BioRad Laboratories, Hercules, CA) were also loaded. Electrophoresis was carried out and the proteins were transferred using a BioRad Transfer Chamber (BioRad Laboratories, Hercules, CA) to Immobilon P membranes (Millipore Corp., Bedford, MA) using the transfer buffer recommended by the manufacturer

(Millipore), where the transfer was performed at 100 volts for 90 minutes. The membranes were then reacted against polyclonal goat anti-gp120SF2/env2-3 anti-sera, followed by incubation with swine anti-goat IgG-
5 peroxidase (POD) (Sigma, St. Louis, MO). Bands indicative of binding were visualized by adding DAB with hydrogen peroxide which deposits a brown precipitate on the membranes.

The results of the immunoblotting analysis showed
10 that cells containing the synthetic Env expression cassette produced the expected Env gp proteins of the predicted molecular weights as determined by mobilities in SDS-polyacrylamide gels at higher per-cell concentrations than cells containing the native
15 expression cassette. The Env proteins were seen in both cell lysates and supernatants. The levels of production were significantly higher in cell supernatants for cells transfected with the synthetic Env expression cassette of the present invention.

20

C. Tat Coding Sequences

Human 293 cells are transfected as described in Example 2 with various vectors containing native or synthetic Tat expression cassettes. Cells are cultivated
25 and isolated proteins analyzed as described above.

Immunoblotting analysis shows that cells containing the synthetic Tat expression cassette produced the expected Tat proteins of the predicted molecular weights as determined by mobilities in SDS-polyacrylamide gels at
30 higher per-cell concentrations than cells containing the native expression cassette.

Example 4Purification of Env polypeptidesA. Purification of Oligomeric gp140

Purification of oligomeric gp140 (o-gp140 US4) was
5 conducted essentially as shown in Figure 60. For the
experiments described herein, o-gp140 refers to
oligomeric gp140 in either native or modified (e.g.,
optimized expression sequences, deleted, mutated,
truncated, etc.) form. Briefly, concentrated (30-50X)
10 supernatants obtained from CHO cell cultures were loaded
onto an anion exchange (DEAE) column which removed DNA
and other serum proteins. The eluted material was loaded
onto a ceramic hydroxyapatite column (CHAP) which bound
serum proteins but not HIV Env proteins. The flow-
15 through from the DEAE and CHAP columns was loaded onto a
Protein A column as a precautionary step to remove any
remaining serum immunoglobulins. The Env proteins in the
flow-through were then captured using the lectin
gluconanthus navalis (GNA, Vector Labs, Burlingame, CA).
20 GNA has high affinity for mannose rich carbohydrates such
as Env. The Env proteins were then eluted with GNA
substrate. To remove other highly glycosylated proteins,
a cation exchange column (SP) was used to purify
gp140/gp120. In a final step, which separates gp120 from
25 o-gp140, a gel filtration column was used to separate
oligomers from monomers. Sizing and chromatography
analysis of the final product revealed that this strategy
lead to the successful isolation of oligomeric gp140.

30 B. Purification of gp120

Purification of gp120 was conducted essentially as
previously described for other Env proteins. Briefly,
concentrated supernatants obtained from CHO cell cultures
were loaded onto an anion exchange (DEAE) column which

removed DNA and other serum proteins. The eluted material was loaded onto a ceramic hydroxyapatite column (CHAP) which bound serum proteins but not HIV Env proteins. The flow-through from the CHAP column was loaded a cation exchange column (SP) where the flow-through was discarded and the bound fraction eluted with salt. The eluted fraction(s) were loaded onto a Suprose 12/Superdex 200 Tandem column (Pharmacia-Upjohn, Uppsala, Sweden) from which purified gp120 was obtained. Sizing and chromatography analysis of the final product revealed that this strategy successfully purified gp120 proteins.

Example 5

Analysis of Purified Env Polypeptides

15 A. Analysis of o-gp140

It is well documented that HIV Env protein binds to CD4 only in its correct conformation. Accordingly, the ability of o-gp140 US4 polypeptides, produced and purified as described above, to bind CD4 cells was tested. O-gp140 US4 was incubated for 15 minutes with FITC-labeled CD4 at room temperature and loaded onto a Biosil 250 (BioRad) size exclusion column using Waters HPLC. CD4-FITC has the longest retention time (2.67 minutes), followed by CD4-FITC-gp120 (2.167 min). The shortest retention time (1.9 min) was observed for CD4-FITC-o-gp140 US4 indicating that, as expected, o-gp140 US4 binds to CD4 forming a large complex which reduces retention time on the column. Thus, the o-gp140 US4 produced and purified as described above is of the correct size and conformation.

In addition, the US4 o-gp140, purified as described above, was also tested for its ability to bind to a variety of monoclonal antibodies with known epitope specificities for the CD4 binding site, the CD4 inducible

site, the V3 loop and oligomer-specific gp41 epitope. O-gp140 bound strongly to these antibodies, indicating that the purified protein retains its structural integrity.

5 B. Analysis of gp120

As described above, CD4-FITC binds gp120, as demonstrated by the decreased retention time on the HPLC column. Thus, US4 gp120 purified by the above method retains its conformational integrity. In addition, the
10 properties of purified gp120 can be tested by examining its integrity and identity on western blots, as well as, by examining protein concentration, pH, conductivity, endotoxin levels, bioburden and the like. US4 gp120, purified as described above, was also tested for its
15 ability to bind to a variety of monoclonal antibodies with known epitope specificities for the CD4 binding site, the CD4 inducible site, the V3 loop and oligomer-specific gp41 epitope. The pattern of mAb binding to gp120 indicated that the purified protein retained its
20 structural integrity, for example, the purified gp120 did not bind the mAb having the oligomer-specific gp41 epitope (as expected).

Example 6

25 Electron Microscopic Evaluation of VLP Production

The cells for electron microscopy were plated at a density of 50-70% confluence, one day before transfection. The cells were transfected with 10 µg of DNA using transfection reagent LT1 (Panvera) and
30 incubated for 5 hours in serum-reduced medium (see Example 2). The medium was then replaced with normal medium (see Example 2) and the cells were incubated for 14 hours (COS-7) or 40 hours (CHO). After incubation the cells were washed twice with PBS and fixed with 2%

glutaraldehyde. Electron microscopy was performed by Prof. T.S. Benedict Yen, Veterans Affairs, Medical Center, San Francisco, CA).

Electron microscopy was carried out using a transmission electron microscope (Zeiss 10c). The cells were pre-stained with osmium and stained with uranium acetate and lead citrate. The magnification was 100,000X.

Figures 3A and 3B show micrographs of CHO cells transfected with pCMVKM2 carrying the synthetic Gag expression cassette (SEQ ID NO:5) or carrying the Gag-prot expression cassette (SEQ ID NO:79). In the figure, free and budding immature virus-like-particles (VLP) of the expected size (100 nm) are seen for the Gag expression cassette (Figure 3A) and both immature and mature VLPs are seen for the Gag-prot expression cassette (Figure 3B). COS-7 cells transfected with the same vector have the same expression pattern. VLP can also be found intracellularly in CHO and COS-7 cells.

Native and synthetic Gag expression cassettes were compared for their associated levels of VLP production when used to transfect human 293 cells. The comparison was performed by density gradient ultracentrifugation of cell supernatants and Western-blot analysis of the gradient fractions. There was a clear improvement in production of VLPs when using the synthetic Gag construct.

Example 7

Expression of Virus-like Particles in the Baculovirus System

A. Expression of Native HIV p55 Gag

To construct the native HIV p55 Gag baculovirus shuttle vector, the prototype SF2 HIV p55 plasmid, pTM1-

Gag (Selby M.J., et al., *J Virol.* 71(10):7827-7831, 1997), was digested with restriction endonucleases NcoI and BamHI to extract a 1.5 Kb fragment that was subsequently subcloned into pAcC4 (*Bio/Technology* 6:47-55, 1988), a derivative of pAc436. Generation of the recombinant baculovirus was achieved by co-transfecting 2 µg of the HIV p55 Gag pAcC4 shuttle vector with 0.5 µg of linearized, *Autographa californica* baculovirus (AcNPV) wild-type viral DNA into *Spodoptera frugiperda* (Sf9) cells (Kitts, P.A., Ayres M.D., and Possee R.D., *Nucleic Acids Res.* 18:5667-5672, 1990). The isolation of recombinant virus expressing HIV p55 Gag was performed according to standard techniques (O'Reilly, D.R., L.K. Miller, and V. A. Luckow, *Baculovirus Expression Vector: A Laboratory Manual*, W.H. Freeman and Company, New York, 1992).

Expression of the HIV p55 Gag was achieved using a 500 ml suspension culture of Sf9 cells grown in serum-free medium (Miaorella, B., D. Inlow, A. Shauger, and D. Harano, *Bio/Technology* 6:1506-1510, 1988) that had been infected with the HIV p55 Gag recombinant baculovirus at a multiplicity of infection (MOI) of 10. Forty-eight hours post-infection, the supernatant was separated by centrifugation and filtered through a 0.2 µm filter.

Aliquots of the supernatant were then transferred to Polyclear™ (Beckman Instruments, Palo Alto, CA) ultracentrifuge tubes, underlaid with 20% (wt/wt) sucrose, and subjected to 2 hours centrifugation at 24,000 rpm using a Beckman SW28 rotor.

The resulting pellet was suspended in Tris buffer (20 mM Tris HCl, pH 7.5, 250 mM NaCl, and 2.5 mM ethylenediaminetetraacetic acid [EDTA]), layered onto a 20-60% (wt/wt) sucrose gradient, and subjected to 2 hours centrifugation at 40,000 rpm using a Beckman SW41ti

rotor. The gradient was then fractionated starting at the top (20% sucrose) of the gradient into approximately twelve 0.75 ml aliquots. A sample of each fraction was electrophoresed on 8-16% SDS polyacrylamide gels and the resulting bands were visualized after commassie staining (Figure 4). Additional aliquots were subjected to refractive index analysis.

The results shown in Figure 4 indicated that the p55 Gag virus-like particles banded at a sucrose density of range of 1.15 - 1.19 g/ml with the peak at approximately 1.17 g/ml. The peak fractions were pooled and concentrated by a second 20% sucrose pelleting. The resulting pellet was suspended in 1 ml of Tris buffer (described above). The total protein yield as estimated by Bicimchrominic Acid (BCA) (Pierce Chemical, Rockford, IL) was 1.6 mg.

B. Expression of Synthetic HIV p55 Gag

A baculovirus shuttle vector containing the synthetic p55 Gag sequence was constructed as follows. The synthetic HIV p55 expression cassette (Example 1) was digested with restriction enzyme *SalI* followed by incubation with T4-DNA polymerase. The resulting fragment was isolated (PCR Clean-Up™, Promega, Madison, WI) and then digested with *BamHI* endonuclease. The shuttle vector pAcC13 (Munemitsu S., et al., *Mol Cell Biol.* 10(11):5977-5982, 1990) was linearized by digestion with *EcoI*, followed by incubation with T4-DNA polymerase, and then isolated (PCR Clean-Up™). The linearized vector was digested with *BamHI*, treated with alkaline phosphatase, and isolated by size fragmentation in an agarose gel. The isolated 1.5 kb fragment was ligated with the prepared pAcC13 vector. The resulting clone was designated pAcC13-Modif.p55Gag.

The expression conditions for the synthetic HIV p55 VLPs differed from those of the native p55 Gag as follows: a culture volume of 1 liter used instead of 500 ml; *Trichoplusia ni* (Tn5) (Wickham, T.J., and Nermerow, G.R., *BioTechnology Progress*, 9:25-30, 1993) insect cells were used instead of Sf9 insect cells; and, an MOI of 3 was instead of an MOI of 10. Experiments performed in support of the present invention showed that there was no appreciable difference in expression level between the Sf9 and Tn5 insect cells with the native p55 clone. In terms of MOI, experience with the native p55 clone suggested that an MOI of 10 resulted in higher expression (approximately 2-fold) of VLPs than a lower MOI.

The sucrose pelleting and banding methods used for the synthetic p55 VLPs were similar to those employed for the native p55 VLPs (described above), with the following exceptions: pelleted VLPs were suspended in 4 ml of phosphate buffered saline (PBS) instead of 1.0 ml of the Tris buffer; and four, 20-60% sucrose gradients were used instead of a single gradient. Also, due to the high concentration of banded VLPs, further concentration by pelleting was not required. The peak fractions from all 4 gradients were simply dialyzed against PBS. The approximate density of the banded VLPs ranged from 1.23-1.28 g/ml. A total protein yield as estimated by BCA was 46 mg. Results from the sucrose gradient banding of the synthetic p55 are shown in Figure 5.

A comparison of the total amount of purified HIV p55 Gag from several preparations obtained from the two baculovirus expression cassettes has been summarized in Figure 6. The average yield from the native p55 was 3.16 mg/liter of culture (n=5, standard deviation (sd) ± 1.07 , range = 1.8-4.8 mg/L) whereas the average yield from the

synthetic p55 was more than ten-fold higher at 44.5 mg/liter of culture ($n=2$, $sd=\pm 6.4$).

In addition to a higher total protein yield, the final product from the synthetic p55-expressed Gag consistently contained lower amounts of contaminating baculovirus proteins than the final product from the native p55-expressed Gag. This difference can be seen in the two commassie-stained gels Figures 4 and 5.

10 C. Expression of Native and Synthetic Gag-Core

Expression of the HIV p55 Gag/HCV Core 173 (SEQ ID NO:8) was achieved using a 2.5 liter suspension culture of Sf9 cells grown in serum-free medium (Miaorella, B., D. Inlow, A. Shauger, and D. Harano. 1988 Bio/Technology 6:1506-1510). The cells were infected with an HIV p55 Gag/HCV Core 173 recombinant baculovirus. Forty-eight hours post-infection, the supernatant was separated from the cells by centrifugation and filtered through a 0.2 μ m filter. Aliquots of the supernatant were then transferred to a Polyclear™ (Beckman Instruments, Palo Alto, CA) ultracentrifuge tubes containing 30% (wt/wt) sucrose, and subjected to 2 hours of centrifugation at 24,000 rpm in a Beckman SW28 rotor and ultracentrifuge.

The resulting pellet was suspended in Tris buffer (50 mM Tris-HCl, pH 7.5, 500 mM NaCl) and layered onto a 30-60% (wt/wt) sucrose gradient and subjected to 2 hours centrifugation at 40,000 rpm in a Beckman SW41ti rotor and ultracentrifuge. The gradient was then fractionated starting at the top (30%) of the gradient into approximately 11 x 1.0 ml aliquots. A sample of each fraction was electrophoresed on 8-16% SDS polyacrylamide gels and the resulting bands were visualized after commassie staining.

A subset of aliquots were also subjected to Western blot analysis using monoclonal antibody 76C.5EG (Steimer, K.S., et al., *Virology* 150:283-290, 1986) which is specific for HIV p24 (a subunit of HIV p55). The peak fractions from the sucrose gradient were pooled and concentrated by a second 20% sucrose pelleting. The resulting pellet was suspended in 1 ml of buffer Tris buffer and the total protein yield as estimated by BCA (Pierce Chemical, Rockford, IL) was ~ 1.0 mg.

10 The results from the SDS PAGE are shown in Figure 8 and the anti- p24 Western blot results are shown in Figure 9. Taken together, these results indicate that the HIV p55 Gag/HCV Core 173 chimeric VLPs banded at a sucrose density similar to that of the HIV p55 Gag VLPs and the visible protein band that migrated at a molecular weight of ~ 72,000 kd was reactive with the HIV p24-specific monoclonal antibody. An additional immunoreactive band at approximately 55,000 kd also appeared to be reactive with the anti-p24 antibody and may be a degradation product.

Although aliquots from the above preparation were not tested for reactivity with an HCV Core-specific antibody (an anti-CD22 rabbit serum), results from a similar preparation are shown in Figure 10 and indicate that the main HCV Core-specific reactivity migrates at an approximate molecular weight of 72,000 kd which is in accordance with the predicted molecular weight of the chimeric protein.

30 The expression conditions for the synthetic HIV p55 Gag/HCV Core 173 (SEQ ID NO:8) VLPs differed from those of the native p55 Gag and are as follows: a culture volume of 1 liter used instead of 2.5 liters, *Trichoplusia ni* (Tn5) (Wickham, T.J., and Nemerow, G.R. 1993 *BioTechnology Progress*, 9:25-30) insect cells were

used instead of Sf9 insect cells and an MOI of 3 was instead of an MOI of 10. The sucrose pelleting and banding methods used for the synthetic HIV p55 Gag/HCV Core 173 VLPs were similar to those employed for the native HIV p55 Gag/HCV Core 173 VLPs. However, differences included: pelleted VLPs were suspended in 1 ml of phosphate buffered saline (PBS) instead of 1.0 ml of the Tris buffer, and a single 20-60% sucrose gradients was used. A comparison of the total amount of purified HIV p55 Gag/HCV Core 173 from multiple preparations obtained from the two baculovirus expression cassettes showed that there was an increase in expression using the synthetic HIV p55 Gag/HCV Core 173 cassette.

D. Alternative method for the enrichment of HIV p55 Gag VLPs

In addition to purification from the media, p55 (Gag protein) expressed in baculovirus (e.g., using a synthetic expression cassette of the present invention) can also be purified as virus-like particles from the infected insect cells. For example, forty-eight hours post infection, the media and cell pellet are separated by centrifugation and the cell pellet is stored at -70°C until future use. At the

time of processing, the cell pellet is suspended in 5 volumes of hypotonic lysis buffer (20 mM Tris-HCl, pH 8.2, 1 mM EGTA; 1 mM MgCl, and Complete Protease Inhibitor® (Boehringer Mannheim Corp., Indianapolis, IN)). If needed, the cells are then dounced 8-10 times to complete cell lysis.

The lysate is then centrifuged at approximately 1000-1500 x g for 20 minutes. The supernatant is

decanted into UltraClear™ tubes, underlayered with 20% sucrose (w/w) and centrifuged at 24,000 rpm in SW28 buckets for 2 hours. The resulting pellet is suspended in Tris buffer (20 mM Tris HCl, pH 7.5, 250 mM NaCl, and 2.5 mM ethylenediamine-tetraacetic acid (EDTA) with 0.1% IGEPAL detergent (Sigma Chemical, St. Louis, MO) and 250 units/ml of benzonase (American International Chemical, Inc., Natick, MA) and incubated at 4°C for at least 30 minutes. The suspension is subsequently layered onto a 20-60% sucrose gradient and spun at 40,000 rpm using an SW41ti rotor for 20-24 hours.

After ultracentrifugation, the sucrose gradient is fractionated and aliquots run on SDS PAGE to identify peak fractions. The peak fractions are dialyzed against PBS and measured for protein content. Negatively stained electron micrographs typically show non-enveloped VLPs somewhat smaller in diameter (80-120 nm) than the budded VLPs. HIV Gag VLPs prepared in this manner are also capable of generating Gag-specific CTL responses in mice.

Example 8

In Vivo Immunogenicity of Synthetic Gag Expression

Cassettes

A. Immunization

To evaluate the possibly improved immunogenicity of the synthetic Gag expression cassettes, a mouse study was performed. The plasmid DNA, pCMVKM2 carrying the synthetic Gag expression cassette, was diluted to the following final concentrations in a total injection volume of 100 µl: 20 µg, 2 µg, 0.2 µg, and 0.02 µg. To

overcome possible negative dilution effects of the diluted DNA, the total DNA concentration in each sample was brought up to 20 μ g using the vector (pCMVKM2) alone.

As a control, plasmid DNA of the native Gag expression cassette was handled in the same manner. Twelve groups of four Balb/c mice (Charles River, Boston, MA) were intramuscularly immunized (50 μ l per leg, intramuscular injection into the *tibialis anterior*) according to the schedule in Table 7.

Table 7

Group	Gag Expression Cassette	Concentration of Gag plasmid DNA (μ g)	Immunized at time (weeks):
1	Synthetic	20	0 ¹ , 4
2	Synthetic	2	0, 4
3	Synthetic	0.2	0, 4
4	Synthetic	0.02	0, 4
5	Synthetic	20	0
6	Synthetic	2	0
7	Synthetic	0.2	0
8	Synthetic	0.02	0
9	Native	20	0
10	Native	2	0
11	Native	0.2	0
12	Native	0.02	0

1 = initial immunization at "week 0"

Groups 1-4 were bled at week 0 (before immunization), week 4, week 6, week 8, and week 12. Groups 5-12 were bled at week 0 (before immunization) and at week 4.

B. Humoral Immune Response

The humoral immune response was checked with an anti-HIV Gag antibody ELISAs (enzyme-linked immunosorbent assays) of the mice sera 0 and 4 weeks post immunization (groups 5-12) and, in addition, 6 and 8 weeks post immunization, respectively, 2 and 4 weeks post second immunization (groups 1-4).

The antibody titers of the sera were determined by anti-Gag antibody ELISA. Briefly, sera from immunized mice were screened for antibodies directed against the HIV p55 Gag protein. ELISA microtiter plates were coated with 0.2 μ g of HIV-1_{SF2} p24-Gag protein per well overnight and washed four times; subsequently, blocking was done with PBS-0.2% Tween (Sigma) for 2 hours. After removal of the blocking solution, 100 μ l of diluted mouse serum was added. Sera were tested at 1/25 dilutions and by serial 3-fold dilutions, thereafter. Microtiter plates were washed four times and incubated with a secondary, peroxidase-coupled anti-mouse IgG antibody (Pierce, Rockford, IL). ELISA plates were washed and 100 μ l of 3, 3', 5, 5'-tetramethyl benzidine (TMB; Pierce) was added per well. The optical density of each well was measured after 15 minutes. The titers reported are the reciprocal of the dilution of serum that gave a half-maximum optical density (O.D.). The ELISA results are presented in Table 8.

Table 8

Group	Inoculum (μ g)	Expression cassette	Sera - Week 4 ³	Sera - Week 6	Sera - Week 8
1	20	S ¹ - gag	98	455	551
2	2	S - gag	59	1408	227
3	0.	S - gag	29	186	61
4	0.02	S - gag	< 20	< 20	< 20
5	20	S - gag	67	n.a. ⁴	n.a.
6	2	S - gag	63	n.a.	n.a.
7	0.	S - gag	57	n.a.	n.a.
8	0.02	S - gag	< 20	n.a.	n.a.
9	20	N ² - gag	43	n.a.	n.a.
10	2	N - gag	< 20	n.a.	n.a.
11	0.	N - gag	< 20	n.a.	n.a.
12	0.02	N - gag	< 20	n.a.	n.a.

1 = synthetic gag expression cassette (SEQ ID NO: 4)

2 = native gag expression cassette (SEQ ID NO: 1)

3 = geometric mean antibody titer

4 = not applicable

The results of the mouse immunizations with plasmid-DNAs show that the synthetic expression cassettes provide a clear improvement of immunogenicity relative to the native expression cassettes. Also, the second boost immunization induced a secondary immune response after two weeks (groups 1-3).

C. Cellular Immune Response

The frequency of specific cytotoxic T-lymphocytes (CTL) was evaluated by a standard chromium release assay of peptide pulsed Balb/c mouse CD4 cells. Gag expressing vaccinia virus infected CD-8 cells were used as a positive control (vvGag). Briefly, spleen cells (Effector cells, E) were obtained from the BALB/c mice immunized as described above (Table 8) were cultured, restimulated, and assayed for CTL activity against Gag

peptide-pulsed target cells as described (Doe, B., and Walker, C.M., AIDS 10(7):793-794, 1996). The HIV-1_{SP2} Gag peptide used was p7g SEQ ID NO:10. Cytotoxic activity was measured in a standard ⁵¹Cr release assay. Target (T) cells were cultured with effector (E) cells at various E:T ratios for 4 hours and the average cpm from duplicate wells was used to calculate percent specific ⁵¹Cr release. The results are presented in Table 9.

Cytotoxic T-cell (CTL) activity was measured in splenocytes recovered from the mice immunized with HIV Gag DNA (compare Effector column, Table 9, to immunization schedule, Table 8). Effector cells from the Gag DNA-immunized animals exhibited specific lysis of Gag p7g peptide-pulsed SV-BALB (MHC matched) targets cells indicative of a CTL response. Target cells that were peptide-pulsed and derived from an MHC-unmatched mouse strain (MC57) were not lysed (Table 9; MC/p7g).

Table 9

5 Table 9. Cytotoxic T-lymphocyte (CTL) responses in mice immunized with HIV-1 gag DNA

Immunization	E:T	Percent specific lysis of target cells		
		SVBALB none	SVBALB p7g	RMA p7g
20 µg DNA gagmod	100:1	2	49	<1
	30:1	3	30	<1
	10:1	<1	14	<1
2 µg DNA gagmod	100:1	2	37	<1
	30:1	2	21	<1
	10:1	<1	13	<1
0.2 µg DNA gagmod	100:1	2	32	<1
	30:1	3	25	<1
	10:1	1	14	<1
0.02 µg DNA gagmod	100:1	1	17	<1
	30:1	1	16	<1
	10:1	1	8	<1
20 µg DNA gag native	100:1	2	49	<1
	30:1	2	24	<1
	10:1	1	12	<1
2 µg DNA gag native	100:1	<1	18	<1
	30:1	1	14	<1
	10:1	1	7	<1
0.2 µg DNA gag native	100:1	3	30	<1
	30:1	3	17	<1
	10:1	2	7	<1
0.02 µg DNA gag native	100:1	4	2	<1
	30:1	1	2	<1
	10:1	1	2	<1

10
15
20

representative results of two animals per DNA-dose;
 25 positive CTL responses are indicated by boxed data

The results of the CTL assays show increased potency of synthetic Gag expression cassettes for induction of cytotoxic T-lymphocyte (CTL) responses by DNA immunization.

Example 9In vivo Immunization with Env polypeptidesA. Immunogenicity Study of US4 o-gp140 in Ras-3c Adjuvant System

5 Studies have been conducted using rabbits immunized with US4 o-gp140 purified as described above. Studies are also underway in animals to determine immunogenicity of US4 gp120, SF162 o-gp140 and SF162 gp120.

10 Two rabbits (#1 and #2) were immunized intramuscularly at 0, 4, 12 and 24 weeks with 50 µg of US4 o-gp140 in the Ribi™ adjuvant system (RAS-3c), (Ribi Immunochem, Hamilton, MT) containing 2% Squalene, 0.2% Tween 80, and one or more bacterial cell wall components from the group consisting of monophosphorylipid A (MPL, Ribi Immunochem, Hamilton, MT).

15 In each experiment described herein, o-gp140 can be native, mutated and/or modified. Antibody responses directed against the US4 o-gp140 protein were measured by ELISA. Results are shown in Table 10.

Table 10

Rabbit/sample	Approximate o-gp140 ELISA titer
pre-immunization	0
#1: post1 (0 week immuniz)	400
#1: post2 (4 week immuniz)	15,000
#1: post3 (12 week immuniz)	50,000
#1: post4 (24 week immuniz)	100,000
#2: post1 (0 week immuniz)	600
#2: post2 (4 week immuniz)	12,000
#2: post3 (12 week immuniz)	25,000
#2: post4 (24 week immuniz)	55,000

The avidities of antibodies directed against the US4 o-gp140 protein were measured in a similar ELISA format employing successive washes with increasing concentrations of ammonium isothiocyanate. Results are shown in Table 11.

Table 11

Time of sample	Approx. Antibody avidity (NH ₄ HCN Conc. in M)
pre-immunization	0.02
post1 (0 week immuniz)	1.8
post2 (4 week immuniz)	3.5
post3 (12 week immuniz)	5.5
post4 (24 week immuniz)	5.1

These results show that US4 o-gp140 is highly immunogenic and able to induce substantial antibody responses after only one or two immunizations.

5 B. Immunogenicity of US4 o-gp140 in MF59-based Adjuvants

Groups of 4 rabbits were immunized intramuscularly at 0, 4, 12 and 24 weeks with various doses of US4 o-gp140 protein in three different MF59-based adjuvants (MF59 is described in International Publication No. WO 90/14837 and typically contains 5% Squalene, 0.5% Tween 80, and 0.5% Span 85). Antibody titers were measured post-third by ELISA using SF2 gp120 to coat the plates. QHC is a quill-based adjuvant (Iscotek, Uppsala, Sweden). Results are shown in Table 12.

Table 12

Antigen dose (μ g)	Adjuvant	Anti-gp120 _{SF2} Ab GMT*
12.5	MF59	7231
25	MF59	8896
50	MF59	12822
12.5	MF59/MPL	24146
25	MF59/MPL	27199
50	MF59/MPL	23059
50	MF59/MPL/QHC	31759

*GMT = geometric mean titer

Thus, adjuvanted o-gp140 generated antigen-specific antibodies. Further, the antibodies were shown to increased in avidity over time.

C. Neutralizing Antibodies

Neutralizing antibodies post-third immunization were measured against HIV-1 SF2 in a T-cell line adapted virus

(TCLA) assay and against PBMC-grown HIV-1 variants SF2, SF162 and 119 using the CCR5+ CEMx174 LTR-GFP reporter cell line, 5.25 (provided by N. Landau, Salk Institute, San Diego, CA) as target cells. Results are shown in Table 13.

5

Table 13

Neutralizing antibody responses in rabbits immunized with o-gp140.modUS4 protein

Group	Animal	SF2 TCLA*	SF2 PBMC*	SF162 PBMC*	119 PBMC*
Experiment 1					
o-gp140/ Ras-3c 50 mg	217	>640	100%	49	17
	218	>640	96	37	29
Experiment 2					
o-gp140/ MF59 50 mg	792	45	71	39	26
	793	50	87	26	4
	794	59	87	13	0
	795	128	92	15	0
o-gp140/ MF59 + MPL 50 mg	804	173	91	47	18
	805	134	93	28	4
	806	N.D.**	95	49	13
	807	441	100	31	15
o-gp140/MF59 + MPL + QHC 50 mg	808	465	98	46	40
	809	496	100	44	39
	810	>640	101	27	4
	811	92	92	24	37

*TCLA neutralizing antibody titers (50% inhibition).

**Not Determined

* % Inhibition at 1:10 dilution of sera with any detectable non-specific inhibition in pre-bleeds subtracted.

35

The above studies in rabbits indicate that the US4 o-gp140 protein is highly immunogenic. When administered with adjuvant, this protein was able to induce substantial antibody responses after only one or two immunizations. Moreover, the adjuvanted o-gp140 protein was able to generate antigen-specific antibodies which increased in avidity after successive immunizations, and substantial neutralizing activity against T-cell line adapted HIV-1. Neutralizing activity was also observed against PBMC-grown primary HIV strains, including the difficult to neutralize CCR5 co-receptor (R5)-utilizing isolates, SF162 and 119.

Example 10

In Vivo Immunogenicity of Synthetic Env Expression

Cassettes

A. General Immunization Methods

To evaluate the immunogenicity of the synthetic Env expression cassettes, studies using guinea pigs, rabbits, mice, rhesus macaques and baboons were performed. The studies were structured as follows: DNA immunization alone (single or multiple); DNA immunization followed by protein immunization (boost); DNA immunization followed by Sindbis particle immunization; immunization by Sindbis particles alone.

B. Humoral Immune Response

The humoral immune response was checked in serum specimens from immunized animals with an anti-HIV Env antibody ELISAs (enzyme-linked immunosorbent assays) at various times post-immunization. The antibody titers of the sera were determined by anti-Env antibody ELISA as described above. Briefly, sera from immunized animals were

screened for antibodies directed against the HIV gp120 or gp140 Env protein. Wells of ELISA microtiter plates were coated

overnight with the selected Env protein and washed four times; subsequently, blocking was done with PBS-0.2% Tween (Sigma) for 2 hours. After removal of the blocking solution, 100 μ l of diluted mouse serum was added. Sera were tested at 1/25 dilutions and by serial 3-fold dilutions, thereafter. Microtiter plates were washed four times and incubated with a secondary, peroxidase-coupled anti-mouse IgG antibody (Pierce, Rockford, IL). ELISA plates were washed and 100 μ l of 3, 3', 5, 5'-tetramethyl benzidine (TMB; Pierce) was added per well. The optical density of each well was measured after 15 minutes. Titers are typically reported as the reciprocal of the dilution of serum that gave a half-maximum optical density (O.D.).

Example 11

DNA-immunization of Baboons Using Synthetic Gag

Expression Cassettes

A. Baboons

Four baboons were immunized 3 times (weeks 0, 4 and 8) bilaterally, intramuscular into the quadriceps using 1mg pCMVKM2.GagMod.SF2 plasmid-DNA (Example 1). The animals were bled two weeks after each immunization and a p24 antibody ELISA was performed with isolated plasma. The ELISA was performed essentially as described in Example 5 except the second antibody-conjugate was an anti-human IgG, g-chain specific, peroxidase conjugate (Sigma Chemical Co., St. Louis, MD 63178) used at a dilution of 1:500. Fifty μ g/ml yeast extract was added to the dilutions of plasma

samples and antibody conjugate to reduce non-specific background due to

preexisting yeast antibodies in the baboons. The antibody titer results are presented in Table 14.

Table 14

Immunization no.	Weeks	Antigen	wpi ^a / Baboon No.	Ab-titer ^b
10	0	gagmod DNA	0 w/219	< 10
			0 w/220	< 10
			0 w/221	< 10
			0 w/222	< 10
15	6		2 wp 1st/219	< 10
			2 wp 1st/220	< 10
			2 wp 1st/221	< 10
			2 wp 1st/222	15
20	14	gagmod DNA	2 wp 4th/219	< 10
			2 wp 4th/220	88
			2 wp 4th/221	< 10
			2 wp 4th/222	56
25	30	gagmod DNA	2 wp 5th/219	< 10
			2 wp 5th/220	391
			2 wp 5th/221	237
			2 wp 5th/222	222
25	46	gag VLP protein	2 wp 6th/219	753
			2 wp 6th/219	4330
			2 wp 6th/219	5000
			2 wp 6th/219	2881

^a wpi = weeks post immunization

^b geometric mean antibody-titer

30

In Table 14, pre-bleed data are given as Immunization No. 0; data for bleeds taken 2 weeks post-first immunization are given as Immunization No. 1; data for bleeds taken 2 weeks post-second immunization are given as Immunization No. 2; and, data for bleeds taken 2 weeks post-third immunization are given as Immunization No. 3.

Further, lymphoproliferative responses to p24 antigen were also observed in baboons 221 and 222 two weeks post-fourth immunization (at week 14), and enhanced substantially post-boosting with VLP (at week 44 and 76).
5 Such proliferation results are indicative of induction of T-helper cell functions.

B. Rhesus Macaques

The improved potency of the codon-modified *gag* expression plasmid observed in mouse and baboon studies
10 was confirmed in rhesus macaques. Four of four macaques had detectable Gag-specific CTL after two or three 1 mg doses of modified *gag* plasmid. In contrast, in a previous study, only one of four macaques given 1 mg
15 doses of plasmid-DNA encoding the wild-type HIV-1_{sf2} Gag showed strong CTL activity that was not apparent until after the seventh immunization. Further evidence of the potency of the modified *gag* plasmid was the observation that CTL from two of the four rhesus macaques reacted
20 with three nonoverlapping Gag peptide pools, suggesting that as many as three different Gag peptides are recognized and indicating that the CTL response is polyclonal. Additional quantification and specificity
studies are in progress to further characterize the T
25 cell responses to Gag in the plasmid-immunized rhesus macaques. DNA immunization of macaques with the modified *gag* plasmid did not result in significant antibody responses, with only two of four animals seroconverting at low titers. In contrast, in the same study the
30 majority of macaques in groups immunized with p55Gag protein seroconverted and had strong Gag-specific antibody titers. These data suggest that a prime-boost

strategy (DNA-prime and protein-boost) could be very promising for the induction of a strong CTL and antibody response.

In sum, these results demonstrate that the synthetic
5 Gag plasmid DNA is immunogenic in non-human primates. When similar experiments were carried out using wild-type Gag plasmid DNA no such induction of anti-p24 antibodies was observed after four immunizations.

10

Example 12

DNA- and Protein Immunizations of Animals Using Env Expression Cassettes and Polypeptides

A. Guinea Pigs

Groups comprising six guinea pigs each were
15 immunized intramuscularly at 0, 4, and 12 weeks with plasmid DNAs encoding the gp120.modUS4, gp140.modUS4, gp140.modUS4.delV1, gp140.modUS4.delV2, gp140.modUS4.delV1/V2, or gp160.modUS4 coding sequences of the US4-derived Env. The animals were subsequently
20 boosted at 18 weeks with a single intramuscular dose of US4 o-gp140.mut.modUS4 protein in MF59 adjuvant. Anti-gp120 SF2 antibody titers (geometric mean titers) were measured at two weeks following the third DNA
immunization and at two weeks after the protein boost.
25 Results are shown in Table 15.

Table 15

Group	GMT post-DNA immuniz.	GMT post-protein boost
gp120.modUS4	2098	9489
gp140.modUS4	190	5340
gp140.modUS4.delV1	341	7808
gp140.modUS4.delV2	386	8165
gp140.modUS4.delV1/V	664	8270
2		
gp160.modUS4	235	9928

These results demonstrate the usefulness of the synthetic constructs to generate immune responses, as well as, the advantage of providing a protein boost to enhance the immune response following DNA immunization.

B. Rabbits

Rabbits were immunized intramuscularly and intradermally using a Bioject needleless syringe with plasmid DNAs encoding the following synthetic SF162 Env polypeptides: gp120.modSF162, gp120.modSF162.delV2, gp140.modSF162, gp140.modSF162.delV2, gp140.mut.modSF162, gp140.mut.modSF162.delV2, gp160.modSF162, and gp160.modSF162.delV2. Approximately 1 mg of plasmid DNA (pCMVlink) carrying the synthetic Env expression cassette was used to immunize the rabbits. Rabbits were immunized with plasmid DNA at 0, 4, and 12 weeks. At two weeks after the third immunization all of the constructs were shown to have generated significant antibody titers in the test animals. Further, rabbits immunized with constructs containing deletions of the V2 region

generally generated similar antibody titers relative to rabbits immunized with the companion construct still containing the V2 region.

The nucleic acid immunizations are followed by protein boosting with o-gp140.modSF162.delV2 (0.1 mg of purified protein) at 24 weeks after the initial immunization. Results are shown in Table 16.

Table 16

Group	GMT 2wks post-2nd DNA immunization	GMT 2wks post-3rd DNA immunization	GMT 2wks post-protein boost
gp120.modSF162	4573	5899	26033
gp120.modSF162.delV2	3811	3122	29606
gp140.modSF162	1478	710	12882
gp140.modSF162.delV2	1572	819	11067
gp140.mut.modSF162	1417	788	8827
gp140.mut.modSF162.delV2	1378	1207	13301
gp160.modSF162	23	81	7050
gp160.modSF162.delV2	85	459	11568

All constructs are highly immunogenic and generate substantial antigen binding antibody responses after only 2 immunizations in rabbits.

C. Baboons

Groups of four baboons were immunized intramuscularly with 1 mg doses of DNA encoding different forms of synthetic US4 gp140 (see the following table) at 0, 4, 8, 12, 28, and 44 weeks. The animals were also boosted twice with US4 o-gp140 protein (gp140.mut.modUS4) at 44 and 76 weeks using MF59 as adjuvant. Results are shown in Table 17.

Table 17				
Animal	Treatment	2 Wks Post 5th DNA immuniza- tion	2 Wks post 6th DNA (plus o- gp140 prot. immuniz.)	2 Wks post 7th DNA (o-gp140 protein- only)
CY 215	gp140.modUS4	8.3	446	1813
CY 216		8.3	433	1236
CY 217		68	1660	2989
CY 218		101	2556	1610
Geomean:		26.2	951.4	1812.1
CY 219	gp140.modUS4 + p55gag.SF2	8.3	8.3	421
CY 220		8.3	8.3	3117
CY 221		8.3	954	871
CY 222		8.3	71	916
Geomean:		8.3	46.5	1011.5
CY 223	gp140.mut. modUS4	41.4	10497	46432
CY 224		8.3	979	470
CY 225		135	2935	3870
CY 226		47	1209	4009
Geomean:		68.3	2457.4	4289.6
CY 227	gp140TM. modUS4	8.3	56	5001
CY 228		8.3	806	1170
CY 229		8.3	48	3402
CY 230		8.3	38	6520
GMT*:		8.3	95.3	3375.3

*GMT = geometric mean titer

The results in Table 17 demonstrate the usefulness of the synthetic constructs to generate immune responses in primates such as baboons. In addition, all animals

showed evidence of antigen-specific (Env antigen) lymphoproliferative responses.

D. Rhesus Macaques

5 Two rhesus macaques (designated H445 and J408) were immunized with 1 mg of DNA encoding SF162 gp140 with a deleted V2 region (SF162.gp140.delV2) by intramuscular (IM) and intradermal (ID) routes at 0, 4, 8, and 28 weeks. Approximately 100 µg of the protein encoded by
10 the SF162.gp140mut.delV2 construct was also administered in MF59 by IM delivery at 28 weeks.

ELISA titers are shown in Figure 61. Neutralizing antibody activity is shown Tables 18 and 19. Neutralizing antibody activity was determined against a
15 variety of primary HIV-1 isolates in a primary lymphocyte or "PBMC-based" assay (see the following tables). Further, the phenotypic co-receptor usage for each of the primary isolates is indicated. As can be seen in the tables neutralizing antibodies were detected against
20 every isolate tested, including the HIV-1 primary isolates (i.e., SF128A, 92US660, 92HT593, 92US657, 92US714, 91US056, and 91US054).

Table 18					
	Treatment		Bleed 0	Bleed 1	Bleed 2
Animal	1st Immunization	2nd Immunization	1st Imm'n	2nd Imm'n	2 Wks post 2nd
5	EO 456	(None)	8.3	45	309
	EO 457		8.3	254	460
	EO 458		8.3	8.3	93
	EO 459		8.3	43	45
	EO 460		8.3	8.3	274
10	EO 461	25 μ g 120mod DNA	8.3	47	1502
	EO 462		8.3	80	5776
	EO 463		8.3	89	3440
	EO 464		8.3	8.3	3347
	EO 465		8.3	69	1127
15	EO 466	(None)	8.3	63	102
	EO 467		8.3	112	662
	EO 468		8.3	94	459
	EO 469		8.3	58	48
	EO 470		8.3	95	355
20	EO 471	50 μ g 120mod DNA	8.3	110	9074
	EO 472		8.3	8.3	4897
	EO 473		8.3	49	4089
	EO 474		8.3	59	5280
	EO 475		8.3	8.3	929
25	EO 476	25 μ g 120mod DNA	8.3		653
	EO 477		8.3	87	22675
	EO 478		8.3	76	3869
	EO 479		8.3		1004
	EO 480		8.3	71	7080

Table 19					
	Treatment		Bleed 0	Bleed 1	Bleed 2
Animal	1st Immunization	2nd Immunization	1st Imm'n	2nd Imm'n	2 Wks post 2nd
EO 481	Sindbis/Env	(None)	8.3	8.3	8.3
EO 482			8.3	8.3	8.3
EO 483			8.3	78	103
EO 484			8.3	8.3	32
EO 485			8.3	76	207
EO 486	Sindbis/Env	Sindbis/Env	8.3	8.3	458
EO 487			8.3	8.3	345
EO 488			8.3	8.3	331
EO 489			8.3	103	111
EO 490			8.3	8.3	5636

Lymphoproliferative activity (LPA) was also determined by antigenic stimulation followed by uptake of ³H-thymidine in these animals and is shown in Table 20. Experiment 1 was performed at 14 weeks post third DNA immunization and Experiment 2 was performed at 2 weeks post fourth DNA immunization using DNA and protein. For gp120ThaiE, gp120SF2 and US4 o-gp140, appropriate background values were used to calculate Stimulation Indices (S.I.; Antigenic stimulation CPM/Background CPM).

Table 20

S.I.: Calculated as Ag CPM/Background CPM				
Animal/ exp#	gp120Thai E	gp120 SF2	env2-3SF2	o- gp140US4
J408/#1	2	1	1	5
H445/#1	1	1	1	6
J408/#2	1	1	2	3
H445/#2	0	0	3	2

As can be seen by the results presented in Table 20 lymphoproliferative responses to o-gp140.US4 antigen were also in all four animals at both experimental time points. Such proliferation results are indicative of induction of T-helper cell functions.

The results presented above demonstrate that the synthetic gp140.modSF162.delV2 DNA and protein are immunogenic in non-human primates.

Example 13

In vitro expression of recombinant Sindbis RNA and DNA containing the synthetic Gag or Env expression cassettes

5 A. Synthetic Gag expression cassettes

To evaluate the expression efficiency of the synthetic Gag expression cassette in Alphavirus vectors, the synthetic Gag expression cassette was subcloned into both plasmid DNA-based and recombinant vector particle-based Sindbis virus vectors. Specifically, a cDNA vector construct for in vitro transcription of Sindbis virus RNA vector replicons (pRSIN-luc; Dubensky, et al., J Virol. 70:508-519, 1996) was modified to contain a PmeI site for plasmid linearization and a polylinker for insertion of
10 heterologous genes. A polylinker was generated using two oligonucleotides that contain the sites XhoI, PmlI, ApaI, NarI, XbaI, and NotI (XPANXNF, SEQ ID NO:17, and XPANXNR, SEQ ID NO:18).

The plasmid pRSIN-luc (Dubensky et al., supra) was
20 digested with XhoI and NotI to remove the luciferase gene insert, blunt-ended using Klenow and dNTPs, and purified from an agarose gel using GeneCleanII (Biol01, Vista, CA). The oligonucleotides were annealed to each other and ligated into the plasmid. The resulting construct
25 was digested with NotI and SacI to remove the minimal Sindbis 3'-end sequence and A₀ tract, and ligated with an approximately 0.4 kbp fragment from PKSSIN1-BV (WO 97/38087). This 0.4 kbp fragment was obtained by digestion of pKSSIN1-BV with NotI and SacI, and
30 purification after size fractionation from an agarose gel. The fragment contained the complete Sindbis virus 3'-end, an A₀ tract and a PmeI site for linearization. This new vector construct was designated SINBVE.

The synthetic HIV Gag coding sequence was obtained from the parental plasmid by digestion with *EcoRI*, blunt-ending with Klenow and dNTPs, purification with GeneCleanII, digestion with *Sall*, size fractionation on an agarose gel, and purification from the agarose gel using GeneCleanII. The synthetic Gag coding fragment was ligated into the SINBVE vector that had been digested with *XhoI* and *PmlI*. The resulting vector was purified using GeneCleanII and designated SINBVGag. Vector RNA replicons may be transcribed in vitro (Dubensky et al., *supra*) from SINBVGag and used directly for transfection of cells. Alternatively, the replicons may be packaged into recombinant vector particles by co-transfection with defective helper RNAs or using an alphavirus packaging cell line as described, for example, in U.S. Patent Numbers 5,843,723 and 5,789,245, and then administered in vivo as described..

The DNA-based Sindbis virus vector pDCMVSIN-beta-gal (Dubensky, et al., *J Virol.* 70:508-519, 1996) was digested with *Sall* and *XbaI*, to remove the beta-galactosidase gene insert, and purified using GeneCleanII after agarose gel size fractionation. The HIV Gag gene was inserted into the the pDCMVSIN-beta-gal by digestion of SINBVGag with *Sall* and *XhoI*, purification using GeneCleanII of the Gag-containing fragment after agarose gel size fractionation, and ligation. The resulting construct was designated pDSIN-Gag, and may be used directly for in vivo administration or formulated using any of the methods described herein.

BHK and 293 cells were transfected with recombinant Sindbis vector RNA and DNA, respectively. The supernatants and cell lysates were tested with the Coulter p24 capture ELISA (Example 2).

BHK cells were transfected by electroporation with recombinant Sindbis RNA. The expression of p24 (in ng/ml) is presented in Table 21. In the table, SINGag#1 and 2 represent duplicate measurements, and SIN β gal represents a negative control. Supernatants and lysates were collected 24h post transfection.

Table 21

Construct	Supernatant	Lysate
SIN β gal RNA	0	0
SINGag#1 RNA	7 ng	Max (approx. 1 μ g)
SINGag#2 RNA	1 ng	700 ng

293 cells were transfected using LT-1 (Example 2) with recombinant Sindbis DNA. Synthetic pCMVKM2GagMod.SF2 was used as a positive control. Supernatants and lysates were collected 48h post transfection. The expression of p24 (in ng/ml) is presented in Table 22.

Table 22

Construct	Supernatant	Lysate
SINGag DNA	3	30
pCMVKM2.GagMod.SF2 DNA	32	42

The results presented in Tables 21 and 22 demonstrate that Gag proteins can be efficiently expressed from both DNA and RNA-based Sindbis vector systems using the synthetic Gag expression cassette (p55Gag.mod).

B. Synthetic Env expression cassettes

To evaluate the expression efficiency of the synthetic Env expression cassette in Alphavirus vectors,

synthetic Env expression cassettes were subcloned into both plasmid DNA-based and recombinant vector particle-based Sindbis virus vectors as described above for Gag.

5 The synthetic HIV Env coding sequence was obtained from the parental plasmid by digestion with *SalI* and *XbaI*, size fractionation on an agarose gel, and purification from the agarose gel using GeneCleanII. The synthetic Env coding fragment was ligated into the SINBVE vector that had been digested with *XhoI* and *XbaI*. The
10 resulting vector was purified using GeneCleanII and designated SINBVEEnv. Vector RNA replicons may be transcribed *in vitro* (Dubensky et al., *supra*) from SINBVEEnv and used directly for transfection of cells. Alternatively, the replicons may be packaged into
15 recombinant vector particles by co-transfection with defective helper RNAs or using an alphavirus packaging cell line and administered as described above for Gag.

The DNA-based Sindbis virus vector pDCMVSIN-beta-gal (Dubensky, et al., *J Virol.* 70:508-519, 1996) was
20 digested with *SalI* and *XbaI*, to remove the beta-galactosidase gene insert, and purified using GeneCleanII after agarose gel size fractionation. The HIV Env gene was inserted into the the pDCMVSIN-beta-gal by digestion of SINBVEEnv with *XbaI* and *XhoI*, purification using
25 GeneCleanII of the Env-containing fragment after agarose gel size fractionation, and ligation. The resulting construct was designated pDSIN-Env, and may be used directly for *in vivo* administration or formulated using any of the methods described herein.

30 BHK and 293 cells were transfected with recombinant Sindbis vector RNA and DNA, respectively. The supernatants and cell lysates were tested by capture ELISA.

BHK cells were transfected by electroporation with recombinant Sindbis RNA. The expression of Env (in ng/ml) is presented in Table 23. In the table, the Sindbis RNA containing synthetic Env expression cassettes are indicated and β gal represents a negative control. Supernatants and lysates were collected 24h post transfection.

Table 23

Construct	Supernatant (Neat)ng/ml	Lysate (1:10 dilution)ng/ml
β gal RNA	0	0
gp140.modUS4	726	7147
gp140.modSF162	3529	7772
gp140.modUS4.delV1/V2	1738	6526
gp140.modUS4.delV2	960	3023
gp140.modSF162.delV2	2772	3359

293 cells were transfected using LT-1 mediated transfection (PanVera) with recombinant Sindbis DNA containing synthetic expression cassettes of the present invention and β gal sequences as a negative control. Supernatants and lysates were collected 48h post transfection. The expression of Env (in ng/ml) is presented in Table 24.

Table 24

Construct	Supernatant (Neat)ng/ml	Lysate (1:10 dilution)ng/ml
β gal	0	0
gp140.modSF162.delV2	1977	801
gp140.modSF162	949	746

The results presented in Tables 23 and 24 demonstrated that Env proteins can be efficiently expressed from both DNA and RNA-based Sindbis vector systems using the synthetic Env expression cassettes of the present invention.

Example 14

A. In vivo Immunization with Gag-containing DNA and/or Sindbis particles

CB6F1 mice were immunized intramuscularly at 0 and 4 weeks with plasmid DNA and/or Sindbis vector RNA-containing particles each containing GagMod.SF2 sequences as indicated in Table 25. Animals were challenged with recombinant vaccinia expressing SF2 Gag at 3 weeks post second immunization (at week 7). Spleens were removed from the immunized and challenged animals 5 days later for a standard ^{51}C release assay for CTL activity. Values shown in Table 25 indicate the results from the spleens of three mice from each group. The boxed values in Table 25 indicate that all groups of mice receiving immunizations with pCMVKm2.GagMod.SF2 DNA and/or SindbisGagMod.SF2 virus particles either alone or in combinations showed antigen-specific CTL activity.

Table 25

Cytotoxic T-lymphocyte (CTL) responses in mice immunized with HIV-1 gagmod DNA and Sindbis gagmod virus particles

Immunization	E:T	Percent specific lysis of target cells*		
		SVBALB none	SVBALB p7g	RMA p7g
pCMVKm2.GagMod.SF2 DNA ^a	100:1	5	20	1
at 0, 4 wks	25:1	5	20	<1
	6:1	4	8	<1
SindbisGagMod.SF2 virus particles ^b	100:1	10	49	<1
at 0, 4 weeks	25:1	7	20	<1
	6:1	5	12	<1
pCMVKm2.GagMod.SF2 DNA at 0 wks	100:1	9	58	<1
SindbisGagMod.SF2 virus particles at 4 wks	25:1	7	42	2
	6:1	4	13	<1
SindbisGagMod.SF2 virus particles at 4 wks	100:1	5	38	<1
	25:1	4	18	<1
pCMVKm2.GagMod.SF2 DNA at 0 wks	6:1	3	13	1

^a 20 µg

^b 10⁷ particles

* Challenge with recombinant vaccinia virus expressing HIV-1SF2 Gag at 3 weeks post second immunization (week 7). Spleens taken 5 days later. Ex vivo CTL assay performed by standard ⁵¹Cr release assay. Values seen represent results from 3 pooled mouse spleens per group

B. In vivo Immunization with Env-containing DNA and/or Sindbis particles

Balb/C mice were immunized intramuscularly at 0 and 4 weeks (as shown in the following table) with plasmid DNA and/or Sindbis-virus RNA-containing particles each containing gp120.modUS4 sequences. Treatment regimes and antibody titers are shown in Table 26. Antibody titers were determined by ELISA using gp120 SF2 protein to coat the plates.

Table 26					
	Treatment		Bleed 0	Bleed 1 (8 wks)	Bleed 2 (10 wks)
Animal	1st Immunization	2nd Immunization	1st Imm'n	2nd Imm'n	2 Wks post 2nd
5 EO 456 EO 457 EO 458 EO 459 EO 460	25µg 120mod DNA	(None)	8.3 8.3 8.3 8.3 8.3	45 254 8.3 43 8.3	309 460 93 45 274
10 EO 461 EO 462 EO 463 EO 464 EO 465	25µg 120mod DNA	25µg 120mod DNA	8.3 8.3 8.3 8.3 8.3	47 80 89 8.3 69	1502 5776 3440 3347 1127
15 EO 466 EO 467 EO 468 EO 469 EO 470	50µg 120mod DNA	(None)	8.3 8.3 8.3 8.3 8.3	63 112 94 58 95	102 662 459 48 355
20 EO 471 EO 472 EO 473 EO 474 EO 475	50µg 120mod DNA	50µg 120mod DNA	8.3 8.3 8.3 8.3 8.3	110 8.3 49 59 8.3	9074 4897 4089 5280 929
25 EO 476 EO 477 EO 478 EO 479 EO 480	25µg 120mod DNA	Sindbis/Env	8.3 8.3 8.3 8.3 8.3	87 76 71	653 22675 3869 1004 7080
30 EO 481 EO 482 EO 483 EO 484 EO 485	Sindbis/Env	(None)	8.3 8.3 8.3 8.3 8.3	8.3 8.3 78 8.3 76	8.3 8.3 103 32 207
35 EO 486 EO 487 EO 488 EO 489 EO 490	Sindbis/Env	Sindbis/Env	8.3 8.3 8.3 8.3 8.3	8.3 8.3 8.3 103 8.3	458 345 331 111 5636

40 As can be seen from the data presented above, all of the mice generally demonstrated substantial immunological responses by bleed number 2. For Env, the best results were obtained using either (i) 50 µg of gp120.modUS4 DNA for the first immunization followed by a second

immunization using 50 µg of gp120.modUS4 DNA, or (ii) 25 µg of gp120.modUS4 DNA for the first immunization followed by a second immunization using 10⁷ pfus of Sindbis.

5 The results presented above demonstrate that the Env and Gag proteins of the present invention are effective to induce an immune response using Sindbis vector systems which include the synthetic Env (e.g., gp120.modUS4) or Gag expression cassettes.

10

Example 15

Co-Transfection of Env and Gag as Monocistronic and Bicistronic Constructs

DNA constructs encoding (i) wild-type US4 and SF162 Env polypeptides, (ii) synthetic US4 and SF162 Env polypeptides (gp160.modUS4, gp160.modUS4.delV1/V2, gp160.modSF162, and gp120.modSF162.delV2), and (iii) SF2gag polypeptide (i.e., the Gag coding sequences obtained from the SF2 variant or optimized sequences corresponding to the gagSF2 -- gag.modSF2) were prepared. These monocistronic constructs were co-transfected into 293T cells in a transient transfection protocol using the following combinations: gp160.modUS4; gp160.modUS4 and gag.modSF2; gp160.modUS4.delV1/V2; gp160.modUS4.delV1/V2 and gag.modSF2; gp160.modSF162 and gag.modSF2; gp120.modSF162.delV2 and gag.modSF2; and gag.modSF2 alone.

Further several bicistronic constructs were made where the coding sequences for Env and Gag were under the control of a single CMV promoter and, between the two coding sequences, an IRES (internal ribosome entry site (EMCV IRES); Kozak, M., Critical Reviews in Biochemistry and Molecular Biology 27(45):385-402, 1992; Witherell, G.W., et al., Virology 214:660-663, 1995) sequence was

introduced after the Env coding sequence and before the Gag coding sequence. Those constructs were as follows:
gpl60.modUS4.gag.modSF2, SEQ ID NO:73 (Figure 61);
gpl60.modUSF162.gag.modSF2, SEQ ID NO:74 (Figure 62);
5 gpl60.modUS4.delV1/V2.gag.modSF2, SEQ ID NO:75 (Figure 63); and gpl60.modSF162.delV2.gag.modSF2, SEQ ID NO:76 (Figure 64).

Supernatants from cell culture were filtered through 0.45 μ m filters then ultracentrifuged for 2 hours at
10 24,000 rpm (140,000Xg) in an SW28 rotor through a 20% sucrose cushion. The pelleted materials were suspended and layered on a 20-60% sucrose gradient and spun for 2 hours at 40,000 rpm (285,000Xg) in an SW41Ti rotor. Gradients were fractionated into 1.0 ml samples. A total
15 of 9-10 fractions were typically collected from each DNA transfection group.

The fractions were tested for the presence of the Env and Gag proteins (across all fractions). These results demonstrated that the appropriate proteins were
20 expressed in the transfected cells (i.e., if an Env coding sequence was present the corresponding Env protein was detected; if a Gag coding sequence was present the corresponding Gag protein was detected).

Virus like particles (VLPs) were known to be present
25 through a selected range of sucrose densities. Chimeric virus like particles (VLPs) were formed using all the tested combinations of constructs containing both Env and Gag. Significantly more protein was found in the supernatant collected from the cells transfected with
30 "gpl60.modUS4.delV1/V2 and gag.modSF2" than in all the other supernatants.

Western blot analysis was also performed on sucrose gradient fractions from each transfection. The results show that bicistronic plasmids gave lower amounts of VLPs

than the amounts obtained using co-transfection with monocistronic plasmids.

In order to verify the production of chimeric VLPs by these cell lines the following electron microscopic analysis was carried out.

293T cells were plated at a density of 60-70% confluence in 100 mm dishes on the day before transfection. The cells were transfected with 10 µg of DNA in transfection reagent LT1 (Panvera Corporation, 545 Science Dr., Madison, WI). The cells were incubated overnight in reduced serum medium (opti-MEM, Gibco-BRL, Gaithersburg, MD). The medium was replaced with 10% fetal calf serum, 2% glutamine in IMDM in the morning of the next day and the cells were incubated for 65 hours. Supernatants and lysates were collected for analysis as described above (see Example 2).

The fixed, transfected 293T cells and purified ENV-GAG VLPs were analyzed by electron microscopy. The cells were fixed as follows. Cell monolayers were washed twice with PBS and fixed with 2% glutaraldehyde. For purified VLPs, gradient peak fractions were collected and concentrated by ultracentrifugation (24,000 rpm) for 2 hours. Electron microscopic analysis was performed by Prof. T.S. Benedict Yen (Veterans Affairs, Medical Center, San Francisco, CA).

Electron microscopy was carried out using a transmission electron microscope (Zeiss 10c). The cells were pre-stained with osmium and stained with uranium acetate and lead citrate. Immunostaining was performed to visualize envelope on the VLP. The magnification was 100,000X.

Figures 65A-65F show micrographs of 293T cells transfected with the following constructs: Figure 65A, gag.modSF2; Figure 65B, gp160.modUS4; Figure 65C,

gp160.modUS4.delV1/V2.gag.modSF2 (bicistronic Env and Gag); Figures 65D and 65E, gp160.modUS4.delV1/V2 and gag.modSF2; and Figure 65F, gp120.modSF162.delV2 and gag.modSF2. In the figures, free and budding immature
5 virus-like-particles (VLPs) of the expected size (approximately 100 nm) decorated with the Env protein were seen. In sum, gp160 polypeptides incorporate into Gag VLPs when constructs were co-transfected into cells. The efficiency of incorporation is 2-3 fold higher when
10 constructs encoding V-deleted Env polypeptides from high synthetic expression cassettes are used.

Although preferred embodiments of the subject invention have been described in some detail, it is understood that obvious variations can be made without
15 departing from the spirit and the scope of the invention as defined by the appended claims.

What Is Claimed Is:

1. An expression cassette, comprising
5 a polynucleotide sequence encoding a polypeptide including an HIV Gag polypeptide, wherein the polynucleotide sequence encoding said Gag polypeptide comprises a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:20.
10
2. The expression cassette of claim 1, comprising, a polynucleotide sequence encoding a polypeptide including an HIV Gag polypeptide, wherein the polynucleotide sequence encoding said Gag polypeptide
15 comprises a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:9.
3. The expression cassette of claim 1, wherein said polynucleotide sequence encoding a polypeptide including
20 an HIV Gag polypeptide comprises a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:4.
4. The expression cassette of claim 1, wherein said
25 ~~polynucleotide sequence further includes a polynucleotide~~ sequence encoding an HIV protease polypeptide.
5. The expression cassette of claim 4, wherein the
30 nucleotide sequence encoding said polypeptide comprises a sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:5, SEQ ID NO:78, and SEQ ID NO:79.
6. The expression cassette of claim 1, wherein said

polynucleotide sequence further includes a polynucleotide sequence encoding an HIV reverse transcriptase polypeptide.

5 7. The expression cassette of claim 6, wherein the nucleotide sequence encoding said polypeptide comprises a sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, and SEQ
10 ID NO:84.

8. The expression cassette of claim 1, wherein said polynucleotide sequence further includes a polynucleotide sequence encoding an HIV tat polypeptide.

15 9. The expression cassette of claim 8, wherein the nucleotide sequence encoding said polypeptide comprises a sequence having at least 90% sequence identity to a sequence selected from the group consisting of: SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88 and SEQ ID NO:89.

10. The expression cassette of claim 1, wherein said polynucleotide sequence further includes a polynucleotide sequence encoding an HIV polymerase polypeptide, wherein the nucleotide sequence encoding
25 said polypeptide comprises a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:6.

30 11. The expression cassette of claim 1, wherein said polynucleotide sequence further includes a polynucleotide sequence encoding an HIV polymerase polypeptide, wherein (i) the nucleotide sequence encoding said polypeptide comprises a sequence having at least 90%

sequence identity to the sequence presented as SEQ ID NO:4, and (ii) wherein the sequence is modified by deletions of coding regions corresponding to reverse transcriptase and integrase.

5

12. The expression cassette of claim 11, wherein said polynucleotide sequence preserves T-helper cell and CTL epitopes.

10

13. The expression cassette of claim 1, wherein said polynucleotide sequence further includes a polynucleotide sequence encoding an HCV core polypeptide, wherein the nucleotide sequence encoding said polypeptide comprises a sequence having at least 90% sequence identity to the sequence presented as SEQ ID NO:7.

15

14. An expression cassette, comprising a polynucleotide sequence encoding a polypeptide including an HIV Env polypeptide, wherein the polynucleotide sequence encoding said Env polypeptide comprises a sequence having at least 90% sequence identity to SEQ ID NO:71 (Figure 58) or SEQ ID NO:72 (Figure 59).

20

15. The expression cassette of claim 14, wherein said Env polypeptide includes sequences flanking a V1 region but has a deletion in the V1 region itself.

25

16. The expression cassette of claim 15, wherein the polynucleotide sequence encoding the polypeptide comprises the sequence presented as SEQ ID NO:65 (Figure 52 gp160.modUS4.delV1).

30

17. The expression cassette of claim 14, wherein

said Env polypeptide includes sequences flanking a V2 region but has a deletion in the V2 region itself.

18. The expression cassette of claim 17, wherein
5 the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:60 (Figure 47); and SEQ ID NO:66 (Figure 53).

19. The expression cassette of claim 17, wherein
10 the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:34 (Figure 20); SEQ ID NO:37 (Figure 24); SEQ ID NO:40 (Figure 27); SEQ ID NO:43 (Figure 30); SEQ ID NO:46 (Figure 33); SEQ ID NO:49 (Figure 36); and SEQ ID NO:76
15 (Figure 64).

20. The expression cassette of claim 14, wherein
said Env polypeptide includes sequences flanking a V1/V2 region but has a deletion in the V1/V2 region itself.
20

21. The expression cassette of claim 20, wherein
the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:59 (Figure 46); ~~SEQ ID NO:61 (Figure 48);~~ SEQ ID NO:67
25 (Figure 54); and SEQ ID NO:75 (Figure 63).

22. The expression cassette of claim 20, wherein
the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:35
30 (Figure 21); SEQ ID NO:38 (Figure 25); SEQ ID NO:41 (Figure 28); SEQ ID NO:44 (Figure 31); SEQ ID NO:47 (Figure 34) and SEQ ID NO:50 (Figure 37).

23. The expression cassette of claim 14, wherein said Env polypeptide has a mutated cleavage site that prevents the cleavage of a gp140 polypeptide into a gp120 polypeptide and a gp41 polypeptide.

5

24. The expression cassette of claim 23, wherein the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:57 (Figure 44); SEQ ID NO:61 (Figure 48); and SEQ ID NO:63 (Figure 50).

10

25. The expression cassette of claim 23, wherein the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:39 (Figure 26); SEQ ID NO:40 (Figure 27); SEQ ID NO:41 (Figure 28); SEQ ID NO:42 (Figure 29); SEQ ID NO:43 (Figure 30); SEQ ID NO:44 (Figure 31); SEQ ID NO:45 (Figure 32); SEQ ID NO:46 (Figure 33); and SEQ ID NO:47 (Figure 34).

15

20

26. The expression cassette of claim 14, wherein said Env polypeptide includes a gp160 Env polypeptide or a polypeptide derived from a gp160 Env polypeptide.

25

27. The expression cassette of claim 26, wherein the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:64 (Figure 51); SEQ ID NO:65 (Figure 52); SEQ ID NO:66 (Figure 53); SEQ ID NO:67 (Figure 54); SEQ ID NO:68 (Figure 55); SEQ ID NO:75 (Figure 63); and SEQ ID NO:73 (Figure 61).

30

28. The expression cassette of claim 26, wherein

the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:48 (Figure 35); SEQ ID NO:49 (Figure 36); SEQ ID NO:50 (Figure 37); SEQ ID NO:76 (Figure 64); and SEQ ID NO:74 (Figure 62).

29. The expression cassette of claim 14, wherein said Env polypeptide includes a gp140 Env polypeptide or a polypeptide derived from a gp140 Env polypeptide.

10

30. The expression cassette of claim 29, wherein the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:56 (Figure 43); SEQ ID NO:57 (Figure 44); SEQ ID NO:58 (Figure 45); SEQ ID NO:59 (Figure 46); SEQ ID NO:60 (Figure 47); SEQ ID NO:61 (Figure 48); SEQ ID NO:62 (Figure 49); and SEQ ID NO:63 (Figure 50).

31. The expression cassette of claim 29, wherein the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:36 (Figure 23); SEQ ID NO:37 (Figure 24); SEQ ID NO:38 (Figure 25); SEQ ID NO:39 (Figure 26); SEQ ID NO:40 (Figure 27); SEQ ID NO:41 (Figure 28); SEQ ID NO:42 (Figure 29); SEQ ID NO:43 (Figure 30); SEQ ID NO:44 (Figure 31); SEQ ID NO:45 (Figure 32); SEQ ID NO:46 (Figure 33); and SEQ ID NO:47 (Figure 34).

32. The expression cassette of claim 14, wherein said Env polypeptide includes a gp120 Env polypeptide or a polypeptide derived from a gp120 Env polypeptide.

33. The expression cassette of claim 32, wherein the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:54 (Figure 41); and SEQ ID NO:55 (Figure 42).

5 34. The expression cassette of claim 32, wherein the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:33 (Figure 19); SEQ ID NO:34 (Figure 20); and SEQ ID NO:35 (Figure 21).

10 35. The expression cassette of claim 14, wherein the polynucleotide sequence encoding the polypeptide is selected from the group consisting of: SEQ ID NO:55 (Figure 42); SEQ ID NO:62 (Figure 49); SEQ ID NO:63 (Figure 50); and SEQ ID NO:68 (Figure 55).

15 36. A recombinant expression system for use in a selected host cell, comprising, an expression cassette of any of claims 1-35, and wherein said polynucleotide sequence is operably linked to control elements compatible with expression in the selected host cell.

20 37. ~~The recombinant expression system of claim 36,~~ wherein said control elements are selected from the group consisting of a transcription promoter, a transcription enhancer element, a transcription termination signal, polyadenylation sequences, sequences for optimization of initiation of translation, and translation termination sequences.

30 38. The recombinant expression system of claim 36, wherein said transcription promoter is selected from the

group consisting of CMV, CMV+intron A, SV40, RSV, HIV-Ltr, MMLV-ltr, and metallothionein.

5 39. A cell comprising an expression cassette of any of claims 1-35, and wherein said polynucleotide sequence is operably linked to control elements compatible with expression in the selected cell.

10 40. The cell of claim 39, wherein the cell is a mammalian cell.

41. The cell of claim 40, wherein the cell is selected from the group consisting of BHK, VERO, HT1080, 293, RD, COS-7, and CHO cells.

15 42. The cell of claim 41, wherein said cell is a CHO cell.

20 43. The cell of claim 39, wherein the cell is an insect cell.

44. The cell of claim 43, wherein the cell is either *Trichoplusia ni* (Tn5) or Sf9 insect cells.

25 ~~45. The cell of claim 39, wherein the cell is a bacterial cell.~~

46. The cell of claim 39, wherein the cell is a yeast cell.

30 47. The cell of claim 39, wherein the cell is a plant cell.

48. The cell of claim 39, wherein the cell is an antigen presenting cell.

5 49. The cell of claim 48, wherein the lymphoid cell is selected from the group consisting of macrophage, monocytes, dendritic cells, B-cells, T-cells, stem cells, and progenitor cells thereof.

10 50. The cell of claim 39, wherein the cell is a primary cell.

51. The cell of claim 39, wherein the cell is an immortalized cell.

15 52. The cell of claim 39, wherein the cell is a tumor-derived cell.

53. A method for producing a polypeptide including HIV Gag polypeptide sequences, said method comprising,
20 incubating the cells of claim 39, under conditions for producing said polypeptide.

54. A method for producing virus-like particles (VLPs), comprising,
25 ~~incubating the cells of claim 39, under conditions~~
for producing said VLPs.

55. A method for producing a composition of virus-like particles (VLPs), comprising,
30 (a) incubating the cells of claim 39, under conditions for producing said VLPs; and
(b) substantially purifying said VLPs to produce a composition of VLPs.

56. A cell line useful for packaging lentivirus vectors, comprising

5 suitable host cells that have been transfected with an expression vector containing an expression cassette of any of claims 1-35, and wherein said polynucleotide sequence is operably linked to control elements compatible with expression in the host cell.

10 57. The cell line of claim 56, wherein suitable host cells have been transfected with an expression vector containing the expression cassette of any of claims 1-13.

15 58. The cell line of claim 56, wherein suitable host cells have been transfected with an expression vector containing the expression cassette of claim 1-3.

20 59. The cell line of claim 56, wherein suitable host cells have been transfected with an expression vector containing the expression cassette of claim 14-35.

60. A gene delivery vector for use in a Mammalian subject, comprising

25 a suitable gene delivery vector for use in said subject, wherein the vector comprises an expression cassette of any of claims 1-35, and wherein said polynucleotide sequence is operably linked to control elements compatible with expression in the subject.

30 61. A method of DNA immunization of a subject, comprising,

introducing a gene delivery vector of claim 60 into said subject under conditions that are compatible with expression of said expression cassette in said subject.

62. The method of claim 61, wherein said gene delivery vector is a nonviral vector.

5 63. The method of claim 61, wherein said vector is delivered using a particulate carrier.

64. The method of claim 63, wherein said vector is coated on a gold or tungsten particle and said coated
10 particle is delivered to said subject using a gene gun.

65. The method of claim 63, wherein said vector is encapsulated in a liposome preparation.

15 66. The method of claim 61, wherein said vector is a viral vector.

67. The method of claim 66, wherein said viral vector is a retroviral vector.
20

68. The method of claim 67, wherein said viral vector is a lentiviral vector.

69. The method of claim 61, wherein said subject is
25 a mammal.

70. The method of claim 69, wherein said mammal is a human.

30 71. A method of generating an immune response in a subject, comprising

transfecting cells of said subject a gene delivery vector of claim 60, under conditions that permit the expression of said polynucleotide and production of said

polypeptide, thereby eliciting an immunological response to said polypeptide.

72. The method of claim 71, wherein said vector is
5 a nonviral vector.

73. The method of claim 72, wherein said vector is delivered using a particulate carrier.

10 74. The method of claim 73, wherein said vector is coated on a gold or tungsten particle and said coated particle is delivered to said vertebrate cell using a gene gun.

15 75. The method of claim 73, wherein said vector is encapsulated in a liposome preparation.

20 76. The method of claim 71, wherein said vector is a viral vector.

77. The method of claim 76, wherein said viral vector is a retroviral vector.

25 78. The method of claim 77, wherein said viral vector is a lentiviral vector.

79. The method of claim 71, wherein said subject is a mammal.

30 80. The method of claim 79, wherein said mammal is a human.

81. The method of claim 71, wherein said transfecting is done ex vivo and said transfected cells

are reintroduced into said subject.

82. The method of claim 71, wherein said transfecting is done in vivo in said subject.

5

83. The method of claim 71, where said immune response is a humoral immune response.

84. The method of claim 71, where said immune
10 response is a cellular immune response.

85. A gene delivery vector comprising an alphavirus vector construct, wherein said alphavirus construct comprises an expression cassette according to any one of
15 claims 1 through 35.

86. The gene delivery vector of claim 85, wherein the alphavirus vector construct is a cDNA vector construct.

20

87. The gene delivery vector of claim 85, wherein the alphavirus comprises a recombinant alphavirus particle preparation.

25 ~~88. The gene delivery vector of claim 85, wherein the vector comprises a eukaryotic layered vector initiation system.~~

89. A method of stimulating an immune response in a
30 subject comprising administering the gene delivery vector of any one of claims 85 through 88 in an amount effective to stimulate an immune response in said subject.

90. The method of claim 89, wherein the gene

delivery vector is administered intramuscularly, intramucosally, intranasally, subcutaneously, intradermally, transdermally, intravaginally, intrarectally, orally or intravenously.

5

1 / 131




FIG. 1

native HIV-1SF2 gag-protease 2 / 131

From here codon optimization + inactivation (GP1) and (GP2)

ATGGGTGCGAGAGCGTCGGTATTAAGCGGGGAGAATTAGATAAATGGGAAAAATTTCGGTTAAGGCCAGGGGAAAG

Inact. 1
AAAAATATAAGTTAAACATATGATATGGGCAAGCAGGGAGCTAGAACGATTTCGCAGTCAATCCTGGCCTGTTAGAA
G G C C G C G

Inact. 2
ACATCAGAAGGCTGCAGACAAATATTGGGACAGCTACAGCCATCCCTTCAGACAGGATCAGTACAGAACTTAGATCATT
G G C C G C G

Inact. 2
TATAATACAGTAGCAACCCCTCTATTGTGTACATCAAGGATAGATGTAAAGACACCAAGGAAGCTTTAGAGAAGATA
C GC C C G

Inact. 3
GAGGAAGAGCAAAACAAAGTAAGAAAAAGGCACAGCAAGCAGCAGCTGCAGCTGGCAGGAAACAGCAGCCAGGTC
GTCC G C G

Inact. 4
AGCCAAAATTACCCTATAGTGCAGAACCTACAGGGGCAAATGGTACATCAGGCCATATCACCTAGAACTTTAAATGCA
G

TGGGTAAAAGTAGTAGAAGAAAAGGCTTTTCAGCCCAGAAGTAATACCCATGTTTTTCAGCATTATCAGAAGGAGCCACC

Inact. 5
CCACAGATTTTAAACACCATGCTAAACACAGTGGGGGACATCAAGCAGCCATGCAAAATGTTAAAAGAGACTATCAAT
G CC G G T G

GAGGAAGCTGCAGATGGGATAGAGTGCATCCAGTGCATGCAGGGCCTATTGCACCAGGCCAAATGAGAGAACCAAGG

GGAAGTGACATAGCAGGAACCTACTAGTACCCTTCAGGAACAAATAGGATGGATGACAAATAATCCACCTATCCCAGTA

Inact. 6
GGAGAAATCTATAAAAGATGGATAATCCTGGGATTAAATAAAATAGTAAGARTGTATAGCCCTACCAGCATTCTGGAC
G C G C G G

ATAAGACAAGGACCAAGGAACCCCTTAGAGATTATGTAGACCGGTTCTATAAACTCTAAGAGCTTAAACAAGCTTCA

Inact. 7
CAGGATGTAAAAAATTGGATGACAGAAACCTTGTTGGTCCAAATGCAAACCCAGATTGTAAGAGCTATTTTAAAGCA
C CC G G T

Inact. 7
TTGGGACCGACGCTACACTAGAAGAAATGATGACAGCATGTCAGGGAGTGGGGGGACCCGCCATAAGCAAGAGTT
C C C G

Inact. 8
TTGGGTGAAGCCATGAGCCAAAGTAACAAATCCAGCTACATAATGATGCAGAGAGCAATTTTAGGAACCAAGAAAG
C G G G G G C G G

Inact. 9
ACTGTTAAGTGTTCATTGTGGCAAAGAAGGGCAGTAGCCAAAATTGCAGGGCCCCCTAGGAAGAAGGCTGTGG
C C C C C G

Inact. 10
AGATGTGGAAGGGAAGGACACCAATGAAAGATTGCACTGAGAGACAGGCTAATTTTTTAGGGAAGATCTGGCCTTCC
C C G C C C C

From here no changes to native sequence (GP1) and (GP2)

TACAAGGGAAGGCCAGGGAATTTTCTTCAGAGCAGACCAGGCCAACAGCCCCACCAGAAGAGAGCTTCAGGTTTGGG

GAGGAGAAAACAACTCCCTCTCAGAAGCAGGAGCCGATAGACAAGGAAGTGTATCCTTTAACTTCCCTCAGATCACTC

From here codon optimization + inactivation (GP1)

TTTGGCAACGACCCCTCGTCACATATAAGGATAGGGGGCAACTAAAGGAAGCTCTATTAGATACAGGAGCAGATGATA

Inact. 11 or only inactivation (GP1)
G C C C C C C C C C

Inact. 12
CAGTATTAGAAGAAATGAATTTGCCAGGAAATGGAACCAAAAATGATAGGGGCAATTGGAGGTTTTATCAAAGTAA
G C G C C G G

Inact. 12
GACAGTACGATCAGATACCTGTAGAAATCTGTGGACATAAAGCTATAGGTACAGTATTAGTAGGACCTACACCTGTCA
G C

Inact. 13
ACATAATTGGAAGAAATCTGTTGACTCAGATTGGTTGTACTTTAAATTTCCCATAGTCTATTGAACTGTACCAG
C C C C C G C C

Inact. 14
TAAATTAAGCCAGGAATGGATGGCCCCAAAGTTAAGCAATGGCCATTGTAA
G G G G G C C G

FIG. 2




FIG. 3A



FIG. 3B

4 / 131




FIG. 4




FIG. 5

5 / 131




FIG. 6

6 / 131

GagPol.ModSF	1	ATGGGCGCC	10	CGCCAGCGT	20	GCTGAGCGG	30	GGCAGCTGG	40	ACRAGTGGGA	50
GagProt.Mods	1	ATGGGCGCC	10	CGCCAGCGT	20	GCTGAGCGG	30	GGCAGCTGG	40	ACRAGTGGGA	50
Gag.ModSF2	1	ATGGGCGCC	10	CGCCAGCGT	20	GCTGAGCGG	30	GGCAGCTGG	40	ACRAGTGGGA	50
GagPol.ModSF	51	GAAGATCCG	60	CTGCGCCCG	70	GGGCAAGAA	80	GAAGTACAG	90	CTGAAGCACA	100
GagProt.Mods	51	GAAGATCCG	60	CTGCGCCCG	70	GGGCAAGAA	80	GAAGTACAG	90	CTGAAGCACA	100
Gag.ModSF2	51	GAAGATCCG	60	CTGCGCCCG	70	GGGCAAGAA	80	GAAGTACAG	90	CTGAAGCACA	100
GagPol.ModSF	101	TCGTGTGGG	110	CAGCCCGGAG	120	CTGGAGCGT	130	TCGCCGTGA	140	CCCCGGCCTG	150
GagProt.Mods	101	TCGTGTGGG	110	CAGCCCGGAG	120	CTGGAGCGT	130	TCGCCGTGA	140	CCCCGGCCTG	150
Gag.ModSF2	101	TCGTGTGGG	110	CAGCCCGGAG	120	CTGGAGCGT	130	TCGCCGTGA	140	CCCCGGCCTG	150
GagPol.ModSF	151	CTGGAGACCA	160	GCGAGGGGTG	170	CCGCCAGATC	180	CTGGGCCAGC	190	TGCAGCCCCAG	200
GagProt.Mods	151	CTGGAGACCA	160	GCGAGGGGTG	170	CCGCCAGATC	180	CTGGGCCAGC	190	TGCAGCCCCAG	200
Gag.ModSF2	151	CTGGAGACCA	160	GCGAGGGGTG	170	CCGCCAGATC	180	CTGGGCCAGC	190	TGCAGCCCCAG	200
GagPol.ModSF	201	CCTGCAGACC	210	GGCAGGGAGG	220	AGCTGCGCAG	230	CCTGTACAAC	240	ACCGTGGCCA	250
GagProt.Mods	201	CCTGCAGACC	210	GGCAGGGAGG	220	AGCTGCGCAG	230	CCTGTACAAC	240	ACCGTGGCCA	250
Gag.ModSF2	201	CCTGCAGACC	210	GGCAGGGAGG	220	AGCTGCGCAG	230	CCTGTACAAC	240	ACCGTGGCCA	250
GagPol.ModSF	251	CCCTGTACTG	260	CGTGCACCCAG	270	CGCATCGACG	280	TCAAGGACAC	290	CAAGGAGGCC	300
GagProt.Mods	251	CCCTGTACTG	260	CGTGCACCCAG	270	CGCATCGACG	280	TCAAGGACAC	290	CAAGGAGGCC	300
Gag.ModSF2	251	CCCTGTACTG	260	CGTGCACCCAG	270	CGCATCGACG	280	TCAAGGACAC	290	CAAGGAGGCC	300
GagPol.ModSF	301	CTGGAGAAGA	310	TCGAGGAGGA	320	GCAGAACNAG	330	TCCAAGAAGA	340	AGGCCCCAGCA	350
GagProt.Mods	301	CTGGAGAAGA	310	TCGAGGAGGA	320	GCAGAACNAG	330	TCCAAGAAGA	340	AGGCCCCAGCA	350
Gag.ModSF2	301	CTGGAGAAGA	310	TCGAGGAGGA	320	GCAGAACNAG	330	TCCAAGAAGA	340	AGGCCCCAGCA	350
GagPol.ModSF	351	GGCCGCCGCC	360	GGCCGCCGCC	370	CCGGCAACAG	380	CAGCCAGGTG	390	AGCCAGAACT	400
GagProt.Mods	351	GGCCGCCGCC	360	GGCCGCCGCC	370	CCGGCAACAG	380	CAGCCAGGTG	390	AGCCAGAACT	400
Gag.ModSF2	351	GGCCGCCGCC	360	GGCCGCCGCC	370	CCGGCAACAG	380	CAGCCAGGTG	390	AGCCAGAACT	400
GagPol.ModSF	401	ACCCCATCGT	410	GCAGAACCTG	420	CAGGGCCAGA	430	TGGTGCACCA	440	GGCCATCAGC	450
GagProt.Mods	401	ACCCCATCGT	410	GCAGAACCTG	420	CAGGGCCAGA	430	TGGTGCACCA	440	GGCCATCAGC	450
Gag.ModSF2	401	ACCCCATCGT	410	GCAGAACCTG	420	CAGGGCCAGA	430	TGGTGCACCA	440	GGCCATCAGC	450

FIG. 7A

7 / 131

GagPol. ModSF	451	CCCCGACCC	460	TGAACGCTG	470	GGTGAAGTG	480	GTGGAGGAG	490	AGGCCTTCAG	500
GagProt. Mods	451	CCCCGACCC		TGAACGCTG		GGTGAAGTG		GTGGAGGAG		AGGCCTTCAG	500
Gag. ModSF2	451	CCCCGACCC	510	TGAACGCTG	520	GGTGAAGTG	530	GTGGAGGAG	540	AGGCCTTCAG	550
GagPol. ModSF	501	CCCCGAGTG		ATCCCCATGT		TCAGCGCCCT		GAGCAGGGC		GCCACCCCCC	550
GagProt. Mods	501	CCCCGAGTG		ATCCCCATGT		TCAGCGCCCT		GAGCAGGGC		GCCACCCCCC	550
Gag. ModSF2	501	CCCCGAGTG	560	ATCCCCATGT	570	TCAGCGCCCT	580	GAGCAGGGC	590	GCCACCCCCC	600
GagPol. ModSF	551	AGGACCTGAA		CACGATGTTG		AACACCGTGG		GCGGCCACCA		GGCCGCCCATG	600
GagProt. Mods	551	AGGACCTGAA		CACGATGTTG		AACACCGTGG		GCGGCCACCA		GGCCGCCCATG	600
Gag. ModSF2	551	AGGACCTGAA	610	CACGATGTTG	620	AACACCGTGG	630	GCGGCCACCA	640	GGCCGCCCATG	650
GagPol. ModSF	601	CAGATGCTGA		AGGAGACCAT		CAACGAGGAG		GCCGCCAGT		GGGACCCCGT	650
GagProt. Mods	601	CAGATGCTGA		AGGAGACCAT		CAACGAGGAG		GCCGCCAGT		GGGACCCCGT	650
Gag. ModSF2	601	CAGATGCTGA	660	AGGAGACCAT	670	CAACGAGGAG	680	GCCGCCAGT	690	GGGACCCCGT	700
GagPol. ModSF	651	GCACCCCGTG		CACGCCGGCC		CCATCGCCCC		CGGCCAGATG		CGCGAGCCCC	700
GagProt. Mods	651	GCACCCCGTG		CACGCCGGCC		CCATCGCCCC		CGGCCAGATG		CGCGAGCCCC	700
Gag. ModSF2	651	GCACCCCGTG	710	CACGCCGGCC	720	CCATCGCCCC	730	CGGCCAGATG	740	CGCGAGCCCC	750
GagPol. ModSF	701	GCGGCAGCGA		CATCGCCGGC		ACCACCAAGCA		CCCTGCAGGA		GCAGATCGGC	750
GagProt. Mods	701	GCGGCAGCGA		CATCGCCGGC		ACCACCAAGCA		CCCTGCAGGA		GCAGATCGGC	750
Gag. ModSF2	701	GCGGCAGCGA	760	CATCGCCGGC	770	ACCACCAAGCA	780	CCCTGCAGGA	790	GCAGATCGGC	800
GagPol. ModSF	751	TGGATGACCA		ACAACCCCCC		CATCCCCCGTG		GGCGAGATCT		ACAAGCGGTG	800
GagProt. Mods	751	TGGATGACCA		ACAACCCCCC		CATCCCCCGTG		GGCGAGATCT		ACAAGCGGTG	800
Gag. ModSF2	751	TGGATGACCA	810	ACAACCCCCC	820	CATCCCCCGTG	830	GGCGAGATCT	840	ACAAGCGGTG	850
GagPol. ModSF	801	GATCATCCTG		GGCCTGAACA		AGATCGTGCG		GATGTACAGC		CCCACCAAGCA	850
GagProt. Mods	801	GATCATCCTG		GGCCTGAACA		AGATCGTGCG		GATGTACAGC		CCCACCAAGCA	850
Gag. ModSF2	801	GATCATCCTG	860	GGCCTGAACA	870	AGATCGTGCG	880	GATGTACAGC	890	CCCACCAAGCA	900
GagPol. ModSF	851	TCCTGGACAT		CCGCCAGGGC		CCCAAGGAGC		CCTTCCGCGA		CTACGTGGAC	900
GagProt. Mods	851	TCCTGGACAT		CCGCCAGGGC		CCCAAGGAGC		CCTTCCGCGA		CTACGTGGAC	900
Gag. ModSF2	851	TCCTGGACAT	860	CCGCCAGGGC	870	CCCAAGGAGC	880	CCTTCCGCGA	890	CTACGTGGAC	900

FIG. 7B

8/131

GagPol.ModSF	901	CGTTCTACA	910	AGACCTGCG	920	CGCTGAGCAG	930	GCCAGCCAGG	940	ACGTGAAGAA	950
GagProt.ModS	901	CGTTCTACA		AGACCTGCG		CGCTGAGCAG		GCCAGCCAGG		ACGTGAAGAA	950
Gag.ModSF2	901	CGTTCTACA	960	AGACCTGCG	970	CGCTGAGCAG	980	GCCAGCCAGG	990	ACGTGAAGAA	1000
GagPol.ModSF	951	CTGGATGACC		GAGACCTGCG		TGGTGCAGAA		CGCCAAACCC		GACTGCAAGA	1000
GagProt.ModS	951	CTGGATGACC		GAGACCTGCG		TGGTGCAGAA		CGCCAAACCC		GACTGCAAGA	1000
Gag.ModSF2	951	CTGGATGACC	1010	GAGACCTGCG	1020	TGGTGCAGAA	1030	CGCCAAACCC	1040	GACTGCAAGA	1050
GagPol.ModSF	1001	CCATCCTGAA		GGCTCTCGGC		CCCGCGGCCA		CCCTGGAGGA		GATGATGACC	1050
GagProt.ModS	1001	CCATCCTGAA		GGCTCTCGGC		CCCGCGGCCA		CCCTGGAGGA		GATGATGACC	1050
Gag.ModSF2	1001	CCATCCTGAA	1060	GGCTCTCGGC	1070	CCCGCGGCCA	1080	CCCTGGAGGA	1090	GATGATGACC	1100
GagPol.ModSF	1051	GCCTGCCAGG		GCGTGGGCGG		CCCGCGGCCA		AAGGCCGCGG		TGCTGGCCGA	1100
GagProt.ModS	1051	GCCTGCCAGG		GCGTGGGCGG		CCCGCGGCCA		AAGGCCGCGG		TGCTGGCCGA	1100
Gag.ModSF2	1051	GCCTGCCAGG	1110	GCGTGGGCGG	1120	CCCGCGGCCA	1130	AAGGCCGCGG	1140	TGCTGGCCGA	1150
GagPol.ModSF	1101	GGCGATGAGC		CAGGTGACGA		ACCCGGCGGC		CATCATGATG		CAGCGCGGCA	1150
GagProt.ModS	1101	GGCGATGAGC		CAGGTGACGA		ACCCGGCGGC		CATCATGATG		CAGCGCGGCA	1150
Gag.ModSF2	1101	GGCGATGAGC	1160	CAGGTGACGA	1170	ACCCGGCGGC	1180	CATCATGATG	1190	CAGCGCGGCA	1200
GagPol.ModSF	1151	ACTTCCGCAA		CCAGCGGAAG		ACCGTCAAGT		GCTTCAACTG		CGGCAAGGAG	1200
GagProt.ModS	1151	ACTTCCGCAA		CCAGCGGAAG		ACCGTCAAGT		GCTTCAACTG		CGGCAAGGAG	1200
Gag.ModSF2	1151	ACTTCCGCAA	1210	CCAGCGGAAG	1220	ACCGTCAAGT	1230	GCTTCAACTG	1240	CGGCAAGGAG	1250
GagPol.ModSF	1201	GGCCACACCG		CCAGGAACTG		CCGCGCCCCC		CGCAAGAGG		GCTGCTGGCG	1250
GagProt.ModS	1201	GGCCACACCG		CCAGGAACTG		CCGCGCCCCC		CGCAAGAGG		GCTGCTGGCG	1250
Gag.ModSF2	1201	GGCCACACCG	1260	CCAGGAACTG	1270	CCGCGCCCCC	1280	CGCAAGAGG	1290	GCTGCTGGCG	1300
GagPol.ModSF	1251	CTGCGGCCGC		GAAGGACACC		AAATGAAAGA		TTGCACTGAG		AGACAGGCTA	1300
GagProt.ModS	1251	CTGCGGCCGC		GAAGGACACC		AAATGAAAGA		TTGCACTGAG		AGACAGGCTA	1300
Gag.ModSF2	1251	CTGCGGCCGC	1310	GAAGGACACC	1320	AAATGAAAGA	1330	TTGCACTGAG	1340	AGACAGGCTA	1350
GagPol.ModSF	1301	ATTTTCTAGG		GAAGATCTGG		CCCTTCTACA		AGGGAAGGCC		AGGGAATTTT	1350
GagProt.ModS	1301	ATTTTCTAGG		GAAGATCTGG		CCCTTCTACA		AGGGAAGGCC		AGGGAATTTT	1350
Gag.ModSF2	1301	ATTTTCTAGG	1360	GAAGATCTGG	1370	CCCTTCTACA	1380	AGGGAAGGCC	1390	AGGGAATTTT	1400

FIG. 7C

9 / 131

GagPol.ModSF	1351	CTTCAGAGCA	1360	GACACAGCC	AACAGCCCA	1370	1380	1390	1400
GagProt.ModS	1351	CTTCAGAGCA		GACACAGCC	AACAGCCCA			CCAGAGAGA	GCTTCAGGTT
Gag.ModSF2	1351	CTGCAGAGCC	1410	GCCCCAGCC	CACCGCCCC	1420	1430	1440	1450
GagPol.ModSF	1401	TGGGGAGGAG		AAAACAACTC	CCTCTCAGAA			GCAGGAGCCG	ATAGACAAGG
GagProt.ModS	1401	TGGGGAGGAG		AAAACAACTC	CCTCTCAGAA			GCAGGAGCCG	ATAGACAAGG
Gag.ModSF2	1401	CGCGGAGGAG	1460	PAGACCACCC	CCAGCCAGAA	1470	1480	1490	1500
GagPol.ModSF	1451	AACTGTATCC		TTTAACTTCC	CTCAGATCAC			TCCTTGGCAA	CGACCCCTCG
GagProt.ModS	1451	AACTGTATCC		TTTAACTTCC	CTCAGATCAC			TCCTTGGCAA	CGACCCCTCG
Gag.ModSF2	1451	AGCTGTACCC	1510	CCTGACCAGC	CTCGCAGCC	1520	1530	1540	1550
GagPol.ModSF	1501	TCACAGTAAG		GATCGGCGGC	CAGTCAAGG			AGGCGTGTCT	CGACACCGGC
GagProt.ModS	1501	TCACAGTAAG		GATCGGCGGC	CAGTCAAGG			AGGCGTGTCT	CGACACCGGC
Gag.ModSF2	1501	AGCCAGTAA.	
GagPol.ModSF	1551	GCCGACGACA	1560	CCGTGCTGGA	GGAGATGAAC	1570	1580	1590	1600
GagProt.ModS	1551	GCCGACGACA		CCGTGCTGGA	GGAGATGAAC			CTGCCCGGCA	AGTGAAGCC
Gag.ModSF2	1551	1610
GagPol.ModSF	1601	CAAGATGATC		GCGCGGATCG	GGGGCTTCAT	1620	1630	1640	1650
GagProt.ModS	1601	CAAGATGATC		GCGCGGATCG	GGGGCTTCAT			CAAGGTGCGG	CAGTACGACC
Gag.ModSF2	1601
GagPol.ModSF	1651	AGATCCCCGT	1660	GGAGATCTGC	GGCCACAAGG	1670	1680	1690	1700
GagProt.ModS	1651	AGATCCCCGT		GGAGATCTGC	GGCCACAAGG			CCATCGGCAC	CGTGTGTTG
Gag.ModSF2	1651	1710
GagPol.ModSF	1701	GGCCCCACCC		CCGTGAACAT	CATCGGCCGC	1720	1730	1740	1750
GagProt.ModS	1701	GGCCCCACCC		CCGTGAACAT	CATCGGCCGC			AACCTGCTGA	CCCAGATCGG
Gag.ModSF2	1701
GagPol.ModSF	1751	CTGCACCCCTG	1760	AACTTCCCCA	TCAGCCCCAT	1770	1780	1790	1800
GagProt.ModS	1751	CTGCACCCCTG		AACTTCCCCA	TCAGCCCCAT			CGAGACGGTG	CCCGTGAAGC
Gag.ModSF2	1751

FIG. 7D

10/131

GagPol.ModSF 1801	1810	1820	1830	1840	1850
GagProt.ModS 1801	TGAGCCGGG	GATGGACGGC	CCCAAGGTCA	AGCAGTGGCC	CCTGACCGAG
Gag.ModSF2 1801	GATGGACGGC	CCCAAGGTCA	AGCAGTGGCC	CCTGTAA...
GagPol.ModSF 1851	1860	1870	1880	1890	1900
GagProt.ModS 1851	GAGAAGATCA	AGGCCCTGGT	GGAGATCTGC	ACCGAGATGG	AGAAGGAGGG
Gag.ModSF2 1851
GagPol.ModSF 1901	1910	1920	1930	1940	1950
GagProt.ModS 1901	CAAGATCAGC	AAGATCGGCC	CCGAGAACCC	CTACAACACC	CCCGTGTTCC
Gag.ModSF2 1901
GagPol.ModSF 1951	1960	1970	1980	1990	2000
GagProt.ModS 1951	CCATCAAGAA	GAAGGACAGC	ACCAAGTGGC	GCAAGCTGGT	GGACTTCCGC
Gag.ModSF2 1951
GagPol.ModSF 2001	2010	2020	2030	2040	2050
GagProt.ModS 2001	GAGCTGACAA	AGCGCACCCA	GGACTTCTGG	GAGGTGCAGC	TGGGCATCCC
Gag.ModSF2 2001
GagPol.ModSF 2051	2060	2070	2080	2090	2100
GagProt.ModS 2051	CCACCCCGCC	GGCCTGACAA	AGAGAGAGAG	CGTGACCGTG	CTGGACGTGG
Gag.ModSF2 2051
GagPol.ModSF 2101	2110	2120	2130	2140	2150
GagProt.ModS 2101	GCGAGGCCTA	CTTCAGCGTG	CCCCTGGACA	AGGACTTCCG	CAAGTACACC
Gag.ModSF2 2101
GagPol.ModSF 2151	2160	2170	2180	2190	2200
GagProt.ModS 2151	GCCTTCACCA	TCCCCAGCAT	CAACACGAG	ACCCCCGGCA	TCCGCTACCA
Gag.ModSF2 2151
GagPol.ModSF 2201	2210	2220	2230	2240	2250
GagProt.ModS 2201	GTACACGCTG	CTGCCCCCAGG	GCTGGAAGGG	CAGCCCCGCC	ATCTTCCAGA
Gag.ModSF2 2201

FIG. 7E

11 / 131

GagPol.ModSF 2251	GCAGCATGAC	2260	CAAGATCCTG	2270	2280	2290	2300
GagProt.ModS 2251	2300
Gag.ModSF2 2251	2300
GagPol.ModSF 2301	GTGATCTACC	2310	2320	2330	2340	2350
GagProt.ModS 2301	2350
Gag.ModSF2 2301	2350
GagPol.ModSF 2351	CGGCCAGCAC	2360	2370	2380	2390	2400
GagProt.ModS 2351	2400
Gag.ModSF2 2351	2400
GagPol.ModSF 2401	GGGGCTTCAC	2410	2420	2430	2440	2450
GagProt.ModS 2401	2450
Gag.ModSF2 2401	2450
GagPol.ModSF 2451	TGGATGGGCT	2460	2470	2480	2490	2500
GagProt.ModS 2451	2500
Gag.ModSF2 2451	2500
GagPol.ModSF 2501	GCTGCCCGAG	2510	2520	2530	2540	2550
GagProt.ModS 2501	2550
Gag.ModSF2 2501	2550
GagPol.ModSF 2551	GCAAGCTGAA	2560	2570	2580	2590	2600
GagProt.ModS 2551	2600
Gag.ModSF2 2551	2600
GagPol.ModSF 2601	CTGTGCAAGC	2610	2620	2630	2640	2650
GagProt.ModS 2601	2650
Gag.ModSF2 2601	2650
GagPol.ModSF 2651	GACCGAGGAG	2660	2670	2680	2690	2700
GagProt.ModS 2651	2700
Gag.ModSF2 2651	2700

FIG. 7F

12/131

GagPol.ModSF 2701	2710	2720	2730	2740	2750
GagProt.Mods 2701	AGCCCGTGCA	CGAGGTGTAC	TACGACCCCA	GCAAGGACCT	GGTGGCCGAG
Gag.ModSF2 2701
GagPol.ModSF 2751	2760	2770	2780	2790	2800
GagProt.Mods 2751	ATCCAGAAGC	AGGGCCAGGG	CCAGTGGACC	TACCAGATCT	ACCAGGAGCC
Gag.ModSF2 2751
GagPol.ModSF 2801	2810	2820	2830	2840	2850
GagProt.Mods 2801	CTTCAGAAGC	CTGAAGACCG	GCAAGTACGC	CCGATGCGC	GGCGCCCAACA
Gag.ModSF2 2801
GagPol.ModSF 2851	2860	2870	2880	2890	2900
GagProt.Mods 2851	CCAACGACGT	GAAGCAGCTG	ACCGAGGCCG	TGCAGAAGGT	GAGCACCGAG
Gag.ModSF2 2851
GagPol.ModSF 2901	2910	2920	2930	2940	2950
GagProt.Mods 2901	AGCATCGTGA	TCTGGGGCAA	GATCCCCAAG	TTCAGACTGC	CCATCCAGAA
Gag.ModSF2 2901
GagPol.ModSF 2951	2960	2970	2980	2990	3000
GagProt.Mods 2951	GGAGACCTGG	GAGGCCTGGT	GGATGAGTA	CTGGCAGGCC	ACCTGGATCC
Gag.ModSF2 2951
GagPol.ModSF 3001	3010	3020	3030	3040	3050
GagProt.Mods 3001	CCGAGTGGGA	GTTCCGTGAAC	ACCCCCCCCC	TGGTGAAGCT	GTGGTACCAG
Gag.ModSF2 3001
GagPol.ModSF 3051	3060	3070	3080	3090	3100
GagProt.Mods 3051	CTGGAGAAGG	AGCCCCATCGT	GGGCGCCGAG	ACCTTCTACG	TGGACGGCGC
Gag.ModSF2 3051
GagPol.ModSF 3101	3110	3120	3130	3140	3150
GagProt.Mods 3101	CGCCAACCGC	GAGACCAAGC	TGGGCAAGGC	CGGCTACGTC	ACCGACCGCG
Gag.ModSF2 3101
GagPol.ModSF 3150
GagProt.Mods 3150
Gag.ModSF2 3150

FIG. 7G

13 / 131

GagPol.ModSF 3151	3160	3170	3180	3190	3200
GagProt.Mods 3151	GGTGGTGAGC	ATCGCGGACA	CCACCAACCA	GAAGACCGAG	3200
Gag.ModSF2 3151	3200
GagPol.ModSF 3201	3210	3220	3230	3240	3250
GagProt.Mods 3201	TCCACCTGGC	CCTGCAGGAC	AGCGGCCTGG	AGGTGAACAT	3250
Gag.ModSF2 3201	3250
GagPol.ModSF 3251	3260	3270	3280	3290	3300
GagProt.Mods 3251	CGTGACCGAC	AGCCAGTACG	CCCTGGGCAT	CATCCAGGCC	CAGCCCCGACA
Gag.ModSF2 3251	3300
GagPol.ModSF 3301	3310	3320	3330	3340	3350
GagProt.Mods 3301	AGAGCGAGAG	CGAGCTGGTG	AGCCAGATCA	TCGAGCAGCT	GATCAAGAAG
Gag.ModSF2 3301	3350
GagPol.ModSF 3351	3360	3370	3380	3390	3400
GagProt.Mods 3351	GAGAAGGTGT	ACCTGGCCTG	GGTGCCCGCC	CACAAGGGCA	TCGGCGGGCAA
Gag.ModSF2 3351	3400
GagPol.ModSF 3401	3410	3420	3430	3440	3450
GagProt.Mods 3401	CGAGCAGGTG	GACNAGCTGG	TGAGCGCCGG	CATCCGCAAG	GTGCTGTTCC
Gag.ModSF2 3401	3450
GagPol.ModSF 3451	3460	3470	3480	3490	3500
GagProt.Mods 3451	TGAACGGCAT	GGACNAGGCC	CAGGAGGAGC	ACGAGAAGTA	CCACAGCAAC
Gag.ModSF2 3451	3500
GagPol.ModSF 3501	3510	3520	3530	3540	3550
GagProt.Mods 3501	TGGCGCGCCA	TGGCCAGCGA	CTTCAACCTG	CCCCCGTGG	TGGCCCAAGGA
Gag.ModSF2 3501	3550
GagPol.ModSF 3551	3560	3570	3580	3590	3600
GagProt.Mods 3551	GATCGTGGCC	AGCTGCGACA	AGTGCCAGCT	GAAGGGCGAG	GCCATGCACG
Gag.ModSF2 3551	3600

FIG. 7H

14 / 131

GagPol.ModSF 3601	GCCAGGTGGA	3610	CTGCAGCCCC	3620	GGCATCTGGC	3630	AGCTGGACTG	3640	CACCCACCTG	3650
GagProt.ModS 3601	3650
Gag.ModSF2 3601	3650
GagPol.ModSF 3651	GAGGGCAAGA	3660	TCATCCTGGT	3670	GGCCGTGCAC	3680	GTGGCCAGCG	3690	GCTACATCGA	3700
GagProt.ModS 3651	3700
Gag.ModSF2 3651	3700
GagPol.ModSF 3701	GGCCGAGGTG	3710	ATCCCCGCCG	3720	AGACCGGCCA	3730	GGAGACCGCC	3740	TACTTCCTGC	3750
GagProt.ModS 3701	3750
Gag.ModSF2 3701	3750
GagPol.ModSF 3751	TGAAGCTGGC	3760	CGGCCGCTGG	3770	CCCGTGAAGA	3780	CCATCCACAC	3790	CGACAACGGC	3800
GagProt.ModS 3751	3800
Gag.ModSF2 3751	3800
GagPol.ModSF 3801	AGCAACTTCA	3810	CCAGCACCCAC	3820	CGTGAAGGCC	3830	GCTGCTGGT	3840	GGCCCGGCAT	3850
GagProt.ModS 3801	3850
Gag.ModSF2 3801	3850
GagPol.ModSF 3851	CAAGCAGGAG	3860	TTCGGCATCC	3870	CCTACAACCC	3880	CCAGAGCCAG	3890	GGCCTGGTGG	3900
GagProt.ModS 3851	3900
Gag.ModSF2 3851	3900
GagPol.ModSF 3901	AGAGCATGAA	3910	CAACGAGCTG	3920	AAGAAGATCA	3930	TCGGCCAGGT	3940	GGCGGACCAG	3950
GagProt.ModS 3901	3950
Gag.ModSF2 3901	3950
GagPol.ModSF 3951	GCCGAGCACCC	3960	TGAAGACCGC	3970	CGTGCAGATG	3980	GCCGTGTTCA	3990	TCCACAACCTT	4000
GagProt.ModS 3951	4000
Gag.ModSF2 3951	4000
GagPol.ModSF 4001	CAAGCGCAAG	4010	GGCGGCATCG	4020	GCGGCTACAG	4030	CGCCGGCGAG	4040	CGCATCGTGG	4050
GagProt.ModS 4001	4050
Gag.ModSF2 4001	4050

FIG. 71

15 / 131

GagPol.ModSF 4051	4060	4070	4080	4090	4100
GagProt.ModS 4051	ACATCATCGC	CACCGACATC	CAGACCAAGG	AGCTGCAGAA	GCAGATCACC
Gag.ModSF2 4051
GagPol.ModSF 4101	4110	4120	4130	4140	4150
GagProt.ModS 4101	AAGATCCAGA	ACTTCGCGGT	GTACTACCGC	GACACACAGG	ACCCCTGTG
Gag.ModSF2 4101
GagPol.ModSF 4151	4160	4170	4180	4190	4200
GagProt.ModS 4151	GAAGGGCCCC	GCCAAAGCTGC	TGTGGAAGGG	CGAGGGCGCC	GTGGTGATCC
Gag.ModSF2 4151
GagPol.ModSF 4201	4210	4220	4230	4240	4250
GagProt.ModS 4201	AGGACACAG	CGACATCAAG	GTGGTGCCCC	GCCGCAAGGC	CAAGATCATC
Gag.ModSF2 4201
GagPol.ModSF 4251	4260	4270	4280	4290	4300
GagProt.ModS 4251	CGCGACTACG	GCAAGCAGAT	GGCCGGCGAC	GACTGCGTGG	CCAGCGGCCA
Gag.ModSF2 4251
GagPol.ModSF 4301	4310	4320	4330	4340	4350
GagProt.ModS 4301	GGACGAGGAC	TAG.....
Gag.ModSF2 4301

FIG. 7J

16 / 131




FIG. 8




FIG. 9




FIG. 10




FIG. 11A




FIG. 11B




FIG. 11C




FIG. 11D

19 / 131




FIG. 12A

20/131




FIG. 12B

21 / 131

FIG. 12C

AGATATGTACAGAAATGGGAAAGGAAATTTCAAAAATTTGGGCTGAAATCCATACAAATACTCCAGTATTTG
CTATAAGAAAAAGACAGTACTAAATGGAGAAACTAGATTTTCAGAGAACTTAATAAAGAACTCAAGACTTCT
GGGAAGTTTCAGTTAGGAAATACACACCCCGAGGTTAAAGAAAGAAATCAGTACAGTATTTGGATGGGTGATG
CATACTTTTCAGTTCCCTTAGATAAAGACTTTAGAAAGTATACCTGCAATTTACCATACCTAGTATAAACAATGAGACAC
CAGGATTAGATATCAGTACAAATGTCTGCCACAGGATGGAAGGATCCACAGCAATATTTCCAAAGTAGCATGACAA
AAATCTTAGAGCCTTTTAGAAACAGAAATCCAGACATAGTTATCTATCAATACATGGATGATTTGTATGATGATCTG
ACTTAGAANTAGGCGCATAGAACAAATAGAGGAACTGAGACAGCATCTGTTGAGGTGGGATTTTACACACCCAG
ACAAAACATCAGAAAGAACCTCCATTCCTTTGGATGGGTTATGAACTCCATCTGATTAATGGACAGTACAGCCTA
TAATGCTGCCAGAAAGACAGCTGGACTGTCAATGACATACAGNAAGTTAGTGGGAAATTTGAATTTGGGCAAGTCAGA
TTTATGCAAGGATTAAGTAAAGCAAGTATGTAAACTCCTTAGAGGAACCAAGCACTAACAGAAATACACACTAA
CAGAAAGCAGAGCTAGAACTGGCAGAAACAGGGAGATTTCTAAAGAACCAAGTACATGAAGTATATTTAGACCCAT
CAAGACTTAGTAGCAGAAATACAGNAGCAGGGGCAAGGCCAATGGACATATCAAAATTTATCAAGAGCCATTTAAAA
ATCTGAAACACAGGAAAGTATGCAAGGATGAGGGGTGCCACACTAATGATGTAACAGTTAACAGAGGCGTGCAAA
AAGTATCCACAGAAAGCATAGTAATATGGGGAAGATTTCTAAATTTAACTACCCATACAAAGGAAACATGGAAG
CATGGTGGATGGATATTTGGCAAGCTACCTGGATTCCTGAGTGGAGTTTGTCAATACCCCTCCCTTAGTGAATAT
GGTACCACTTAGAGAAAGAACCCATAGTAGAGCAGAAACTTTCTATGTAGATGGGCGCTAATAGGAGACTTAAT
TAGGAAGCAGGATATGTACTGACAGAGGAAGACAAAAGTTGCTCCATAGCTGACACAAACAATCAGAGACTG
AATTAACAGCAATTCATCTAGCTTGCAGGATTCGGGATTAGAGTAAACATAGTAACAGACTCACAATATGCATTAG
GAATCATTCAGCAACACAGATAAGAGTGAATCAGAGTTAGTCACTCAATTAATAGAGCAGTTAATAAAGGAAA
AGGTCTACCTGGCATGGTACCAGCACACAAAGAAATGGAGGAATGAACAAAGTAGATAAATAGTCAGTGTGGAA
TCAGGAAAGTACTATTTTGAATGGANTAGATAAGGCCCAAGAGAAACATGAGAAATATCACAGTAATTTGGAGGCA
TGGCTAGTGATTTTAACTGCCACCTGTAGTCCAGGAATATGGCAACTAGATGTACACATCTAGAAAGGAAAAATTTATCC
AAGCCATGCATGGCAAGTAGACTGTAGTCCAGGAATATGGCAACTAGATGTACACATCTAGAAAGGAAAAATTTATCC
TGGTAGCAGTTTCATGTAGCCAGTGGATATATAGAAAGCAGAAAGTTATCCAGCAGAGACAGGGCAGGAAACAGCATAT
TTCTCTTAAATTTAGCAGGAAGATGGCCAGTAAACAAATACATACAGCAATGGCAGCAATTTCCACCACTACTACGG
TTAAGGCCCTGTGGTGGGCGAGGATCAAGCAGGAATTTGGCATTCCTTACAATCCCCAAAGTCAAGGAGTAGTAG
AATCTATGAATATGAATTAAGAAATATAGGACAGTAAGAGATCAGGCTGAACACCTTAAGACAGCAGTACAAA
TGGCAGTATTCATCCAAATTTTAAAGAAAGGGGGATTTGGGGATACAGTGCAGGGGAAAGATAGTAGACATAA
TAGCAACAGACATACAACTAAAGAACTACAAAGCAATTAACAAATTTCAAAATTTTCGGGTTTATACAGGGACA
ACAAAGATCCCTTTGGAAAGGACCAAGCAAGCTTCTCTGGAAGGTGAAGGGCAGTAGTAATACAAAGTAATAGTG
ACATAAAGTAGTGCCAAAGAAAGCAAAATCATTAGGATATGGAAACAGATGGCAGGTGATGATTTGTGTGG
CAAGTAGACAGGATGAGGATTAG

22 / 131




FIG. 13A

23 / 131




FIG. 13B

24 / 131




FIG. 14

25 / 131




FIG. 15

26 / 131

gp120wtSF162

GTAGAAAAATTGTGGTCAAGTCTATTATGGGTACCTGTGTGGAAGAAGCAACCACCCTCTATTTT
GTGCATCAGATGCTAAAGCCCTATGACACAGAGGTACATAAATGTCTGGGCCACACATGCTGTGTACCCAC
AGACCCCTAACCCACAAGAAATAGTATTGGAAAATGTGACGAAATTTTAAACATGTGGAAAAATAACATG
GTAGAACAGATGATGAGGATATAATCAGTTTATGGGATCAAAAGTCTAAAGCCATGTGTAAAGTTAAACCC
CACTCTGTGTTACTCTACATTCACATAATTGAAGAATGCTACTAATACCAAGAGTAGTAATTGGAAAGA
GATGGACAGAGGAGAAATAAAAATTGCTCTTCAAGGTCACCCACAGCATAAAGAAATAAGATGCAGAAA
GAATATGCACCTTTTATATAAATTGTATGTAGTACCCTAGTAAATAGATAATACAGCTATATAAATTGATAA
ATTGTAAACACCTCAGTCAATTAACAGGCTGTCCCAAGGTATCCTTTGAACCAATTCCCATACATTAATG
TGCCCCGGCTGGTTTTCGGAATCTAAAGTGTAAATGATAAGAAGTTCAATGGATCAGGACCATGTACAAAT
GTCAGCACAGTACAAATGTACACATGGAATTAGGCCAGTAGTGTCAACTCAATTGCTGTTAAATGGCAGTC
TAGCAGAAGAAGGGTAGTAATTAGATCTGAAAATTTACAGACAATGCTAAAACTATAATAGTACAGCT
GAAGGAATCTGTAGAAATTAATTGTACAAGACCTAACAAATAATAAGAAAAAGTATAACTATAGGACCG
GGGAGAGCATTTTATGCAACAGGAGACATAATAGGAGATATAAGACAAGCACATTTGTAACATTTAGTGGAG
AAAAATGGAATAACACTTTAAACAGATAGTTACAAAATTAAGACACAAATTTGGGAATAAAAAACAATAGT
CTTTAAGCAATCCTCAGGAGGGACCCAGAAATTTGTAATGCACAGTTTAAATTTGGAGGGGAATTTTTC
TACTGTAAATTCACACAGCTTTTAAATAGTACTTGGAAATAATACTATAGGGCCAAATAACACTAATGGAA
CTATCACACTCCCATGCAGATAAAACAATAATAACAGGTGGCAGGAAGTAGGAAAAAGCAATGTATGC
CCCTCCCATCAGAGGACAAATTAGATGCTCATCAATAATTACAGGACTGCTATTAACAAGAGATGTTGTT
AAAGAGATCAGTAACACCAACCGAGATCTTCAGACCTTGGAGGTGGAGATATGAGGGACAAATTGGAGAAGTG
AATTATATAAATAAAGTAGTAATAAAATTTAGGCCATTTAGGAGTAGCACCCACCAAGGCAAGAGAGAGT
GGTGCAGAGAGAAAAAGA

FIG. 16
(SEQ ID NO:30)

27 / 131

gp140wtSF162

GTAGAAAAATGTGGTCAAGTCATATATGGGTACCTGTGTGGAAAGAACCCACCCTCTATTTT
GTGCATCAGATGCTAAAGCCTATGACACAGAGGTACATAATGTCTGGGCCACACATGCCTGTGTACCCAC
AGACCCCTAACCCACAGAAATAGTATTGGAAATGTGACAGAAATTTTAAACATGTGGAAATAACATG
GTAGAACAGATGCATGAGGATATAATCAGTTTATGGGATCAAAGTCTAAAGCCCATGTGTAAAGTTAAACCC
CACTCTGTGTTACTCTACATGTCACATAATTTGAAGATGCTACTAATACCAAGAGTAGTAATTGGAAAGA
GATGGACAGAGGAGAAATAAATAATTTGCTCTTTCAAGGTCAACACAGCATAAAGAAATAAGATGCAGAAA
GAATATGCACCTTTTATAAATCTTGATGTAGTACCATAATAGATAATGATAACAAGCTATAAATTGATAA
AATTGTAAACACCTCAGTCATTACACAGGCCCTGTCCAAAGGTATCCTTTGAACCAATTTCCCATACATATTG
TGCCCCGGCTGGTTTTCGATTTCTAAAGTGTAAATGATAAGAAGTTCAATGGATCAGGACCATGTACAAAT
GTCAGCACAGTACAAATGTACACATGGAATTAGGCCAGTAGTGTCAACTCAATTTGCTTTAAATGGCAGTC
TAGCAGAAAGAGGGGTAGTAAATTAGATCTGAATAATTTACAGACAATGTCTAAACATAATAATAGTACAGCT
GAAGGAATCTGTAGAAATTAATTGTACAAGACCTAAACAATAATACAAGAAAAAGTATAACTATAGGACCG
GGGAGAGCATTTTATGCAACAGGAGACATAATAGGAGATATMAGACAAGCACATTTGTAACATTAGTGGAG
AAAAATGGAATAACACTTTAAACAGATAGTTACAAATTAACAAGCACAAATTTGGNAATAAACAATAAGT
CTTTAAGCAATCTCAGGAGGGACCCAGAAATTTAAATGCACAGTTTAAATTTGGAGGGGAATTTTTC
TACTGTAATTCACACAGCTTTTAAATAGTACTTTGGAATAATACTATAGGCCAAATAACACTAATGGAA
CTATCACACTCCCATGCAGAAATAAACAATAATTAACAGGTGGCAGGAAGTAGGAAAAAGCAATGTATGC
CCCTCCCATCAGAGGACAAAATTAGATGCTCATCAAAATTTACAGACTGCTATTACAGAGAGATGGTGGT
AAAGAGATCAGTAACACACCCAGAGATCTTCAGACCTTGAGGCTGGAGGTGGAGATATGAGGACAATTTGGAGAAGTG
AATTATATAAATAAAGTAGTAAAAATTTGAGCCATTAGGAGTAGCACCCACCAAGCAAGAGAGAGAGT
GGTGACAGAGAGAAAAAAGAGCAGTGACGCTAGGAGCTATGTTCTTGGGTTCTTTGGGAGCAGCAGGAAGC
ACTATGGCGCACGGTCACTGACGCTGACGGTACAGGCCAGACAATTTATGCTGCTGATATAGTGCACAGC
AGAACAAATTTGCTGAGAGCTATTGAGGGCGCAACAGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCA
GCTCCAGGCAAGAGTCCCTGGCTGTGGAAAGATACCTAAAGGATCAACAGCTCCTAGGGATTTGGGGTTGC
TCTGGAAAACTCATTTGCACTGCTGTGCTTTGGAATGCTAGTTGGAGTAATAAATCTCTGGATCAGA
TTTGGAAATAACATGACCTGGATGGAGTGGGAGAGAGAAATTGACAATTAACAAAACTTAATATACACCTT
AATTGAAGAAATCGCAGAACCAACAAGAAAAAGATGAACAAGAAATTTAGAAATTTGATAAGTGGGCAAGT
TTGTGGAATTTGGTTTGACATATCMAATGGCTGTGGTATATA

FIG. 17

(SEQ ID NO:31)

28 / 131

gp160wtSF162

GTAGAAAAATTGTGGGTCACAGTCTATTATGGGGTACCTGTGTGGAAAGAAGCAACCACCACTCTATTTT
GTGCATCAGATGCTAAAGCCTATGACACAGAGGTACATAATGTCTGGGCCACACATGCCTGTGTACCCAC
AGACCCTAACCCACAAGAAATAGTATTGGAAAATGTGACAGAAAATTTTAACATGTGGAAAAATAACATG
GTAGAACAGATGCATGAGGATATAATCAGTTTATGGGATCAAAGTCTAAAGCCATGTGTAAAGTTAACCC
CACTCTGTGTACTCTACATTGCACTAATTTGAAGAATGCTACTAATACCAAGAGTAGTAATTGGAAAGA
GATGGACAGAGGAGAAATAAAAAATTGCTCTTTCAAGGTCACCACAAGCATAAGAAATAAGATGCAGAAA
GAATATGCACTTTTTTATAAACTTGATGTAGTACCAATAGATAATGATAATACAAGCTATAAAATTGATAA
ATTGTAACACCTCAGTCATTACACAGGCCTGTCCAAAGGTATCCTTTGAACCAATTTCCCATACATTATTG
TGCCCCGGCTGGTTTTGCGATTCTAAAGTGTAATGATAAGAAGTTCAATGGATCAGGACCATGTACAAAT
GTCAGCACAGTACAATGTACACATGGAATTAGGCCAGTAGTGTCAACTCAATTGCTGTTAAATGGCAGTC
TAGCAGAAGAAGGGGTAGTAATTAGATCTGAAAAATTTACAGACAATGCTAAAACTATAATAGTACAGCT
GAAGGAATCTGTAGAAATTAATTGTACAAGACCTAACATAATACAAGAAAAAGTATACTATAGGACCG
GGGAGAGCATTTTATGCAACAGGAGACATAATAGGAGATATAAGACAAGCACAATTGTAACATTAGTGGAG
AAAAATGGAATAACACTTTAAACAGATAGTTACAAAATTACAAGCACAATTGTTGGAATAAAACAATAGT
CTTTAAGCAATCCTCAGGAGGGGACCCAGAAATTGTAATGCACAGTTTTAATTGTGGAGGGGAATTTTTT
TACTGTAATTCACACAGCTTTTTTAATAGTACTTGGAAATAATACTATAGGGCCAAATAACACTAATGTATGC
CTATCACACTCCCATGCAGAATAAAACAAATTATAAACAGGTGGCAGGAAGTAGGAAAAGCAATGTATGC
CCCTCCCATCAGAGGACAAATTAGATGCTCATCAATATTACAGGACTGCTATTAAACAAGAGATGGTGGT
AAAGAGATCAGTAACACCACCGAGATCTTCAGACCTGGAGGTGGAGATATGAGGGACAATTGGAGAAGTG
AATTATATAAATATAAAGTAGTAAAAATTGAGCCATTAGGAGTAGCAACCAAGGCAAGAGAAGAGT
GGTGCAGAGAGAAAAAGAGCAGTGACGCTGACGGTACAGGCCAGACAATTATTGTCTGGTATAGTGCAACAGC
ACTATGGGCGCACGGTCACTGACGCTGACGGTACAGGCCAGACAATTATTGTCTGGTATAGTGCAACAGC
AGAACAATTTGCTGAGAGCTATTGAGGCGCAACAGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCA
GCTCCAGGCAAGAGTCTCGCTGTGGAAAGATACCTAAAGGATCAACAGCTCCTAGGGATTGTTGGGGTTGC
TCTGGAAAACTCATTGCAACCACTGCTGTGCCTTGAATGCTAGTTGGAGTAATAAATCTCTGGATCAGA
TTTGGAAATAACATGACCTGGATGGAGTGGGAGAGAGAAATTGACAATTACACAACTTAATATACACCTT
AATTGAAGAATCGCAGAACCAACAAGAAAAGAAATGAACAAGAATTATTAGAATTGGATAAGTGGGCAAGT
TTGTGGAATTGGTTTGAGATATCAAAATGGCTGTGGTATATAAAAAATTTTATAATGATAGTAGGAGGTT
TAGTAGGTTTAAGGATAGTTTTTACTGTGCTTTCTATAGTGAATAGAGTTAGGCAGGGATACTCACCATT
ATCATTTTCAAGCCGCTTCCAGCCCCAAGGGGACCCGACAGGCCCGAAGGAATCGAAGAAGAAGGTGGA
GAGAGAGACAGAGACAGATCCAGTCCATTAGTGCATGGATTATTAGCACTCATCTGGGACGATCTACGGA
GCCTGTGCCTCTTCAGCTACCCGCTTGAGAGACTTAATCTTGATTGCAGCGAGGATTGTGGAACCTTCT
GGGACGCAGGGGGTGGGAAGCCCTCAAGTATTGGGGGAATCTCTGCACTATTGGATTGAGGAATAAG
AATAGTGTCTGTTAGTTTGTGTTGATGCCATAGCTATAGCAGTAGCTGAGGGGACAGATAGGATTATAGAAG
TAGCACAAGAATTGGTAGAGCTTTTCTCCACATACCTAGAAGAATAAGACAGGGCTTTGAAAGGGCTTT
GCTATAA

FIG. 18
(SEQ ID NO:32)

29 / 131

gp120.modSF162

gaattcgccaccatggatgcaatgaagagagggtctgctgtgctgtgctgtgctgtgagcagtc
ttcgtttcgccagcgccgtggagaagctgtgggtgacctgtactacggcgtgcccggtggaag
gaggccaccaccacctgtctgcgcagcgacgcccaaggcctacgacaccgaggtgcacaacgtg
tggccaccacgcctgcgtgccaccgaccccaaccccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagacctgaagccctgcgtgaagctgacccccctgtcgtgacctgcactgcaccaacctg
aagaacgccacaacacagagcagcaactggaaggagatggaccgcggcgagatcaagaactgc
agcttcaaggtagccaccagcatccgcaacaagatgcagaaggagtacgccctgttctacaagctg
gacgtggtgcccatcgacaacgacaacaccagctacaagctgatcaactgcaacaccagcgtgac
accagacctgcccgaaggtgagcttcgagcccatccccatccactactgcgcccccgcgcttc
gccatcctgaagtgcacaacgaagaagtcaacggcagcgccccctgcaccaacgtgagcaccgtg
cagtgcaaccacggcatccgccccgtggtgagcaccacctgtgctgctgaacggcagcctggccgag
gaggcggtggtgatccgcagcgagaacttcaccgacaacgcccaagaccatcatcgtgcagctgaag
gagcggtggagatcaactgcacccgcccccaacaacaccccgcaagagcatcaccatcgcccc
ggccgaccttctacgccaccggcgacatcatcgcgacatccgcccaggccccactgcaacatcagc
ggcgagaagtggacaacacccctgaagcagatcgtgaccaagctgcaggccccagttcggaacaag
accatcgtgttcaagcagagcgggcgaccccgagatcgtgatgcacagcttcaactgcggc
ggcgagttcttctactgcaacagcaccagctgttcaacagcaccctggaacaacacccatcgcccc
aacaacacacggcaccatcacctgacctgcccgcacatcaagcagatcatcaaccgtggcaggag
gtggcaaggccatgtacgcccccccatccgccccagatccgctgcagcagcaacatcacccggc
ctgctgctgacccgcgacggcggaaggagatcagcaacacccagagatcttccgccccggcggc
ggcgacatgcgcgacaactggcgagcgagctgtacaagtacaagtggtgaagatcgagccccctg
ggcgtggcccccaacgaaggcccaagcgcccggtggtgcagcgcgagaagcgctaactcgag

FIG. 19
(SEQ ID NO:33)

30 / 131

gp120.modSF162.delv2

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgccagcgccgtggagaagctgtgggtgacctgtactacggcgtgcccggtgtggaag
gaggccaccaccacctgttctgcccagcgagcccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgctgctgcccaccgaccccaaccccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagcctgcgtgaagctgacccccctgtgctgacctgcactgcaccaacctg
aagaacgcccaccacaacaaagagcagaactggaaggagatggaccggcgagatcaagaactgc
agcttcaagggtggcgccggcaagctgatcaactgcaacaccagcgtgatcaccaggcctgcccc
aagtgagcttcgagcccatccccatccactactcgcccccccgcttcgccatcctgaagtgc
aacgacaagaagtcaacggcagcgccccctgctgctgaacggcagcctgacacacgtgagcaccgtgcagtgccccacggc
atccgccccgtggtgagcaccagctgctgctgaacggcagcctgacacacgtgacggcggtggtgac
cgagcgagaacttcaccgacaacgcccagaccatcatcgtgcagctgaaggagagcgtggagatc
aactgcacccgcccacaacacacccgcaagagcatcaccatcgccccggcgccctctac
gccaccggcgacatcatcgcgacatccgcccagggccactgcaacatcagcggcgagaagtgaac
aacaccctgaagcagatcgtgaccaagctgcaggccccagttcggcaacaagaccatcgtgtcaag
cagagcagcgcgccgaccccgagatcgtgatgcacagcttcaactcgggcgaggttcttctac
tgaacagcaccagctgttcaacagcaccctggaacaacaccatcgggcccaacaacacacggc
accatcacccctgcccgtccgcatcaagcagatcatcaaccgctggcaggaggtgggcaaggccatg
tacgcccccccatccgcgccagatccgctgcagcagcaacatcacggcctgctgctgacccgc
gacggcggaaggagatcagcaacaccaccgagatctccgccccggcgcgacatgcgcgac
aactggcgagcagctgtacaagtacaaggtggtgaagatcgagccccctggcgctggccccacc
aaggccaagcgccgctggtgcagcgcgagaagcgtcaactcgag

FIG. 20

(SEQ ID NO:34)

gaattcgccaccatggatgcaatgaagagagggtctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgccagcgccgtggagaagctgtgggtgacctgtactacggcgtgcccgctgtggaag
gaggccaccaccacctgttctgcccagcgacgcgaagcctacgacaccgaggtgcacaacgtg
tggccaccaccacgcctgcgtgccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaactcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagacctgaagccctgctgagtgaagctgacccccctgtgcgtggcgccggcgaactgccagacc
agcgtgatcaccaggcctgccccagggtgagcttcgagcccatccccatccactactgcgcccc
gcggccttcgccatcctgaagtgcacgacaagaagtccaacggcagcgccccctgcaccaacgtg
agcacctgcagtgacccacggcatccgccccgtggtgagcaccacagctgctgctgaacggcagc
ctggccgaggaggcgtggtgatccgcagcgagaaacttcacggacaacacacccgcaagagcatcctg
cagctgaaggagcgtggagatcaactgcacccgcccccaacaacaccccgcaagagcatcacc
atcgccccggcgcccttctacgccacggcgacatcatcggcgacatccgccaggccccactgc
aacatcagcggcgagaagtggaaacaacacctgaagcagatcgtgaccaagctgcaggccccagttc
ggcaacaagacctcgtgtcaagcagagcagcgcgcgaccccgagatcgtgatgcacagcttc
aactcgggcgcgagttcttctactgcaacagcaccacagctgtcaacagcacctggaacaacacc
atcgcccccaacaacaccaaaggcaccatcacctgccctgccgtcaagcagatcatcaaccgc
tggcaggagggtgggcaaggccatgtacgcccccccatccgcgccagatccgctgcagcagcaac
atcacccgctgctgctgacccgcgacggcggaaggagatcagcaacacccacgagatcttcgcg
cccgggcgggcagatgcgcgacaactggcgacgagctgtacaagtacaaggtggtgaagatc
gagccccctggcgctggccccccaccaaaggcccgccgtggtgcagcgcgagaagcgtcaactc
gag

FIG. 21
(SEQ ID NO:35)

32 / 131




FIG. 22A




FIG. 22B




FIG. 22C




FIG. 22D

33 / 131




FIG. 22E




FIG. 22F




FIG. 22G




FIG. 22H

34 / 131

gp140.modSF162

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccacctgttctgcgccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctgaagctgacccccctgtgctgaccctgcactgcaccaacctg
aagaacgccaccaacaccaagagcagcaactggaaggagatggaccgcgcgagatcaagaactgc
agcttcaagggtgaccaccagcatccgcaacaagatgcagaaggagtacgccctgttctacaagctg
gacgtgggtgcccacgacaacgacaacaccagctacaagctgatcaactgcaacaccagcgtgatc
accaggcctgccccaaagggtgagcttcgagcccatccccatccactactgcgccccgcggcttc
gccatcctgaagtgcacgacaagaagttcaacggcagcgccccctgcaccaacgtgagcacogtg
cagtgcaccccacggcatccgccccgtgggtgagcacccagctgctgctgaacggcagcctggccgag
gagggcgtgggtgatccgagcgagaaacttcaccgacaacgccaagaccatcatcgtgcagctgaag
gagagcgtggagatcaactgcacccgccccaaacaacaccccgcaagagcatcaccatcggcccc
ggcgcgccttctacgccaccggcgacatcatcggcgacatccgcccaggccccactgcaacatcagc
ggcgagaagtggaaacaacacctgaagcagatcgtgaccaagctgcaggccccagttcggcaacaag
accatcgtgttcaagcagagcagcggcgggcgacccccgagatcgtgatgcacagcttcaactgcggc
ggcgagtcttctactgcaacagcaccagctgttcaacagcacctggaaacaacaccatcggcccc
aacaacaccaacggcaccatcacctgcccctgcccgcacatcaagcagatcatcaaccgctggcaggag
gtgggcaaggccatgtacgccccccccatccgcgggccagatccgctgcagcagcaacatcacccggc
ctgctgctgaccccgacggcgggcaaggagatcagcaaacaccaaccgagatcttccgccccggcggc
ggcgacatgcgcgacaactggcgagcgagctgtacaagtaaaagggtggtgaagatcgagcccctg
ggcgtggccccccaccaaggccaagcgccgcgtggtgcagcgcgagaagcgcgccgtgacctggggc
gccatgttccctgggcttccctggggcgccggcgagcaccatggggcgcccgagcctgacctgacc
gtgcaggccccgcagctgctgagcgggcatcgtgcagcagcagaacaacctgctgcgcgccatcgag
gcccagcagcacctgctgcagctgacccgtgtggggcatcaagcagctgcaggccccgctgctggcc
gtggagcgctacctgaaggaccagcagctgctgggcatctggggctgcagcggaagctgatctgc
accaccgcccgtgcccggaaacgcccagctggagcaacaagagcctggaccagatctggaacaacatg
acctggatggagtgggagcgcgagatcgacaactacaccaacctgatctacacctgatcgaggag
agccagaaccagcaggagaagaacgagcaggagctgctggagctggacaagtggggcagcctgtgg
aactgggttcgacatcagcaagtggctgtggtacatctaaactcgag

FIG. 23

(SEQ ID NO:36)

35/131

gp140.modSF162.delV2

gaattcgccaccatggatgcaatgaagagaggggctctgctgtgtgctgctgctgtgtgtggagcagtc
ttcggtttcgccagcgccgtggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccaccctgttctgcgcccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctgaagctgacccccctgtgctgaccctgcactgcaccaacctg
aagaacgccaccaacaccaagagcagcaactggaaggagatggaccgcccgcagatcaagaactgc
agcttcaaggtgggcccggcaagctgatcaactgcaacaccagcgtgatcaccaggcctgcccc
aaggtgagcttcgagcccatcccatccactactgcgcccccgccggcttcgccatcctgaagtgc
aacgacaagaagtccaacggcagcggccctgcaccaacgtgagcaccgtgcagtgcacccacggc
atccgccccgtggtgagcaccacgctgctgctgaacggcagcctggccgaggagggcgtggtgatc
cgcagcgagaacttcaccgacaacgccaagaccatcatcgtgcagctgaaggagagcgtggagatc
aactgcacccgcccccaacaacacccgcaagagcatcaccatcgggcccggccgcgcttctac
gccaccggcgacatcatcgccgacatccgcccaggcccactgcaacatcagcggcgagaagtggaa
aacacccctgaagcagatcgtgaccaagctgcaggcccagttcggcaacaagaccatcgtgttcaag
cagagcagcggcgagaccccgagatcgtgatgcacagcttcaactgcggcgggcagttcttctac
tgcaacagcaccagctgttcaacagcacctggaacaacaccatcgggcccacaacaccaacggc
accatcacccctgcccgtccgcacatcaagcagatcatcaaccgctggcaggaggtgggcaaggccatg
tacgccccccccatccgcccgcagatccgctgcagcagcaacatcacccggcctgctgctgacccgc
gacggcggaaggagatcagcaacaccaccgagatcttcgccccggcgggcgacatgcgcgac
aactggcgagcagctgtacaagtacaaggtggtgaagatcgagccctgggcccctgttccctgggc
aaggccaagcgccgctggtgcagcgcgagaagcgccgtgacccctgggcccctgttccctgggc
ttccctgggcgcccggcagcaccatggggcgcccgcagcctgacccctgacccgtgcaggcccgcag
ctgctgagcggcatcgtgcagcagcagaacaacctgctgcgcgccatcgaggcccagcagcacctg
ctgcagctgaccgtgtggggcatcaagcagctgcaggcccgcgtgctggcctggagcgtacctg
aaggaccagcagctgctgggcatctggggctgcagcggcaagctgatctgcaccaccgcctgccc
tggaacgccagctggagcaacaagagcctggaccagatctggaacaacatgacctggatggagtgg
gagcgcgagatcgacaactacaccaacctgatctacaccctgatcgaggagagccagaaccagcag
gagaagaacgagcaggagctgctggagctggacaagtggggccagcctgtggaactggttcgacatc
agcaagtggctgtggtacatctaactcgag

FIG. 24

(SEQ ID NO:37)

36 / 131

gp140.modSF162.delV1V2

gaattcgccaccatggatgcaatgaagagaggggctctgctgtgtgctgctgctgtgtgtggagcagtc
ttcggtttcgcccagcgccgtggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccacctgttctgcgccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccccaagggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctgaagctgacccccctgtgctggggcgccggcaactgccagacc
agcgtgatcaccagggcctgcccccaagggtgagcttcgagcccatcccatccactactgcgcccc
ggcggcttcgccatcctgaagtgcacgcacaagaagtccaacggcagcggcccctgcaccaacgtg
agcaccgtgcagtgacccacggcatccgccccgtggtagcaccagctgctgctgaacggcagc
ctggccgaggagggcgtgggtgatccgcagcgcgagaacttcaccgacaacgccaagaccatcatcgtg
cagctgaaggagagcgtggagatcaactgcacccgcccccaacaacaacacccgcaagagcatcacc
atcggccccggcgcgccttctacgccaccggcgacatcatcggcgacatccgccaggcccactgc
aacatcagcggcgagaagtggacaacaccctgaagcagatcgtgaccaagctgcaggcccagttc
ggcaacaagaccatcgtgttcaagcagagcagcggcgggcgaccccgagatcgtgatgcacagcttc
aactgcggcgggcgagttcttctactgcaacagcaccagctgttcaacagcacctggaacaacacc
atcggcccccaacaacaccaacggcaccatcaccctgcccctgcccgcataagcagatcatcaaccgc
tggcaggaggtgggcaaggccatgtacgcccccccccatccgcggccagatccgctgcagcagcaac
atcaccggcctgctgctgacccgcgacggcggaaggagatcagcaacaccaccgagatcttcgcg
ccccggcgggcgacatgctgcgacaactggcgagcagcgtgtacaagtacaaggtggtagagatc
gagccccctgggctggccccccaccaaggccaagcgccgctgggtgcagcgcgagaagcgcgccgtg
accctggggcgccatgttcctgggcttcctggggcgccgcccggcagcaccatgggcgcccgcagcctg
accctgaccgtgcaggccccgcagctgctgagcggcatcgtgcagcagcagaacaacctgctgcgc
gccatcgaggcccagcagcacctgctgcagctgaccgtgtggggcatcaagcagctgcaggcccgc
gtgctggcctggagcgctacctgaaggaccagcagctgctggggcatctggggctgcagcggcaag
ctgatctgcaccaccgcccgtgccctggaacgccagctggagcaacaagagcctggaccagatctgg
aacaacatgacctggatggagtgggagcgcgagatcgacaactacaccaacctgatctacacctg
atcgaggagagccagaaccagcaggagaagaacagcaggagctgctggagctggacaagtgggccc
agcctgtggaactgggttcgacatcagcaagtggtgtggtacatctaactcgag

FIG. 25

(SEQ ID NO:38)

37 / 131

gp140.mut.modSF162

gaattcgccaccatggatgcaatgaagagaggggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccacctgttctgcccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgacccctgcactgcaccaacctg
aagaacgccaccaacaccaagagcagcaactggaaggagatggaccgcgcgagatcaagaactgc
agcttcaaggtgaccaccagcatccgcaacaagatgcagaaggagtacgcccctgttctacaagctg
gacgtggtgcccacgacaacacacacagctacaagctgatcaactgcaacaccagcgtgatc
acccaggcctgccccaaaggtgagcttcgagcccatcccatccactactgcgccccgcggcttc
gccatcctgaagtgaacgacaagaagttcaacggcagcgggccctgcaccaacgtgagcaccgtg
cagtgaccccacggcatccgccccgtggtgagcaccacagctgctgctgaacggcagcctggccgag
gagggcgtggtgatccgcagcgagaacttcaccgacaacgccaagaccatcatcgtgcagctgaag
gagagcgtggagatcaactgcacccgcccccaacaacacccgcaagagcatcaccatcggcccc
ggcgcgccttctacgcccacggcgacatcatcgsgacatccgcccaggccactgcaacatcagc
ggcgagaagtggaacaacacccctgaagcagatcctgaccaagctgcaggcccagttcggcaacaag
accatcgtgttcaagcagagcagcgggcgagaccccgagatcgtgatgcacagcttcaactgcggc
ggcgagtctcttctactgcaacagcaccacagctgttcaacagcacctggaacaacaccatcggcccc
aacaacaccaacggcaccatcacccctgcccctgcccacatcaagcagatcatcaaccgctggcaggag
gtgggcaaggccatgtacgcccccccatccgcccagatccgctgcagcagcaacatcacccggc
ctgctgctgacccgagacggcggaaggagatcagcaacaccaaccgagatcttccgccccggcggc
ggcgacatgcgcgacaactggcgagcgagctgtacaagtacaaggtggtgaagatcgagcccctg
ggcggtggccccaccaaggccaagcgccgctggtgcagcgcgagaagagcgccgtgaccctgggc
gccatgttccctgggcttccctgggcccggcgagcaccatggggcgcccgagcctgaccctgacc
gtgcaggcccccgagctgctgagcgccatcgtgcagcagcagaacaacctgctgcgcgccatcgag
gcccagcagcacctgctgcagctgacccgtgtgggcatcaagcagctgcaggcccgcgtgctggcc
gtggagcgctacctgaaggaccagcagctgctgggcatctggggctgcagcggcaagctgatctgc
accaccgcccgtgcccctggaacgcccagctggagcaacaagagcctggaccagatctggaacaacatg
acctggatggagtgggagcgcgagatcgacaactacaccaacctgatctacaccctgatcgaggag
agccagaaccagcaggagaagaacgagcaggagctgctggagctggacaagtgggcccagcctgtgg
aactgggttcgacatcagcaagtggctgtggtacatctaactcgag

FIG. 26

(SEQ ID NO:39)

gpl40.mut.modSF162.delV2

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccacctgttctgcgccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgaccctgcactgcaccaacctg
aagaacgccaccaacaccaagagcagcaactggaaggagatggaccgcccgcagatcaagaactgc
agcttcaaggtgggcccgcgaagctgatcaactgcaacaccagcgtgatccccaggcctgcccc
aaggtgagcttcgagccccatccccatccactactgccccccgcccgttcgccatcctgaagtgc
aacgacaagaagtccaacggcagcggccccctgcaccaacgtgagcaccgtgcagtgcacccacggc
atccgccccgtggtgagcaccagctgctgctgaacggcagcctggccgaggaggcggtggtgatc
cgcagcagagaacttcaccgacaacgcgaagaccatcatcgtgcagctgaaggagagcgtggagatc
aactgcacccgcccccaacaacaacaccgcgaagacatcaccatcgcccccgccgcgccttctac
gccaccggcgacatcatcgccgacatccgccaggccactgcaacatcagcggcgagaagtggaaac
aacaccctgaagcagatcgtgaccaagctgcaggccagttcggcaacaagaccatcgtgttcaag
cagagcagcggcgccgaccccgagatcgtgatgcacagcttcaactgcccgcggcgagttcttctac
tgcaacagcaccagctgttcaacagcacctggaacaacaccatcgcccccacaacaacaccaacggc
accatcacctgccccgcccgcacatcaagcagatcatcaaccgctggcaggagggtgggcaaggccatg
tacgccccccccatccgcccgcagatccgctgcagcagcaacatcacccgcccgtgctgctgacccgc
gacggcggcaaggagatcagcaacaccaccagatcttccgccccggcggcggcgacatgcgcgac
aactggcgcagcagctgtacaagtacaaggtggtgaagatcgagccccctgggcccgtggccccacc
aaggccaagcgcgcgtggtgcagcgcgagaagagcgcctgaccctgggcccctgttcttctggg
ttcctgggcccgcggcagcaccatgggcccgcagcctgaccctgacccgtgcaggcccgccag
ctgctgagcggcatcgtgcagcagcagaacaacctgctgcgcgccatcgaggcccagcagcacctg
ctgeagetgaccgtgtggggcatcaagcagctgcaggcccgcgtgctggcctggagcgetacctg
aaggaccagcagctgtgggcatctggggtgcagcggcaagctgatctgcaccaccgcccgtgcc
tggaacgccagctggagcaacaagagcctggaccagatctggaacaacatgacctggatggagtgg
gagcgcgagatcgacaactacaccaacctgatctacaccctgatcgaggagagccagaaccagcag
gagaagaacgagcaggagctgctggagctggacaagtgggcccagcctgtggaactggttcgacatc
agcaagtggctgtggtacatctaactcgag

FIG. 27

(SEQ ID NO:40)

39/131

gp140.mut.modSF162.delV1V2

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtggagaagctgtgggtgacggtgtactacggcggtgcccgtgtggaag
gaggccaccaccaccctgttctgcccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tggggccaccacgcctgctgcccacgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagcctgctggaagctgacccccctgtgctggggcgccggcaactgccagacc
agcgtgatcaccagggcctgccccaaaggtgagcttcgagccccatccccatccactactgcccc
gcccgttctgcccacctgaagtgcacacgacaagaagttcaacggcagcgcccccctgcaccaacgtg
agcaccgtgcagtgacccacggcatccgccccgtgggtgagcaccagctgctgctgaacggcagc
ctggccgaggaggcggtgggtgatccgcagcgagaacttcacggacaacggccaagaccatcatcgtg
cagctgaaggagagcgtggagatcaactgcacccgcccccaacaacaacacccgcaagagcatcacc
atcgcccccgccgcccccttctacgccaccggcgacatcatcgggcgacatccgccaggccccactgc
aacatcagcggcgagaagtggaaacaacaccctgaagcagatcgtgaccaagctgcaggccccagttc
ggcaacaagaccatcgtgttcaagcagagcagcggcgggcgacccccgagatcgtgatgcacagcttc
aactgcggcgcgagttcttctactgcaacagcaccagctgttcaacagcacctggaacaacacc
atcgggcccaacaacaccaacggcaccatcaccctgcccctgcccgcacagcagatcatcaaccgc
tggcaggagggtgggcaaggccatgtacgccccccccatccgcggccagatccgctgcagcagcaac
atcaccggcctgctgctgacccgcgacggcggaaggagatcagcaacaccaccgagatcttcgc
cccgcgcgcgcgacatgcgcgacaactggcgagcgagctgtacaagtacaaggtgggtgaagatc
gagccccctggcggtggccccaccaggccaagcgccgctgggtgcagcgcgagaagagcgccgtg
accctggggcgccatgttccctgggcttccctggggcgccgcccggcagcaccatggggcgcccgagcctg
accctgaccgtgcaggccccgcagctgctgagcgccatcgtgcagcagcagaacaacctgctgcgc
gccatcgaggcccagcagcacctgctgcagctgacggtgtggggcatcaagcagctgcaggccccgc
gtgctggcgctggagcgctacctgaaggaccagcagctgctggggcatctggggctgcagcggaag
ctgatctgcaccaccgcccgtgccctggaacgcccagctggagcaacaagagcctggaccagatctgg
aacaacatgacctggatggagtgggagcgcgagatcgacaactacaccaacctgatctacacctg
atcgaggagagccagaaccagcaggagaagaacgagcaggagctgctggagctggacaagtgggccc
agcctgtggaactggttcgacatcagcaagtggctgtggtacatctaactcgag

FIG. 28

(SEQ ID NO:41)

40/ 131

gp140.mut7.modSF162

gaattcgccaccatggatgcaatgaagagaggggctctgctgtgtgctgctgctgtgtgtggagcagtc
ttcgtttgcggcagcgccgtggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccacctgttctgcccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tggggccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgacccctgcactgcaccaacctg
aagaacgccaccaacaccaagagcagcaactggaaggagatggaccgaggcgagatcaagaactgc
agcttcaaggtgaccaccagcatccgcaacaagatgcagaaggagtacgcctgttctacaagctg
gacgtggtgcccacgacaacaccagctacaagctgatcaactgcaacaccagcgtgatc
acccaggcctgcccccaaggtgagcttccgagcccatcccatccactactgcgcccccgccggttc
gccatcctgaagtgcacgacaagaagttcaacggcagcggccccctgcaccaacgtgagcaccgtg
cagtgacccacggcatccgccccgtggtgagcaccagctgctgctgaacggcagcctggccgag
gagggcgtggtgatccgcagcgagaacttcaccgacaacgccaagaccatcatcgtgcagctgaag
gagagcgtggagatcaactgcaccgcgcccccaacaacaaccccgcaagagcatcaccatcggcccc
ggccgcgccttctacgccaccggcgacatcatcggcgacatccgcccaggccactgcaacatcagc
ggcgagaagtggacaacaccctgaagcagatcgtgaccaagctgcaggccagttcggcaacaag
accatcgtgttcaagcagagcagcggcgggcgaccccgagatcgtgatgcacagcttcaactgcggc
ggcgagttcttctactgcaacagcaccagctgttcaacagcacctggaaacaacaccatcggcccc
aacaacaccaacggcaccatcaccttgccttgcgcacatcaagcagatcatcaaccgctggcaggag
gtgggcaaggccatgtacgcccccccatccgcggcagatccgctgcagcagcaacatcacccggc
ctgctgctgaccccgacggcggaaggagatcagcaacaccaccgagatcttccgccccggcggc
ggcgacatgcgcgacaactggcgagcgagctgtacaagtacaaggtggtgaagatcgagccctg
ggcgtggccccaccaggccatcagcagcgtggtgcagagcgagaagagcgccgtgacccctgggc
gccatgttcttgggcttctggggcgcccgccgagcaccatgggcgccccgagcctgacccctgacc
gtgcaggccccgcagctgctgagcggcatcgtgcagcagcagaacaacctgctgcgcgcatcgag
gcccagcagcacctgctgcagctgaccgtgtggggcatcaagcagctgcaggccccgctgctggcc
gtggagcgtacctgaaggaccagcagctgctggggcatctggggctgcagcggcaagctgatctgc
accaccgcccgtgccctggaacgccagctggagcaacaagagcctggaccagatctggaacaacatg
acctggatggagtgggagcgagatcgacaactacaccaacctgatctacacctgatcgaggag
agccagaaccagcaggagaagaacgagcaggagctgctggagctggacaagtgggcccagcctgtgg
aactggttcgacatcagcaagtggctgtggtacatctaactcgag

FIG. 29

(SEQ ID NO:42)

41 / 131

gp140.mut7.modSF162.delV2

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccacctgttctgcccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgacccctgcactgcaccaacctg
aagaacgcccaccaacaccaagagcagcaactggaaggagatggaccgcccgcagatcaagaactgc
agcttcaaggtgggcgccggcaagctgatcaactgcaacaccagcgtgatcaccaggcctgcccc
aaggtgagcttcgagcccatcccatccactactgcccccgccggcttcgccatcctgaagtgc
aacgacaagaagttcaacggcagcggccctgcaccaacgtgagcaccgtgcagtgcacccacggc
atccgccccgtggtgagcaccagctgctgctgaaacggcagcctggccgaggagggcgtggtgatc
cgcagcgagaacttcaccgacaacgccaagaccatcatcgtgcagctgaaggagagcgtggagatc
aactgcacccgcccccaacaacacccgcaagagcatcaccatcgcccccgccgcgccttctac
gcccacggcgacatcatcgccgacatccgcccaggccactgcaacatcagcggcgagaagtggaaac
aacaccctgaagcagatcgtgaccaagctgcaggcccgcttcggcaacaagaccatcgtgttcaag
cagagcagcggcgccgaccccgagatcgtgatgcacagcttcaactgcccggcgagttcttctac
tgcaacagcaccagctgttcaacagcacctggaacaacaccatcgcccccaacaacaccaacggc
accatcacccctgcccctgcccgcacatcaagcagatcatcaaccgctggcaggaggtgggcaaggccatg
tacgcccccccccatccgcccgcagatccgctgcagcagcaacatcacccggcctgctgctgacccgc
gacggcggaaggagatcagcaacaccaccgagatcttccgccccggcgccgacatgcccgcac
aactggcgagcagcgtgtacaagtacaaggtggggaagatcgagccccctgggctggccccacc
aaggccatcagcagcgtggtgcagagcgagaagagcgcctgacccctgggcccagatgttctgggc
ttcctgggcccgcggcagcaccatgggcccgcagcctgacccctgaccgtgcaggcccgcag
ctgctgagcggcatcgtgcagcagcagaacaacctgctgcccgcacatcgaggcccagcagcacctg
ctgcagctgacccgtgtggggcatcaagcagctgcaggcccgcgtgctggccgtggagcgtacctg
aaggaccagcagctgctgggcatctggggctgcagcggcaagctgatctgcaccaccgcccgtgccc
tggaacgccagctggagcaacaagagcctggaccagatctggaacaacatgacctggatggagtgg
gagcgcgagatcgacaactacaccaacctgatctacacctgatcgaggagagccagaaccagcag
gagaagaacgagcaggagctgctggagctggacaagtgggcccagcctgtggaactggttcgacatc
agcaagtggctgtggtacatctaactcgag

FIG. 30
(SEQ ID NO:43)

42 / 131

gp140.mut7.modSF162.delV1V2

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtggagaagctgtgggtgacgctgtactacggcgtgcccgtgtggaag
gaggccaccaccacctgttctgcccagcgacgccaaggcctacgacacccgaggtgcacaacgtg
tgggcccaccacgctgctgcccacgacccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgggcgccggcaactgccagacc
agcgtgatcaccagggcctgccccaaaggtgagcttcgagcccatcccatccactactgcgcccc
gccggcttcgcccagggcctgccccaaaggtgagcttcgagcccatcccatccactactgcgcccc
agcaccgtgcagtgacccacggcatccgccccgtgggtgagcaccagctgctgctgaacggcagc
ctggccgaggagggcggtgatccgagcgagaacttcacgacaacgccaagaccatcatcgtg
cagctgaaggagagcgtggagatcaactgcacccgccccaaacaacaccccgcaagagcatcacc
atcgcccccgccgcgcccttctacgccacccggcgacatcatcgggcgacatccgcccaggcccactgc
aacatcagcggcgagaagtggaaacaacacctgaagcagatcgtgaccaagctgcaggcccagttc
ggcaacaagaccatcgtgttcaagcagagcagcggcgggcgaccccgagatcgtgatgcacagcttc
aactgcccggcgagttcttctactgcaacagcaccagctgttcaacagcacctggaacaacacc
atcgcccccaacaacaccaacggcaccatcacctgcccctgcccgcacaaagcagatcatcaaccgc
tggcaggaggtgggcaaggccatgtacgcccccccccatccgcccgcagatccgctgcagcagcaac
atcacccgctgctgctgacccgagcggcggaaggagatcagcaacaccaccagagatcttccgc
ccccggcgccgagatgcgagacaactggcgagcagcgtgtacaagta caaggtgggtgaagatc
gagccccctggcgctggccccccaccaaggccatcagcagcgtgggtgcagagcgagaagagcgccgtg
accctggggcgccatgttccctgggcttccctggggcgcccgccgagcaccatgggcccgcagcctg
accctgaccgtgcaggcccgccagctgctgagcggcatcgtgcagcagcagaacaacctgctgcgc
gccatcgaggcccgagcagcactgctgcagctgacccgtgtggggcatcaagcagctgcaggcccgc
gtgctggccgtggagcgctacctgaaggaccagcagctgctgggcatctggggctgcagcggcaag
ctgatctgcaccaccgcccgtgcccggaaacgcccagctggagcaacaagagcctggaccagatctgg
aacaacatgacctggatggagtgggagcgcgagatcgacaactacaccaa cctgatctacacctg
atcgaggagagccagaaccagcaggagaagaacgagcaggagctgctggagctggacaagtgggccc
agcctgtggaactgggttcgacatcagcaagtggctgctgggtacatctaactcgag

FIG. 31

(SEQ ID NO:44)

gp140.mut8.modSF162

gaattcgccaccatggatgcaatgaagagaggggtctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccacctgttctgcccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgacccctgcactgcaccaacctg
aagaacgcccaccaacaccaagagcagcaactggaaggagatggaccgcgcgagatcaagaactgc
agcttcaaggtgaccaccagcatccgcaacaagatgcagaaggagtacgcccctgttctacaagctg
agcgtgggtgcccacgacaacgacaacaccagctacaagctgatcaactgcaacaccagcgtgatc
accaggccctgcccgaaggtgagcttcgagcccatcccatccactactgcccggcggcgttc
gccatccctgaagtgcacgacaagaagttcaacggcagcgccccctgcaccaacgtgagcaccgtg
cagtgcaaccaacggcatccgcccctgtgtgagcaccagctgctgctgaacggcagcctggccgag
gagggcgtgtgatccgcagcgagaacttcaccgacaacgccaagaccatcatcgtgcagctgaag
gagagcgtggagatcaactgcacccgcccccaacaacaacacccgcaagagcatcaccatcggcccc
ggcgcgccttctacgcccaccggcgacatcatcggcgacatccgcccaggcccaactgcaacatcagc
ggcgagaagtggaaacaacacctgaagcagatcgtgaccaagctgcaggcccagttcggaacaag
accatcgtgttcaagcagagcagcgggcgcgacccccgagatcgtgatgcacagcttcaactgcggc
ggcgagttcttctactgcaacagcaccagctgttcaacagcacctggaacaacaccatcggcccc
aacaacaccaacggcaccatcaccttgccctgcccagatcaagcagatcatcaaccgctggcaggag
gtgggcaaggccatgtacgccccccccatccgcccagatccgctgcagcagcaacatcacgggc
ctgctgctgacccgcgacggcggaaggagatcagcaacaccaccgagatcttcgccccggcgggc
ggcgacatgcgcgacaactggcgagcgagctgtacaagtacaaggtgtgaagatcgagccccctg
ggcgtggccccaccatcgccatcagcagcgtgtgagagcgagaaagagcgccgtgacccctgggc
gccatgttccctgggttccctggcgcccgccgagcaccatggggcgcccgagcctgacccctgacc
gtgcaggccccgagctgctgagcgccatcgtgcagcagcagaaacacctgctgcgcgccatcgag
gcccagcagcacctgctgcagctgacccgtgtggggcatcaagcagctgcaggccccgctgctggcc
gtggagcgctacctgaaggaccagcagctgctggggcatctggggctgcagcggaagctgatctgc
accaccgcccgtgcccctggaacgcccagctggagcaacaagagcctggaccagatctggaacaacatg
acctggatggagtgggagcgagatcgacaactacaccaacctgatctacaccctgatcgaggag
agccagaaccagcaggagaagaacgagcaggagctgctggagctggacaagtgggagcagcctgtgg
aactgggttcgacatcagcaagtggctgtggtacatctaactcgag

FIG. 32

(SEQ ID NO:45)

44 / 131

gp140.mut8.modSF162.delV2

gaattcgccaccatggatgcaatgaagagaggggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtggagaagctgtgggtgaccgtgtactacggcggtgcccgtgtggaag
gaggccaccaccacctgttctgcgccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgacccctgcactgcaccaacctg
aagaacgcccaccaacaccaagagcagcaactggaaggagatggaccgcgccgagatcaagaactgc
agcttcaaggtgggcgccggcaagctgatcaactgcaacaccagcgtgatcaccagggcctgcccc
aaggtgagcttcgagcccatcccatccactactgcccccccgccggcttcgccatcctgaagtgc
aacgacaagaagttcaacggcagcgccccctgcaccaacgtgagcaccgtgcagtgcaccacggc
atccgccccgtggtgagcaccacgtgctgctgaacggcagcctggccgaggaggcggtggtgatc
cgcagcgagaacttaccgacaacgccaagaccatcatcgtgagctgaaggagagcgtggagatc
aactgcacccgcccccaacaacaacacccgcaagagcatcaccatcgcccccgccgccccttctac
gccaccggcgacatcatcgccgacatccgcccaggcccactgcaacatcagcggcgagaagtggaaac
aacaccctgaagcagatcgtgaccaagctgcaggcccagttcggaacaagaccatcgtgttcaag
cagagcagcgccggcgaccccgagatcgtgatgcacagcttcaactcgccggcgagttcttctac
tgcaacagcaccacagctgttcaacagcacctggaacaacacacatcgcccccaacaacaccaacggc
accatcacccctgcccctgcccgcacatcaagcagatcatcaaccgctggcaggaggtgggcaaggccatg
tacgcccccccccatccgcccagatccgctgcagcagcaacatcacccggcctgctgctgaaccgc
gacggcgccgcaaggagatcagcaacaccacccagatcttcccggccggcgccgacatgcgcgac
aactggcgcgagcgtgtacaagtacaaggtggtgaagatcgagccctggggcggtggccccacc
atcgccatcagcagcgtggtgcagagcgagaagagcgccctgacccctggggcgccatgttctgggc
ttcctggggcgccggcgagcaccatggggcgcccgagcctgacccctgacccgtgcaggccccgcag
ctgctgagcggcatcgtgcagcagcagaacaacctgctgcccgcacatcgaggcccagcagcacctg
ctgcagctgaccgtgtggggcatcaagcagctgcaggcccgcgtgctggccgtggagcgtacctg
aaggaccagcagctgctggggcatctggggctgcagcggcaagctgatctgcaccaccgcccgtgccc
tggaaacgcccagctggagcaacaagagcctggaccagatctggaacaacatgacctggatggagtgg
gagcgcgagatcgacaactacaccaacctgatctacaccctgatcgaggagagccagaaccagcag
gagaagaacgagcaggagctgctggagctggacaagtgggcccagcctgtggaactgggttcgacatc
agcaagtggctgtggtacatctaactcgag

FIG. 33

(SEQ ID NO:46)

45/131

gp140.mut8.modSF162.delV1V2

gaattcgccaccatggatgcaatgaagagaggggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtgggagaagctgtgggtgaccgtgtactacggcgtgcccgtgtggaag
gaggccaccaccaccctgttctgcgccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tggggccaccacgcctgctgcccacggaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctggggcgccggcaactgccagacc
agcgtgatcaccagggcctgccccaaagggtgagcttcgagcccatcccatccactactgcgcccc
gcccgttcgccatcctgaagtgcacgacaagaagtccaacggcagcggccccctgcaccaacgtg
agcaccgtgcagtgcacccacggcatccgccccctggtgagcaccagctgctgctgaacggcagc
ctggccgaggagggcggtgatccgcagcgagaacttcaccgacaacgccaagaccatcatcgtg
cagctgaaggagagcgtggagatcaactgcacccgcccccaacaacaacacccgcaagagcatcacc
atcggccccggcgcgcttctacgccaccggcgacatcatcggcgacatccgcccaggcccactgc
aacatcagcggcgagaagtggaaacaacaccctgaagcagatcgtgaccaagctgcaggcccagttc
ggcaacaagaccatcgtgttcaagcagagcagcggcgccgacccccgagatcgtgatgcacagcttc
aactgcggcgcgagttcttctactgcaacagcaccagctgttcaacagcacctggaacaacacc
atcggcccccaacaacaccaacggcaccatcaccctgcccctgcccgcacaaagcagatcatcaaccgc
tggcaggaggtgggcaaggccatgtacgcccccccccatccgcgccagatccgctgcagcagcaac
atcaccggcctgctgctgacccgcgacggcggaaggagatcagcaacaccaccgagatcttcgc
cccggcgcgcgacatgcgcgacaactggcgcgagcagctgtacaagtacaaggtggtgaagatc
gagccccctgggctggccccccaccatcgccatcagcagcgtggtgcagagcgagaagagcgccgtg
accctggggcgccatgttcctgggcttcctggggcgccgcccggcagcaccatggggcgcccgagcctg
accctgaccgtgcaggccccgcagctgctgagcggcatcgtgcagcagcagaacaacctgctgcgc
gccatcgaggcccagcagcacctgctgcagctgaccgtgtggggcatcaagcagctgcaggcccgc
gtgctggccgtggagcgctacctgaaggaccagcagctgctgggcatctggggctgcagcggcaag
ctgatctgcaccaccgcccgtgccctggaacgccagctggagcaacaagagcctggaccagatctgg
aacaacatgacctggatggagtgggagcgcgagatcgacaactacaccaacctgatctacacctg
atcgaggagagccagaaccagcaggagaagaacgagcaggagctgctggagctggacaagtgggccc
agcctgtggaactggttcgacatcagcaagtggctgtggtacatctaactcgag

FIG. 34

(SEQ ID NO:47)

gp160.modSF162

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgccagcgccgtggagaagctgtgggtgaccgtgtactacggcggtgcccgtgtggaag
gaggccaccaccaccctgttctgcgccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgacccctgcaactgcaccaacctg
aagaacgcccaccaaccaagagcagcaactggaaggagatggaccgaggcgagatcaagaactgc
agcttcaagggtgaccaccagcatccgcaacaagatgcagaaggagtacgcccctgttctacaagctg
gacgtggtgcccacgacaacgacaacaccagctacaagctgatcaactgcaacaccagcgtgatc
accaggcctgccccaaaggtgagcttcgagcccatcccatccactactgccccccgcccgttc
gccatcctgaagtgcacaacgacaagaagttcaacggcagcgccccctgaccaacgtgagcacccgtg
cagtgcacccacggcctccgccccgtggtgagcaccagctgctgctgaacggcagcctggccgag
gagggcggtggtgatccgagcgagaaacttcaccgacaacgccaagaccatcatcgtgcagctgaag
gagagcgtggagatcaactgcacccgcccccaacaacaacaccgcaagagcatcaccatcggtccc
ggccgccccttctacgcccacggcgacatcatcggcgacatccgcccaggcccactgcaacatcagc
ggcgagaagtggaaacaacacctgaagcagatcgtgaccaagctgcaggcccagttcggaacaag
accatcgtgttcaagcagagcagcgggcgggcgacccccgagatcgtgatgcacagcttcaactgcggc
ggcgagttcttctactgcaacagcaccagctgttcaacagcacctggaacaacaccatcggtccc
aacaacaccaacggcaccatcacctgcccctgcccgcacagcagatcatcaaccgctggcaggag
gtgggcaaggccatgtacgcccccccccatccgcccggcagatccgctgcagcagcaacatcacggc
ctgctgctgacccgagcggcggaaggagatcagcaacaccaccagatcttccgccccggcggc
ggcgacatgcgcgacaactggcgagcagcagctgtacaagtacaagggtggtgaagatcgagccccg
ggcggtggccccccaccaaggccaagcgccgctggtgagcgcgagaagcgcgccgtgacctgggc
gccatgttccctgggcttccctgggcccggcgccgagcaccatgggcccggcagcctgacctgacc
gtgcaggcccgcagctgctgagcgccatcgtgcagcagcagaacaacctgctgcgcgccatcgag
gcccagcagcacctgctgcagctgacctgtggggcatcaagcagctgcaggcccgcgtgctggcc
gtggagcgctacctgaaggaccagcagctgctggggcatctggggctgcagcggcaagctgatctgc
accaccgcccgtgcccctggaacgcccagctggagcaacaagagcctggaccagatctggaacaacatg
acctggatggagtgggagcgcgagatcgacaactacaccaacctgatctacacctgatcgaggag
agccagaaccagcaggagaagaacgagcaggagctgctggagctggacaagtgggcccagcctgtgg
aactggttcgacatcagcaagtggctgtggtacatcaagatcttcatcatgatcgtgggcccgtg
gtgggcccgtgcgcacatcgtgttccaccgtgctgagcatcgtgaaccgctgcgcaggggctacagcccc
ctgagcttccagaccgccttccccgcccccccgggccccgacgccccgagggcatcgaggaggag
ggcgggcagcgcgaccgagcagcagcagccccctggtgcacggcctgctggccctgatctgggac
gacctgcgcagcctgtgcctgttcagctaccaccgctgcgcgacctgatcctgatcgccgcccgc
atcgtggagctgctgggcccgcggctgggagggccctgaagtactggggcaacctgctgcagtac
tggatccaggagctgaagaacagcgccgtgagcctgttcgacgccatcgccatcgccgtggccgag
ggcaccgaccgcatcatcgaggtggcccagcgcatcgcccgcccttctgcacatcccccgccgc
atccgccagggttcgagcgcgccctgctgtaactcgag

FIG. 35

(SEQ ID NO:48)

47 / 131

gp160.modSF162.delV2

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgtgggagaagctgtgggtgaccgtgtactacggcggtgcccgtgtggaag
gaggccaccaccacctgttctgcgccagcgacgccaaggcctacgacaccgaggtgcacaacgtg
tgggcccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatggtggagcagatgcacgaggacatcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctgaccctgactgcaccaacctg
aagaacgcccaccaacaccaagagcagcaactggaaggagatggaccgaggagatcaagaactgc
agcttcaaggtggggcgccggcaagctgatcaactgcaacaccagcgtgatcaccaggcctgcccc
aaggtgagcttcgagcccatccccatccactactgcgcccccgccggttcgccatcctgaagtgc
aacgacaagaagtccaacggcagcgccctgtgcaccaacgtgagcaccgtgcagtgcacccacggc
atccgccccgtggtgagcaccagctgctgctgaacggcagcctggccgaggaggcggtgggtgatc
cgcagcgagaacttcacggacaacgccaagaccatcatcgtgcagctgaaggagagcgtggagatc
aactgcacccgcccccaacaacaacacccgcaagagcatcaccatcgcccccggccgccccttctac
gccaccggcgacatcatcgggcagatccgcccaggccactgcaacatcagcggcgagaagtggaaac
aacaccctgaagcagatcgtgaccaagctgcaggccagttcggaacaagaccatcgtgttcaag
cagagcagcgccggcgaccccgagatcgtgatgcacagcttcaactgcccggcgaggttcttctac
tgcaacagcagcccgagctgttcaacagcacctggaacaacaccatcgcccccacaacaacacccggc
accatcaccctgcccgtgcccgcacatcaagcagatcatcaaccgctggcaggaggtgggcaaggccatg
tacgcccccccccatccgcccgcagatccgctgcagcagcaacatcaccggcctgctgctgacccgc
gacggcgccgaaggagatcagcaacaccacagagatcttcgccccggcgccggcgacatgcgcgac
aactggcgagcgagctgtacaagtacaaggtggtgaagatcgagcccccggcggtggccccacc
aaggccaagcgcccgctgggtgcagcgcgagaagcgcgccgtgaccctggcgccatgttcttgggc
ttcttggcgcccgccggcagcaccatggggcgcccgagcctgaccctgaccgtgcaggcccgccag
ctgctgagcgccatcgtgcagcagcagaacaacctgctgcgcgcccacgagggccagcagcacctg
ctgcagctgaccgtgtggggcatcaagcagctgcaggcccgctgctggccgtggagcgtacctg
aaggaccagcagctgctggggcatctgggggtgcagcggcaagctgatctgcaccaccgcccgtgcc
tggaaacgcccagctggagcaacaagagcctggaccagatctggaacaacatgacctggatggagtgg
gagcgcgagatcgacaactracaccaacctgatctacacctgatcgaggagagccagaaaccagcag
gagaagaacgagcaggagctgctggagctggacaagtgggcccagcctgtggaactggttcgacatc
agcaagtggctgtggtacatcaagatcttcatcatgatcgtggcgccctggggggcctgcgcatc
gtgttcaccgtgctgagcatcgtgaaccgctgcgcccagggtacagccccctgagcttccagacc
cgcttccccgcccccccgcccccagccgccccgagggcatcgaggaggagggcgccgagcgcgac
cgcgaccgcagcagccccctggtgcacggccctgctggccctgatctgggaagacctgcgcagcctg
tgccctgttcagctaccaccgcccgtgcgcgacctgatcctgatcgccgcccgcacgtggagctgctg
ggccgcccggctgggaggccctgaagtactggggcaacctgctgcagtaactggatccaggagctg
aagaacagcgccgtgagcctgttcgacgccatcgccatcgccgtggccgaggccaccgaccgcatc
atcgaggtggcccagcgcacggccgccccttctgacatcccccgccgcatccgcccagggttc
gagcgcgcccgtgctgtaactcgag

FIG. 36

(SEQ ID NO:49)

48 / 131

gp160.modSF162.delV1V2

gaattcgccaccatggatgcaatgaagagagggctctgctgtgtgctgctgctgtgtggagcagtc
ttcgtttcgcccagcgccgaggagaagctgtgggtgaccgtgtactacggcggtgcccgtgtggaag
gagggccaccaccacctgttctgcgccagcgacgccaaggcctacgacaccgagggtgcacaacgtg
tggggccaccacgcctgctgcccaccgaccccaacccccaggagatcgtgctggagaacgtgacc
gagaacttcaacatgtggaagaacaacatgggtggagcagatgcacgagga catcatcagcctgtgg
gaccagagcctgaagccctgctggaagctgacccccctgtgctggggcgcggcaactgccagacc
agcgtgatcaccagggcctgcccgaaggtgagcttcgagcccatccccatccactactgcccccc
gcccgttctgcccctcctgaagtgcacgacaagaagttcaacggcagcggccccctgcaccaacgtg
agcaccgtgcagtgacccacggcatccgccccctgggtgagcaccagctgctgtgtaacggcagc
ctggccgaggagggcgctggtgatccgcagcgagaacttcaccgacaacgcgaagaccatcatcgtg
cagctgaaggagagcgtggagatcaactgcacccgcccccaacaacacccgcaagagcatcacc
atcggcccccgccgcgccttctacgcccacggcgacatcatcggcgacatccgcccaggccccactgc
aacatcagcggcgagaagtggaaacaacacctgaagcagatcgtgaccaagctgcaggccccagttc
ggcaacaagaccatcgtgttcaagcagagcagcggcgggcgacccccgagatcgtgatgcacagcttc
aactgccccggcgagttcttctactgcaacagcaccagctgttcaacagcacctggaacaacacc
atcggcccccaacaacaccaacggcaccatcaccctgcccctgcccgcacaaagcagatcatcaaccgc
tggcaggaggtgggcaaggccatgtacgccccccccatccgcccgcagatccgctgcagcagcaac
atcacccggcctgctgctgacccgcgacggcggaaggagatcagcaacaccaccgagatcttccgc
ccccggcgccgagacatgcccgaactggcgagcagctgtacaagtacaaggtggtgaagatc
gagccccctgggctggccccccaccaaggccaaagcgccgctggtgcagcgcgagaagcgccgctg
accttggggcgccatgttccctgggcttccctggggcgccgcccgcagcaccatgggccccgcagcctg
acctgaccgtgcaggccccgcagctgctgagcggcatcgtgcagcagcagaacaacctgctgccc
gccatcgaggccccagcagcacctgctgcagctgacccgtgtggggcatcaagcagctgcaggccccgc
gtgctggccgtggagcgtacctgaaggaccagcagctgctggggcatctggggctgcagcggcaag
ctgatctgcaccaccgcccgtgcccctggaacgcacagctggagcaacaagagcctggaccagatctgg
aacaacatgacctggatggagtgggagcgcgagatcgacaactacaccaacctgatctacacctg
atcgaggagagccagaaccagcaggagaagaacagagcaggagctgctggagctggacaagtgggccc
agcctgtggaaactgggttcgacatcagcaagtggctgtggtacatcaagatcttcacatcatgatcgtg
ggcgccctggtgggcttgcgcatcgtgttccaccgtgctgagcatcgtgaaacggcgtgcgccaggggc
tacagccccctgagcttccagacccgcttccccgccccccggggccccgaacggccccgagggcatc
gaggaggagggcgccgagcgcgacccgcagccgagcagcccccctgggtgcaaggcctgctggccctg
atctgggacgacctgcccagcctgtgcccgttcagctaccaccgcccgcgagacctgatcctgatc
gcccggccgcatcgtggagctgctggggcgccgcccggctgggaggccctgaagtactggggcaacctg
ctgcagtactggatccaggagctgaagaacagcgcgctgagcctgttcgacgcccacgcccacgccc
gtggccgagggcaccgaccgcatcatcgaggtggcccagcgcacatcgcccgccgcttccctgcacatc
ccccgcgcatccgcccagggttcgagcgcgcccctgctgtaactcgag

FIG. 37

(SEQ ID NO:50)

49 / 131

gp120wtUS4

ACAACAGTCTTGTGGGTCACAGTCTATTATGGGGTACCTGTGTGGAAAGAAG
CAACCACCACTCTGTTTTGTGCATCAGATGCTAAAGCATACAAAGCAGAGGC
ACATAACGTCTGGGCTACACATGCCTGTGTACCCACAGACCCCAACCCACAG
GAAGTAAATTTAACAAATGTGACAGAAAATTTAACATGTGGAAAAATAACA
TGGTGGAACAGATGCATGAGGATATAATCAGTTTATGGGATCAAAGCCTAAA
GCCATGTGTAAAATTAACCCCACTCTGTGTTACTTTAAATTGTACTGATAAGT
TGACAGGTAGTACTAATGGCACAAATAGTACTAGTGGCACTAATAGTACTAG
TGGCACTAATAGTACTAGTACTAATAGTACTGATAGTTGGGAAAAGATGCCA
GAAGGAGAAATAAAAACTGCTCTTTCAATATCACCACAAGTGTAAGAGATA
AAGTGCAGAAAGAATATTCTCTCTCTATAAACTTGATGTAGTACCAATAGAT
AATGATAATGCTAGCTATAGATTGATAAATTGTAATACCTCAGTCATTACACA
AGCCTGTCCAAAGGTATCTTTTGAACCAATTCCCATACATTATTGTGCCCCGG
CTGGTTTTGCGATTCTAAAGTGTAAGATAAGAAGTTCAATGGAACAGGACC
ATGTAAAAATGTCAGCACAGTACAATGCACACATGGAATTAGACCAGTAGTA
TCAACTCAACTGCTGTAAATGGCAGTCTAGCAGAAGAAGAGATAGTACTTA
GATCTGAAAATTTACAGACAATGCTAAAACCATAATAGTACAGCTGAATGA
ATCTGTAGAAATTAATTGTATAAGACCCAACAATAATACAAGAAAAAGTATA
CATATAGGACCAGGGAGAGCATTTTATGCAACAGGTGATATAATAGGAGACA
TAAGACAAGCACATTGTAACATTAGTAAAGCAAAGTGGACTAACACTTTAGA
ACAGATAGTTGAAAAATTAAGAGAACAATTTGGGAATAATAAAACAATAATC
TTTAATTCATCCTCAGGAGGGGACCCAGAAATTGTATTCACAGTTTTAATTG
TGGAGGGGAATTTTTCTATTGTAATACATCACAATTTAATAGTACCTGGA
ATATTACTGAAGAGGTAAATAAGACTAAAGAAAATGACACTATCATACTCCC
ATGCAGAATAAGACAAATTATAACATGTGGCAAGAAGTAGGAAAAGCAAT
GTATGCCCCCTCCCATCAGAGGACAAATTAATGTTTCATCAAATATTACAGGG
CTGCTATTAAGTAGAGATGGTGGTACTAACAAATAATAGGACGAACGACACCG
AGACCTTCAGACCTGGGGGAGGAAACATGAAGGACAATTGGAGAAGTGAAT
TATATAAATATAAAGTAGTAAGAATTGAACCATTAGGAGTAGCACCCACCCA
GGCAAAGAGAAGAGTGGTGCAAAGAGAGAAAAAGA

FIG. 38

(SEQ ID NO:51)

50 / 131

gp140wtUS4

ACAACAGTCTTGTGGGTCACAGTCTATTATGGGGTACCTGTGTGGAAAGAAG
CAACCACCACTCTGTTTTGTGCATCAGATGCTAAAGCATACAAAGCAGAGGC
ACATAACGTCTGGGCTACACATGCCTGTGTACCCACAGACCCCAACCCACAG
GAAGTAAATTTAACAAATGTGACAGAAAATTTTAAACATGTGGAAAAATAACA
TGGTGGAACAGATGCATGAGGATATAATCAGTTTATGGGATCAAAGCCTAAA
GCCATGTGTAAAATTAACCCCACTCTGTGTTACTTTAAATTGTAAGTATAAGT
TGACAGGTAGTACTAATGGCACAATAAGTACTAGTGGCACTAATAGTACTAG
TGGCACTAATAGTACTAGTACTAATAGTACTGATAGTTGGGAAAAGATGCCA
GAAGGAGAAATAAAAACTGCTCTTTCAATATCACCACAAGTGTAAGAGATA
AAGTGCAGAAAGAATATTCTCTCTTCTATAAACTTGATGTAGTACCAATAGAT
AATGATAATGCTAGCTATAGATTGATAAATTGTAATACCTCAGTCATTACACA
AGCCTGTCCAAAGGTATCTTTTGAACCAATTCCCATAACATTATTGTGCCCCGG
CTGGTTTTGCGATTCTAAAGTGTAAGATAAGAAGTTCAATGGAACAGGACC
ATGTAAAAATGTCAGCACAGTACAATGCACACATGGAATTAGACCAGTAGTA
TCAACTCAACTGCTGTAAATGGCAGTCTAGCAGAAGAAGAGATAGTACTTA
GATCTGAAAATTTACAGACAATGCTAAAACCATAATAGTACAGCTGAATGA
ATCTGTAGAAATTAATTGTATAAGACCCAACAATAATACAAGAAAAAGTATA
CATATAGGACCAGGGAGAGCATTATGCAACAGGTGATATAATAGGAGACA
TAAGACAAGCACATTGTAACATTAGTAAAGCAAACCTGGACTAACACTTTAGA
ACAGATAGTTGAAAAATTAAGAGAACAATTTGGGAATAATAAAACAATAATC
TTTAATTCATCCTCAGGAGGGGACCCAGAAATTGTATTTACAGTTTTAATTG
TGGAGGGGAATTTTTCTATTGTAATACATCAACTATTTAATAGTACCTGGA
ATATTACTGAAGAGGTAAATAAGACTAAAGAAAATGACACTATCATACTCCC
ATGCAGAATAAGACAAATTATAAACATGTGGCAAGAAGTAGGAAAAGCAAT
GTATGCCCTCCCATCAGAGGACAAATTAATGTTTCATCAAATATTACAGGG
CTGCTATTAAGTAGAGATGGTGGTACTAACAATAATAGGACGAACGACACCG
AGACCTTCAGACCTGGGGGAGGAAACATGAAGGACAATTGGAGAAGTGAAT
TATATAAATATAAAGTAGTAAGAATTGAACCATTAGGAGTAGCACCCACCCA
GGCAAAGAGAAGAGTGGTGCAAAGAGAGAAAAGAGCAGTGGGACTAGGAG
CTTTGTTTCATTGGGTTCTTGGGAGCAGCAGGAAGCACTATGGGCGCAGCGTC
AGTGACGCTGACGGTACAGGCCAGACAATTATTGTCTGGTATAGTGCAACAG
CAGAACAATTTGCTGAGAGCTATTGAGGCGCAACAGCATCTGTTGCAACTCA
CGGTCTGGGGCATCAAACAGCTCCAGGCAAGAATCCTGGCTGTGGAAAGATA
CCTAAAGGATCAACAGCTCCTAGGGATTGGGGTTGCTCTGGAAAACCTCATT
GCACCACTACTGTGCCTTGGAACCTAGTTGGAGTAATAAATCTCTGACTGAG
ATTTGGGATAATATGACCTGGATGGAGTGGGAAAGAGAAATTGGCAATTATA
CAGGCTTAATATACAATTTAATTGAAATAGCACAAAACCAGCAAGAAAAGAA
TGAACAAGAATTATTGGAATTAGACAAGTGGGCAAGTTTGTGGAATTGGTTT
GATATAACAAACTGGCTGTGGTATATA

FIG. 39

(SEQ ID NO:52)

51 / 131

gp160wtUS4

ACAACAGTCTTGTGGGTCACAGTCTATTATGGGGTACCTGTGTGGAAAGAAG
CAACCACCACTCTGTTTTGTGCATCAGATGCTAAAGCATACAAAGCAGAGGC
ACATAACGTCTGGGCTACACATGCCTGTGTACCCACAGACCCCAACCCACAG
GAAGTAAATTTAACAAATGTGACAGAAAATTTAACATGTGGAAAAATAACA
TGGTGGAACAGATGCATGAGGATATAATCAGTTTATGGGATCAAAGCCTAAA
GCCATGTGTAAAATTAACCCCACTCTGTGTTACTTTAAATTGTAAGTATAAGT
TGACAGGTAGTACTAATGGCACAATAGTACTAGTGGCACTAATAGTACTAG
TGGCACTAATAGTACTAGTACTAATAGTACTGATAGTTGGGAAAAGATGCCA
GAAGGAGAAAATAAAAACTGCTCTTTCAATATCACCACAAGTGTAAGAGATA
AAGTGCAGAAAAGAATATTCTCTCTCTATAAACTTGATGTAGTACCAATAGAT
AATGATAATGCTAGCTATAGATTGATAAATTGTAATACCTCAGTCATTACACA
AGCCTGTCCAAAGGTATCTTTTGAACCAATTCCCATACATTATTGTGCCCGG
CTGGTTTTGCGATTCTAAAGTGTAAGATAAGAAGTTCAATGGAACAGGACC
ATGTAAAAATGTCAGCACAGTACAATGCACACATGGAATTAGACCAGTAGTA
TCAACTCAACTGCTGTTAAATGGCAGTCTAGCAGAAGAAGAGATAGTACTTA
GATCTGAAAATTTACAGACAATGCTAAAACCATAATAGTACAGCTGAATGA
ATCTGTAGAAAATTAATTGTATAAGACCCAACAATAATACAAGAAAAAGTATA
CATATAGGACCAGGGAGAGCATTTTATGCAACAGGTGATATAATAGGAGACA
TAAGACAAGCACATTGTAAACATTAGTAAAGCAAACCTGGACTAACACTTTAGA
ACAGATAGTTGAAAAATTAAGAGAACAATTTGGGAATAATAAAACAATAATC
TTTAATTCATCCTCAGGAGGGGACCCAGAAATTGTATTTACAGTTTTAATTG
TGGAGGGGAATTTTTCTATTGTAAATACATCACAATTTAATAGTACCTGGA
ATATTACTGAAGAGGTAAATAAGACTAAAGAAAATGACACTATCATACTCCC
ATGCAGAATAAGACAAATTATAAACATGTGGCAAGAAGTAGGAAAAGCAAT
GTATGCCCCCTCCCATCAGAGGACAAATTAATGTTCATCAAATATTACAGGG
CTGCTATTAAGTAGAGATGGTGGTACTAACAATAATAGGACGAACGACACCG
AGACCTTCAGACCTGGGGGAGGAAACATGAAGGACAATTGGAGAAGTGAAT
TATATAAATATAAAGTAGTAAGAATTGAACCATTAGGAGTAGCACCCACCCA
GGCAAAGAGAAGAGTGGTGCAAAGAGAGAAAAGAGCAGTGGGACTAGGAG
CTTTGTTCATTGGGTTCTTGGGAGCAGCAGGAAGCACTATGGGCGCAGCGTC
AGTGACGCTGACGGTACAGGCCAGACAATTATTGTCTGGTATAGTGCAACAG
CAGAACAATTTGCTGAGAGCTATTGAGGCGCAACAGCATCTGTTGCAACTCA
CGGTCTGGGGCATCAACAGCTCCAGGCAAGAATCCTGGCTGTGGAAAGATA
CCTAAAGGATCAACAGCTCCTAGGGATTTGGGGTTGCTCTGGAAAACCTCATTT
GCACCACTACTGTGCCTTGGAACCTCTAGTTGGAGTAATAAATCTCTGACTGAG
ATTTGGGATAATATGACCTGGATGGAGTGGGAAAGAGAAAATTGGCAATTATA
CAGGCTTAATATACAATTTAATTGAAATAGCACAAAACCAGCAAGAAAAGAA
TGAACAAGAATTATTGGAATTAGACAAGTGGGCAAGTTTGTGGAATTGGTTT
GATATAACAACTGGCTGTGGTATATAAGAATATTCATAATGATAGTAGGAG
GCTTGATAGGTTTAAGAATAGTTTTTGTGCTGTAATTTCTATAGTGAATAGAGTT
AGGCAGGGATACTACCAATATCATTGCAGACCCGCCTCCAGCTCAGAGGG

FIG. 40A

(SEQ ID NO:53)

52 / 131

GACCCGACAGGCCCGAAGGAATCGAAGAAGAAGGTGGAGAGAGAGACAGA
GACAGATCCAATCGATTAGTGCATGGATTATTGGCACTCATCTGGGACGATCT
GCGGAGCCTGTGCCTCTTCAGCTACCACCGCTTGAGAGACTTACTCTTGATTG
TAGCGAGGATTGTGGAACCTTCTGGGACGCAGGGGGTGGGAAGCCCTCAAGTA
TTGGTGGAATCTCCTGCAGTATTGGAGTCAGGAGCTAAAGAGTAGTGCTGTT
AGTTTGTTTAATGCCACAGCAATAGCAGTAGCTGAAGGGACAGATAGGATTA
TAGAAATAGTACAAAGAATTTTATAGAGCTGTAATTCACATACCTAGAAGAAT
AAGACAGGGCTTGGAGAGGGCTTTACTATAA

FIG. 40B

(SEQ ID NO:53)

53 / 131

gp120.modUS4

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGGAGCA
GTCTTCGTTTCGCCCCAGCGCCACCAACCGTGCTGTGGGTGACCGTGTAACGCGGTGCCCGTG
TGGAAGGAGGCCACCAACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAGGCCGAGGC
CCACAACGTGTGGGCCACCAACGCTGCGTGCCACCGACCCCAACCCCCAGGAGGTGAACC
TGACCAACGTGACCGAGAATTCAACATGTGGAAGAACACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAAGCTGACCCCCCTGTGCGTG
ACCCTGAACTGCACCGACAAGCTGACCGGCAGCACCAACGGCACCAACAGCACCAGCGGCAC
CAACAGCACCAAGCGGCACCAACAGCACCAGCACCAACAGCACCGACAGCTGGGAGAAAGATG
CCCGAGGGCGAGATCAAGAACTGCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA
GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCCATCGACAACGACAACGCCAGCT
ACCGCCTGATCAACTGCAACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTTCGAGC
CCATCCCCATCCACTACTGCGCCCCCGCCGGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGT
TCAACGGCACCGGCCCTGCAAGAACGTGAGCACCGTGCAAGTGACCCACGGCATCCGCCCC
GTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTC
CGAGAACTTCACCGACAACGCCAAGACCATCATCGTGCACTGAACGAGTCCGTGGAGATCA
ACTGCATCCGCCCCAACAACAACGCGTAAGAGCATCCACATCGGCCCGCGCGCCTTCT
ACGCCACCGCGGACATCATCGGCGACATCCGCCAGGCCACTGCAACATCAGCAAGGCCAAC
TGGACCAACACCCTCGAGCAGATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGAC
CATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGATCGTGTTCCAAGCTTCAACTGCGG
CGGCGAGTTCTTCTACTGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGA
GGTGAACAAGACCAAGGAGAACGACACCATCATCCTGCCCTGCCGATCCGCCAGATCATCA
ACATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGC
AGCAGCAATATTACCGGCTGTGTGTGAEEEGCGACGGEGGCACCAACAACAEEGEACCAA
CGACACCGAGACCTTCGCCCGCGGCGGCAACATGAAGGACAACCTGGCGCAGCGAGCTGT
ACAAGTACAAGGTGGTGCGCATCGAGCCCCCTGGGCGTGGCCCCACCCAGGCCAAGCGCCGC
GTGGTGCAAGCGGAGAAAGCGCTAAGATCGGATCCTCTAGA

FIG. 41

(SEQ ID NO:54)

54 / 131

gp120.mod.US4.del128-194

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGG
AGCAGTCTTCGTTTTGCCCCAGCGCCACCACCGTGCTGTGGGTGACCGTGTAACGCGG
TGCCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTAC
AAGGCCGAGGCCCAACGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCC
CCAGGAGGTGAACCTGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGG
TGGAGCAGATGCATGAGGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTG
AAGCTGACCCCCCTGTGCGTGGGGGCAGGGAAGTGCAGAGACCAGCGTGATCAGCCAGGC
CTGCCCCAAGGTGAGCTTCGAGCCCATCCCCATCCACTACTGCGCCCCCGCGGCTTCG
CCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCGGCCCTGCAAGAACGTGAGC
ACCGTGCAAGTGACCCACGGCATCCGCCCCGTGGTGAGCAGCCAGCTGCTGCTGAACGG
CAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACTTACCGACAACGCCAAGA
CCATCATCGTGAGCTGAACGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAACAAC
ACGCGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACGCCACCGGCGACATCAT
CGGCGACATCCGCCAGGCCCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCCCTCG
AGCAGATCGTGAGAGCTGCGCGAGCAGTTCCGCAACAACAAGACCATCATCTTCAAC
AGCAGCAGCGCGCGGACCCCGAGATCGTGTTCCACAGCTTCAACTGCGGCGGCGAGTT
CTTCTACTGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGAGGTGA
ACAAGACCAAGGAGAACGACACCATCATCCTGCCCTGCCGCATCCGCCAGATCATCAAC
ATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTG
CAGCAGCAATATTACCGGCCTGCTGCTGACCCGCGACGGCGGCACCAACAACAACCGCA
CCAACGACACCGAGAGCTTGGGGGGGGGGGGGGGAACATGAAGGACAACCTGGCGCAGC
GAGCTGTACAAGTACAAGGTGGTGCGCATCGAGCCCCTGGGCGTGGCCCCACCCAGGC
CAAGCGCCGCGTGGTGACGCGGAGAAGCGCTAAGATATCGGATCCTCTAGA

FIG. 42
(SEQ ID NO:55)

55 / 131

gp140.modUS4

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGGAGCA
GTCTTCGTTTTCGCCAGCGCCACCACCGTGCTGTGGGTGACCGTGTAACGGCGTGCCCGTG
TGGGAAGGAGGCCACCAACACCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAGGCCGAGGC
CCACAACGTGTGGGCCACCCACGCTGCGTGCCACCGACCCCAACCCCAAGGAGGTGAACC
TGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTGACCCCTGTGCGTG
ACCTGAACTGCACCGACAAGCTGACCGGCAGCACCAACGGCACCAACAGCACCGACAGCTGGGAGAAATG
CAACAGCACCGAGCGGCAACAGCACAGCACCAACAGCACCGACAGCTGGGAGAAATG
CCCGAGGGCGAGATCAAGAACTGCAGCTTCAACATCACCAACAGCGTGCGCGACAAGGTGCA
GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCCATCGACAACGACAACGCGAGCT
ACCGCCTGATCAACTGCAACACAGCGTGATCACCAAGGCTGCCCAAGGTGAGCTTCGAGC
CCATCCCCATCCACTACTGCGCCCCCGCGGCTTCGCCATCCTGAAAGTGCAAGGACAAGAAT
TCAACGGCACCGGCCCCCTGCAAGAACGTGAGCACCGTGCAAGTGCAACCCACGGCATCCGCCCC
GTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTC
CGAGAACTTCACCGACAACGCCAAGACCATCATCGTGACGTGAACGAGTCCGTGGAGATCA
ACTGCATCCGCCCCAACAACAACAGCGTAAGAGCATCCACATCGGCCCGCGCGCCTTCT
ACGCCACCGGCGACATCATCGGCGACATCCGCCAGGCCACTGCAACATCAGCAAGGCCAAC
TGGACCAACACCCCTCGAGCAGATCGTGGAGAAAGTGGCGGAGCAGTTGCGCAACAACAAGAC
CATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGATCGTGTTCCACAGCTTCAACTGCGG
CGGCGAGTTCTTCTACTGCAACACAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGA
GGTGAACAAGACCAAGGAGAACGACACCATCATCCTGCCCTGCCGCA TCCGCCAGATCATCA
ACATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGC
AGCAGCAATATTACCGGCTGTGCTGACCCGCGACGGCGGCACCAACAACAACCGCACCA
CGACACCGAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAACCTGGCGCAGCGAGCTGT
ACAAGTACAAGGTGGTGCGCATCGAGCCCCTGGGCGTGGCCCCCAACAGGCCAAGCGCCGC
GTGGTGACGCGGAGAAGCGCGCCGTGGGCGCCTGTTTCATCGGCTTCTTGGGCGCC
GCCGGGAGCACCATGGGCGCGCCTCCGTGACCCCTGACCGTGAGGCGGCGAGCTGCTGAG
CGGCATCGTGACGAGCAGACAACCTGCTGCGCGCCATCGAGGCCAGCAGCACCTGCTGC
AGCTGACCGTGTGGGCGATCAAGCAGCTGCAGGCCCCGCATCCTGGCCGTGGAGCGCTACCTG
AAGGAOCAGCAGCTGCTGGGCGATCTGGGCTGACGCGGCAAGCTGATCTGCACCACCACCGT
GCCCTGGAACAGCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAACATGACCTGGA
TGGAGTGGGAGCGGAGATCGGCAACTACCCGCGCTGATCTAACCTGATCGAGATCGCC
CAGAACCAGCAGGAGAAGAAGCAGCAGGAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGT
GGAAGTGGTTCGACATCACCAACTGGCTGTGGTACATCTAAGATATCGGATCCTCTAGA

FIG. 43

(SEQ ID NO:56)

56 / 131

gp140.mut.modUS4

GAATTCGCCACCATGGATGCAATGAAGAGAGGGGCTCTGCTGTGTGCTGCTGCTGTGTGGAGCA
GTCTTCGTTTCGCCCAGCGCCACCAACCGTGTGTGGGTGACCGTGTACTACGGCGTGCCCGTG
TGGAAGGAGGGCCACCACCCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAGGCCGAGGC
CCACAACGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAGGAGGTGAACC
TGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTGACCCCCCTGTGCGTG
ACCCTGAAGTGCACCGACAAGCTGACCGGCAGCACCAACGGCACCAACAGCACCCAGCGGCAC
CAACAGCACCCAGCGGCACCAACAGCACCCAGCACCAACAGCACCCGACAGCTGGGAGAAGATG
CCCCGAGGGCGAGATCAAGAACTGCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA
GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCCATCGACAACGACAACGCCAGCT
ACCGCCTGATCAACTGCAACACCAGCGTGATCACCCAGGCCTGCCCAAGGTGAGCTTCGAGC
CCATCCCCATCCACTACTGCGCCCCCGCGGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGT
TCAACGGCACCGGCCCTGCAAGAACGTGAGCACCGTGACGTGCAGTGACCCACGGCATCCGCCCC
GTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTC
CGAGAACTTCACCGACAACGCCAAGACCATCATCGTGACGTGAACGAGTCCGTGGAGATCA
ACTGCATCCGCCCCAACAAACAACACGCGTAAGAGCATCCACATCGGCCCGGCCGCGCCTTCT
ACGCCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCAAGGCCAAC
TGGACCAACACCCTCGAGCAGATCGTGGAGAAGCTGCGCGAGCAGTTTCGGCAACAACAAGAC
CATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGATCGTGTTCCAAGCTTCAACTGCGG
CGGCGAGTTCTTCTACTGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGA
GGTGAACAAGACCAAGGAGAACGACACCATCATCCTGCCCTGCCGCA TCCGCCAGATCATCA
ACATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGC
AGCAGCAATATTACCGCCTGCTGCTGACCCGCGACGGCGGCCACCAACAACAACCGCACCA
CGACACCGAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAACCTGGCGCAGCGAGCTGT
ACAAGTACAAGGTGGTGCGCATCGAGCCCCTGGGCGTGCGCCCCACCCAGGCCAAGCGCCGC
GTGGTGACGCGGAGAAGAGCGCCGTGGGCGCTGGGCGCCCTGTTTCATCGGCTTCTGGGCGCC
GEEGGGAGEAEGATGGGGGGGEGCTEGGTGAGGCTGAGGCTGCAAGGCCGCGCAGCTGCTGAG
CGGCATCGTGACGACGAGCAACAACCTGCTGCGCGCCATCGAGGCCAGCAGCACTGCTGC
AGCTGACCGTGTGGGGCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCGCTACCTG
AAGGACCAAGCAGCTGTGGGCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACCAACACCGT
GCCCTGGAACAGCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAACATGACCTGGA
TGGAGTGGGAGCGCGAGATCGGCAACTACACCGGCCTGATCTACAACCTGATCGAGATCGCC
CAGAACCAGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGT
GGAAGTGGTTCGACATCACCAACTGGCTGTGGTACATCTAAGATATCGGATCCTCTAGA

FIG. 44

(SEQ ID NO:57)

57 / 131

gp140.TM.modUS4

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGGAGCA
GTCTTCGTTTCGCCCAGCGCCACCACCGTGCTGTGGGTGACCGTGTAACGCGTGCCCGTG
TGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAGGCCGAGGC
CCACAACGTGTGGGCCACCCACGCTGCGTGCCACCGACCCCAACCCCAAGGAGGTGAACC
TGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACAGAGCCTGAAGCCCTGCGTGAAGCTGACCCCTGTGCGTG
ACCTGAACTGCACCGACAAGCTGACCGGCAGCAACCAACGGCACCAACAGCACCGAGCGGCAC
CAACAGCACCGCGCACCAACAGCACCCAGCACCAACAGCACCGACAGCTGGGAGAAAGATG
CCCGAGGGCGGAGATCAAGAAGTGCAGCTTCAACATCAACACCAGCGTGCGCGACAAGGTGCA
GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCCATCGACAACGACAACGCCAGCT
ACCGCTGATCAACTGCAACACCAGCGTGATCACCCAGGCTGCCCCAAGGTGAGCTTCGAGC
CTATCCCCATCCAATACTGCGCCCCCGCGGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGT
TCAACGGCACCGGCCCTGCAAGAACGTGAGCACCGTGCAAGTGCAACCCACGGCATCCGCCCC
GTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGATCGTGCTGCGCTC
CGAGAACTTCAACGACAACGCCAAGACCATCATCGTGAGCTGAACGAGTCCGTGGAGATCA
ACTGCATCCGCCCCAACAACAACACGCGTAAGAGCATCCACATCGGCCCCGGCCGCGCTTCT
ACGCCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCAAGGCCAAC
TGGACCAACACCTCTGAGCAGATCGTGAGAAAGCTGCGCGAGCAGTTCCGCAACAACAAGAC
CATCATCTTCAACAGCAGCAGCGGCGGCGACCCGAGATCGTGTTCCACAGCTTCAACTGCGG
CGGCGAGTTCTTCTACTGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGA
ACATGTGGCAGGAGGTGGGCAAGGCCATGTAACCCCCCATCCGCGGCCAGATCAAGTGC
AGCAGCAATATTACCGGCTGCTGCTGACCCGCGACGGCGGCAACCAACAACCGCACCA
CGACACCGAGACCTTCCGCCCCGGCGGCGCAACATGAAGGACAACCTGGCGCAGCGAGCTGT
ACAAGTACAAGGTGGTGCGCATCGAGCCCCCTGGGCGTGGCCCCCAACCGCAAGCGCCG
GTGGTGACGCGGAGAAAGCGCGCCGTGGGCTGGGCGCCCTGTTTCATCGGCTTCTGGGCGCC
GCCGGGAGCACCATGGGCGCCCTCCGTGACCTGACCGTGACGGCCCGCCAGCTGCTGAG
CGGCATCGTGACGAGCAGAAACAACCTGCTGCGCGCCATCGAGGCCCAAGGAGGTGGTGC
AGCTGACCGTGTGGGGCATCAAGCAGCTGACGGCCCGCATCCTGGCCGTGGAGCGCTACCTG
AAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGCGGCAAGCTGATCTGCAACCAACCGT
GCCCTGGAACAGCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAACATGACCTGGA
TGGAGTGGGAGCGGAGATCGGCAACTACCCGCGCTGATCTACAACCTGATCGAGATCGCC
CAGAACCAGCAGGAGAAGAAGCAGCAGGAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGT
GGAAGTGGTTCGACATCAACCACTGGCTGTGGTACATCCGCACTTCATCATGATCGTGGGCG
GCCTGATCGGCTGCGCATCGTGTTCCGCGTGCTGAGCATCGTGTAAGATATCGGATCCTCTA
GA

FIG. 45

(SEQ ID NO:58)

58 / 131

Gp140modUS4.DV1V2

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGC
TGTGTGGAGCAGTCTTCGTTTCGCCCAGCGCCACCACCGTGCTGTGGGTGACC
GTGTAACACGGCGTGCCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCG
CCAGCGACGCCAAGGCTTACAAGGCCGAGGCCACAACGTGTGGGCCACCCA
CGCCTGCGTGCCCAACCGACCCCAACCCCAAGGAGGTGAACCTGACCAACGTG
ACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGGGCGCCGCC
AGGCCTGCCCCAAGGTGAGCTTCGAGCCCATCCCCATCCACTACTGCGCCCC
CGCCGGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCCGGC
CCCTGCAAGAACGTGAGCACCGTGCAAGTGCAACCCACGGCATCCGCCCGTGG
TGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGAGATCGTGCT
GCGCTCCGAGAACTTCAACGACAACGCCAAGACCATCATCGTGACGTGAAC
GAGTCCGTGGAGATCAACTGCATCCGCCCAACAACAACACGCGTAAGAGCA
TCCACATCGGCCCCGGCCGCGCTTCTACGCCACCGGCGACATCATCGGCGA
CATCCGCCAGGCCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCTC
GAGCAGATCGTGGAGAAGCTGCGCGAGCAGTTCCGCAACAACAAGACCATC
ATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGATCGTGTTCCACAGCTTCA
ACTGCGGCGGCGAGTTCTTCTACTGCAACACCAGCCAGCTGTTCAACAGCAC
CTGGAACATCACCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT
CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAGGAGGTGGGCAAG
GCCATGTACGCCCCCCCCATCCGCCGCCAGATCAAGTGCAGCAGCAATATTA
CCGGCCTGCTGCTGACCCGCGACGGCGGCCACCAACAACCGCACCAACGA
CACCGAGACCTTCCGCCCGGCGGCGGCAACATGAAGGACAACCTGGCGCAGC
GAGCTGTACAAGTACAAGGTGGTGCATCGAGCCCCTGGGCGTGGCCCCCA
CCCAGGCCAAGCGCCGCGTGGTGCAGCGCGAGAAGCGCGCCGTGGGCCTGG
GCGCCCTGTTTCATCGGCTTCTGGGCGCCGCCGGGAGCACCATGGGCGCCGC
CTCCGTGACCTGACCGTGEAGGEEGEGGAGGTGCTGAGCGGCATCGTGACG
CAGCAGAACAACCTGCTGCGCGCCATCGAGGCCACGACACCTGCTGCAGC
TGACCGTGTGGGGCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG
CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGCGGCAAGCTG
ATCTGCACCACCACCGTGCCCTGGAACAGCAGCTGGAGCAACAAGAGCCTGA
CCGAGATCTGGGACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGGCA
ACTACACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACCAGCAGGA
GAAGAACGAGCAGGAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGTGGAA
CTGGTTTCGACATCAACCACTGGCTGTGGTACATCTAAGATATCGGATCCTCTA
GA

FIG. 46

(SEQ ID NO:59)

59 / 131

Gp140modUS4.DV2

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGC
TGTGTGGAGCAGTCTTCGTTTCGCCCAGCGCCACCACCGTGCTGTGGGTGACC
GTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCACCACCCTGTTCTGCG
CCAGCGACGCCAAGGCTTACAAGGCCGAGGCCACAACGTGTGGGCCACCCA
CGCCTGCGTGCCACCGACCCCAACCCCAAGGAGGTGAACCTGACCAACGTG
ACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTGACCC
CCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGACCGGCAGCACCAACGG
CACCAACAGCACCGAGCGGCACCAACAGCAGCGGCACCAACAGCACCGAG
CACCAACAGCACCGACAGCTGGGAGAAAGATGCCCGAGGGCGAGATCAAGAA
CTGCAGCTTCAACATCGGCGCCCGCCCTGATCAACTGCAACACCAGCGTG
ATCACCCAGGCCTGCCCCAAGGTGAGCTTCGAGCCCATCCCCATCCACTACT
GCGCCCCCGCCGGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGG
CACCGGCCCTGCAAGAACGTGAGCACCGTGAGTGCACCCACGGCATCCGC
CCCGTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGAGA
TCGTGCTGCGCTCCGAGAACTTCACCGACAACGCCAAGACCATCATCGTGCA
GCTGAACGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACGCGT
AAGAGCATCCACATCGGCCCCCGCCGCGCCTTCTACGCCACCGGCGACATCA
TCGGCGACATCCGCCAGGCCCACTGCAACATCAGCAAGGCCAACTGGACCAA
CACCTCGAGCAGATCGTGGAAGCTGCGCGAGCAGTTCGGCAACAACAA
GACCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGATCGTGTTCCAC
AGCTTCAACTGCGGCGGCGAGTTCTTCTACTGCAACACCAGCCAGCTGTTCAA
CAGCACCTGGAACATCACCGAGGAGGTGAACAAGACCAAGGAGAACGACAC
CATCATCCTGCCCTGCCGATCCGCCAGATCATCAACATGTGGCAGGAGGTG
GGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGCAGCAGCA
ATATTACCGGCCTGCTGCTGACCCGCGACGGCGGCCACCAACAACAACCGCAC
CAACGACACCGAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAACCTG
GCGCAGCGAGCTGTACAAGTACAAGGTGGTGGCATCGAGCCCCTGGGCGTG
GCCCCACCCAGGCCAAGCGCCGCGTGGTGCAGCGCGAGAAGCGCGCCGTG
GGCCTGGGCGCCCTGTTTCATCGGCTTCTGGGCGCCGCGGAGCACCATGG
GCGCCGCTCCGTGACCCTGACCGTGACGGCCCGCCAGCTGCTGAGCGGCAT
CGTGACAGCAGCAGAACAACCTGCTGCGCGCCATCGAGGCCAGCAGCACCTG
CTGCAGCTGACCGTGTGGGGCATCAAGCAGCTGCAGGCCCGCATCCTGGCCG
TGGAGCGCTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGCGG
CAAGCTGATCTGCACCACCACCGTGCCCTGGAACAGCAGCTGGAGCAACAAG
AGCCTGACCGAGATCTGGGACAACATGACCTGGATGGAGTGGGAGCGCGAG
ATCGGCAACTACACCGGCCTGATCTACAACCTGATCGAGATCGCCAGAACC
AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAAGTGGGCCAGCC
TGTGGAAGTGGTTCGACATCACCAACTGGCTGTGGTACATCTAAGATATCGG
ATCCTCTAGA

FIG. 47

(SEQ ID NO:60)

60 / 131

Gp140modmutUS4.DV1V2

GAATTCGCCACCATGGATGCAATGAAGAGAGGGGCTCTGCTGTGTGCTGCTGC
TGTGTGGAGCAGTCTTCGTTTCGCCCAGCGCCACCACCGTGCTGTGGGTGACC
GTGTACTACGGCGTGCCCGTGTTGGAAGGAGGCCACCACCACCTGTTCTGCG
CCAGCGACGCCAAGGCTTACAAGGCCGAGGCCACAACGTGTGGGCCACCC
ACGCCTGCGTGCCCAACGACCCCAACCCCAAGGAGGTGAACCTGACCAACGT
GACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGA
GGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGGGCGCCGGC
CAGGCCTGCCCAAGGTGAGCTTCGAGCCCATCCCCATCCACTACTGCGCCC
CCGCCGGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCCG
CCCCTGCAAGAACGTGAGCACCGTGCAAGTGCAACCCACGGCATCCGCCCGTG
GTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGAGATCGTGC
TGCGCTCCGAGAACTTCACCGACAACGCCAAGACCATCATCGTGCAGCTGAA
CGAGTCCGTGGAGATCAACTGCATCCGCCCAACAACAACGCGTAAGAGC
ATCCACATCGGCCCCGGCCGCGCCTTCTACGCCACCGGCGACATCATEGGCG
ACATCCGCCAGGCCCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCT
CGAGCAGATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGACCAT
CATCTTCAACAGCAGCAGCGGCGGCGACCCGAGATCGTGTTCACAGCTTC
AACTGCGGCGGCGAGTTCTTCTACTGCAACACCAGCCAGCTGTTCAACAGCA
CCTGGAACATCACCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCA
TCCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAGGAGGTGGGCAA
GGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGCAAGCAATATT
ACCGGCCTGCTGCTGACCCGCGACGGCGGCAACAACAACCGCACCAACG
GCGAGCTGTACAAGTACAAGGTGGTGCGCATCGAGCCCCTGGGCGTGGCCCC
CACCCAGGCCAAGCGCCGCGTGGTGACGCGAGAAGAGCGCCGTGGGCCT
GGGCGCCCTGTTTCATCGGCTTCCTGGGCGCCGCGGGAGCACCATGGGCGCC
GCCTCCGTGACCCTGACCGTGCAAGGCCCGCCAGCTGCTGAGCGGCATCGTGC
AGEAGEAGAACAACTGCTGCGCGCCATCGAGGCCAGCAGCACCTGCTGCA
GCTGACCGTGTTGGGGCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAG
CGCTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGCGGCAAGC
TGATCTGCACCACCACCGTGCCCTGGAACAGCAGCTGGAGCAACAAGAGCCT
GACCGAGATCTGGGACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGG
CAACTACACCGGCCTGATCTACAACCTGATCGAGATCGCCAGAACCAGCAG
GAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGTGG
AACTGGTTTCGACATCACCAACTGGCTGTGGTACATCTAAGATATCGGATCCTC
TAGA

FIG. 48

(SEQ ID NO:61)

61 / 131

gp140.mod.US4.del128-194

GAATTCGCCACCATGGATGCAATGAAGAGAGGGGCTCTGCTGTGTGCTGCTGCTGTGTGG
AGCAGTCTTTCGTTTCGCCCAGCGCCACCACCGTGCTGTGGGTGACCGTGTAACGGCG
TGCCCGTGTGGAAGGAGGCCACCACCACCTGTCTGCGCCAGCGACGCCAAGGCTTAC
AAGGCCGAGGCCCAACGTGTGGGCCACCCACGCCTGCGTGCCCAACGACCCCAACCC
CCAGGAGGTGAACCTGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGG
TGGAGCAGATGCATGAGGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTG
AAGCTGACCCCCCTGTGCGTGCGGGGAGGGAACTGCGAGACCAGCGTGATCACCCAGGC
CTGCCCCAAGGTGAGCTTGGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTCG
CCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCGGCCCTGCAAGAACGTGAGC
ACCGTGCACTGCACCCACGGCATCCGCCCCGTGGTGAGCACCAGCTGCTGCTGAACGG
CAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACTTCACCGACAACGCCAAGA
CCATCATCGTGCACTGAACGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAACAAC
ACGCGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACGCCACCGGCGACATCAT
CGGCGACATCCGCCAGGCCCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCCCTCG
AGCAGATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGACCATCATCTTCAAC
AGCAGCAGCGGCGGCGACCCCGAGATCGTGTTCCACAGCTTCAACTGCGGCGGCGAGTT
CTTCTACTGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGAGGTGA
ACAAGACCAAGGAGAACGACACCATCATCCTGCCCTGCCGCATCCGCCAGATCATCAAC
ATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTG
CAGCAGCAATATTACCGGCCTGCTGCTGACCCGCGACGGCGGCACCAACAACAACCGCA
CCAACGACACCGAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAACTGGCGCAGC
GAGCTGTACAAGTACAAGGTGGTGCGCATCGAGCCCCCTGGGCGTGCCCCCACCAGGC
CAAGCGCCGCGTGGTGACGCGGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGTTTCATCG
GCTTCCTGGGCGCCCGGGGAGCACCATGGGCGCCGCTCCGTGACCCCTGACCGTGACG
GCCCGCCAGCTGCTGAGGGGATGCTGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG
GGCCCCAGCAGCACCTGCTGCAGCTGACCGTGTGGGGCATCAAGCAGCTGCAGGCCCGCA
TCCTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGC
GGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACAGCAGCTGGAGCAACAAGAGCCT
GACCGAGATCTGGGACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTACA
CCGGCCTGATCTACAACCTGATCGAGATCGCCAGAACCAGCAGGAGAAGAACGAGCAG
GAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGTGGAAGTGGTTTCGACATCACCAACTG
GCTGTGGTACATCTAAGATATCGGATCCTCTAGA

FIG. 49

(SEQ ID NO:62)

62/131

gp140.mut.mod.US4.del128-194

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGG
AGCAGTCTTCGTTTCGCCCAGCGCCACCACCGTGCTGTGGGTGACCGTGTAACGGCG
TGCCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTAC
AAGGCCGAGGCCCACAACGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCC
CCAGGAGGTGAACCTGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGG
TGGAGCAGATGCATGAGGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTG
AAGCTGACCCCCCTGTGCGTGGGGGCGAGGAACTGCGAGACCAGCGTGATCACCCAGGC
CTGCCCCAAGGTGAGCTTCGAGCCCATCCCCATCCACTACTGCGCCCCCGCGGCTTCG
CCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCGGCCCCCTGCAAGAACGTGAGC
ACCGTGCAAGTGCAACCCACGGCATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGG
CAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACTTCACCGACAACGCCAAGA
CCATCATCGTGCAAGCTGAACGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAACAAC
ACGCGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACGCCACCGGCGACATCAT
CGGCGACATCCGCCAGGCCCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCCTCG
AGCAGATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGACCATCATCTTCAAC
AGCAGCAGCGGCGGCGACCCCGAGATCGTGTTCCACAGCTTCAACTGCGGCGGCGAGTT
CTTCTACTGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGAGGTGA
ACAAGACCAAGGAGAACGACACCATCATCCTGCCCTGCCGCATCCGCCAGATCATCAAC
ATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTG
CAGCAGCAATATTACCGCCTGCTGCTGACCCGCGACGGCGGCACCAACAACAACCGCA
CCAACGACACCGAGACCTTCGCCCCCGGCGGCGGCAACATGAAGGACAACCTGGCGCAGC
GAGCTGTACAAGTACAAGGTGGTGGCGATCGAGCCCCCTGGGCGTGCCCCCACCAGGC
CAAGCGCCGCGTGGTGACGCGGAGAAGAGCGCCGTGGGCCTGGGCGCCCTGTTTCATCG
GCTTCCTGGGCGCCGCGGGAGCACCATGGGCGCCGCTCCGTGACCTGACCGTGACG
GCCCCGCGAGCTGCTGAGCGGCATCGTGACGAGCAGACAACCTGCTGCGCGCCATCGA
GGCCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCAGGCCCGCA
TCCTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGC
GGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACAGCAGCTGGAGCAACAAGAGCCT
GACCGAGATCTGGGACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTACA
CCGGCCTGATCTACAACCTGATCGAGATCGCCAGAACAGCAGGAGAAGAAGAGCAG
GAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGTGGAAGTGGTTCGACATCACCAGCTG
GCTGTGGTACATCTAAGATATCGGATCCTCTAGA

FIG. 50

(SEQ ID NO:63)

63/131

gp160.modUS4

GAATTCGCCACCATGGATGCAATGAAGAGAGGGGCTCTGCTGTGTGCTGCTGCTGTGTGGAGCA
GTCTTCGTTTCGCCACGCCACCCACCGTGTGTGGGTGACCGTGTACTACGGCGTGCCCGTG
TGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAGGCCGAGGC
CCACAACTGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCAAGGAGGTGAACC
TGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTGACCCCCCTGTGCGTG
ACCCTGAACTGACCGACAAGCTGACCGGCAGCACCAACGGCACCAACAGCACCAGCGGCAC
CAACAGCACCAGCGGCACCAACAGCACCAGCACCAACAGCACCAGCAGCTGGGAGAAGATG
CCCCAGGGCGAGATCAAGAACTGCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA
GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCCATCGACAACGACAACGCCAGCT
ACCGCCTGATCAACTGCAACACCAGCGTGATCACCCAGGCCTGCCCAAGGTGAGCTTCGAGC
CCATCCCCATCCACTACTGCGCCCCCGCGGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGT
TCAACGGCACCGGCCCTGCAAGAACGTGAGCACCGTGAGTGACCCACGGCATCCGCCCC
GTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTC
CGAGAACTTCACCGACAACGCCAAGACCATCATCGTGAGCTGAACGAGTCCGTGGAGATCA
ACTGCATCCGCCCCAACAAACACGCGTAAGAGCATCCACATCGGCCCGGCCGCGCTTCT
ACGCCACCGCGACATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCAAGGCCAAC
TGGACCAACACCCTCGAGCAGATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGAC
CATCATCTTCAACAGCAGCAGCGCGCGGACCCCGAGATCGTGTTCCACAGCTTCAACTGCGG
CGGCGAGTTCTTACTGCAACACCAGCCAGCTGTTCACAGCACCTGGAAATCACCAGGGA
GGTGAACAAGACCAAGGAGAACGACACCATCATCCTGCCCTGCCGATCCGCCAGATCATCA
ACATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGC
AGCAGCAATATTACCGGCTGCTGCTGACCCGCGACGGCGGCACCAACAACAACCGCACCA
CGACACCGAGACCTTCGCCCCGGCGCGGCAACATGAAGGACAACCTGGCGCAGCGAGCTGT
ACAAGTACAAGGTGGTGGCATCGAGCCCCTGGGCGTGGCCCCACCCAGGCCAAGCGCGCG
GTGGTGACGCGGAGAAGCGCGCCGTGGGCGCTGGGCGCCTGTTATCGGCTTCCTGGGCGCG
GCCGGGAGCACCATGGGCGCGCCTCCGTGACCCTGACCGTGACGGCCGCCAGCTGCTGAG
CGGCATCGTGAGCAGCAGAAACCTGCTGCGCGCCATCGAGGCCAGCAGCACTGCTGC
AGCTGACCGTGTGGGGCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCGCTACCTG
AAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACCAACCACCGT
GCCCTGGAACAGCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAACATGACCTGGA
TGGAGTGGGAGCGCGAGATCGGCAACTACCCGGCCTGATCTACAACCTGATCGAGATCGCC
CAGAACCAGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGT
GGAAGTGGTTCGACATCACTGCTGTGGTACATCCGCATCTTCATCATGATCGTGGGCG
GCCTGATCGGCCTGCGCATCGTGTTCCCGGTGCTGAGCATCGTGAACCGCGTGCGCCAGGCT
ACAGCCCCATCAGCCTGCAGACCCGCTGCCCGCCAGCGCGGCCCGACCGCCCCGAGGGC
ATCGAGGAGGAGGGCGGCGAGCGGACCGCGACCGCAGCAACCGCCTGGTGCACGGCCTGCT
GGCCCTGATCTGGGACGACCTGCGCAGCCTGTGCTGTTTCACTACCAACCGCCTGCGCGACCT
GCTGCTGATCGTGGCCCGCATCGTGGAGCTGCTGGGCGCGCGGCTGGGAGGCCCTGAAGT
ACTGGTGAACCTGCTGCACTGAGGAGGAGCTGAAGAGCAGCGCCGTGAGCCTGTTT
AACGCCACCGCATCGCGTGCGGAGGGCACCGACCGCATCATCGAGATCGTGACGCGCAT
CTTCCGCGCGTGATCCACATCCCCCGCGCATCCGCCAGGGCCTGGAAGCGCGCCTGCTGTA
AGATATCGGATCCTCTAGA

FIG. 51

(SEQ ID NO:64)

64 / 131

gp160.modUS4.delV1

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGGAGCA
GTCTTCGTTTCGCCCAGCGCCACCAACCGTGCTGTGGGTGACCGTGACTACGGCGTGCCCGTG
TGGAAGGAGGCCACCAACCCCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAGGCCGAGGC
CCACAACGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAGGAGGTGAACC
TGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTGACCCCCCTGTGCGTG
ACCTTGAAGTGCACCGACAAGCTGGGCGCCGGCGGCGAGATCAAGAACTGCAGCTTCAACAT
CACCACCAGCGTGCGCGACAAGGTGCAGAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGG
TGCCCATCGACAACGACAACGCCAGTACCGCCTGATCAACTGCAACACCAGCGTGATCACCC
AGGCCTGCCCAAGGTGAGCTTCGAGCCCCATCCCCATCCACTACTGCGCCCCCGCGGCTTCG
CCATCCTGAAGTGCAAGGACAAGATTCAACGGCACCGGCCCTGCAAGAAGCTGAGCACC
GTGCAGTGCAACCCACGGCATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTG
GCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACTTACCGACAACGCCAAGACCATCATCGT
GCAGCTGAACGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAAACACGCGTAAGAGCA
TCCACATCGGCCCGGCCGCGCTTCTACGCCACCGGCGACATCATCGGCGACATCCGCCAGG
CCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCCCTCGAGCAGATCGTGGAGAAGCTG
CGCGAGCAGTTCGGCAACAACAAGACCATCATCTTCAAACAGCAGCAGCGCGCGGCAACCCGA
GATCGTGTTCCACAGCTTCAACTGCGGCGGCGAGTTCTTCTACTGCAACACCAGCCAGCTGTT
CAACAGCACCTGGAACATCACCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCATCC
TGCCCTGCCGCATCCGCCAGATCAAGTGCAGCAGCAATATTACCGCCTGCTGCTGACCCGCGAC
CCCCCATCCGCGGCCAGATCAAGTGCAGCAGCAATATTACCGCCTGCTGCTGACCCGCGAC
GGCGGCACCAACAACAACCGCACCAACGACACCGAGACCTTCCGCCCCGGCGGCGGCAACAT
GAAGGACAACTGGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGAGCCCCCTGGGCG
TGGCCCCCAACCAAGGCCAAGCGCGCGTGGTGACGCGGAGAAGCGCGCCGTGGGCCTGGGC
GCCCTGTTTCATCGGCTTCTGGGCGCCCGCGGGAGCAGCATGGGCGCCGCTCCGTGACCCCTG
ACCGTGACAGGCCCGCCAGCTGCTGAGCGGCATCGTGACAGCAGCAGAAACCTGCTGCGCGC
CATCGAGGCCAGCAGCACCTGCTGACGTGACCGTGTTGGGCATCAAGCAGCTGCAGGCCC
GCATCCTGGCCGTGGAGCGCTACCTGAAGGACCAAGCAGCTGCTGGGCATCTGGGGCTGCAGC
GGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACAGCAGCTGGAGCAACAAGAGCCTGAC
CGAGATCTGGGACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTACACCGGCC
TGATCTACAACCTGATCGAGATCGCCAGAACAGCAGGAGAAGAACGAGCAGGAGCTGCTG
GAGCTGGACAAGTGGGCCAGCCTGTGGAAGTGGTTCGACATCAACCACTGGCTGTGGTACATC
CGCATCTTCATCATGATCGTGGGCGGCCTGATCGGCCTGCGCATCGTGTTCCCGCTGCTGAGC
ATCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCCTGCAGACCCGCTGCCGCCCCAG
CGCGGCCCGACCGCCCCGAGGGCATCGAGGAGGAGGGCGGCGAGCGGACCGCGACCGCA
GCAACCGCCTGGTGACGGCCTGCTGGCCCTGATCTGGGACGACCTGCGCAGCCTGTGCCTGT
TCAGCTACCACCGCCTGCGCGACCTGCTGCTGATCGTGGCCCGCATCGTGGAGCTGCTGGGCC
GCCGCGGCTGGGAGGCCCTGAAGTACTGGTGAACCTGCTGCAGTACTGGAGCCAGGAGCTG
AAGAGCAGCGCGCTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCCGAGGGCACCGACCG
CATCATCGAGATCGTGACGCGCATCTTCCGCGCCGTGATCCACATCCCCCGCCGCATCCGCCA
GGCCTGGAGCGCGCCCTGCTGTAAGATATCGGATCCTCTAGA

FIG. 52

(SEQ ID NO:65)

65/131

gp160.mod.US4.delV2

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGG
AGCAGTCTTTCGTTTCGCCCCAGCGCCACCACCGTGTGTGGGTGACCGTGTACTACGGCG
TGCCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTAC
AAGGCCGAGGCCCAACAGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCC
CCAGGAGGTGAACCTGACCAACGTGACCGAGAATTCAACATGTGGAAGAACAACATGG
TGGAGCAGATGCATGAGGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTG
AAGCTGACCCCCCTGTGCGTGACCTGAACTGCACCGACAAGCTGACCGGCAGCACCA
CGGCACCAACAGCACCAGCGGCACCAACAGCACCAGCGGCACCAACAGCACCAGCACCA
ACAGCACCAGCAGCTGGGAGAAGATGCCCCAGGGCGAGATCAAGAACTGCAGCTTCAAC
ATCGGCGCGCGCCGCTGATCAACTGCAACACCAGCGTGATCACCAGGCCTGCCCCAA
GGTGAGCTTCGAGCCCATCCCCATCCACTACTGCGCCCCCGCGGCTTCGCCATCCTGA
AGTGCAAGGACAAGAAGTTCAACGGCACCAGCCCCCTGCAAGAACGTGAGCACCCTGCAG
TGCACCCACGGCATCCGCCCCGTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGC
CGAGGAGGAGATCGTGCTGCGCTCCGAGAACTTCACCGACAACGCCAAGACCATCATCG
TGCAGCTGAACGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACGCGTAAG
AGCATCCACATCGGCCCCCGCGCGCTTCTACGCCACCGGCGACATCATCGGCGACAT
CCGCCAGGCCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAGATCG
TGGAGAAGCTGCGCGAGCAGTTTCGGCAACAACAAGACCATCATCTTCAACAGCAGCAGC
GGCGGCGACCCCGAGATCGTGTTCCACAGCTTCAACTGCGGCGGCGAGTTCTTCTACTG
CAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCAGGAGGTGAACAAGACCA
AGGAGAACGACACCATCATCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG
GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGCAGCAGCAA
TATTACCGGCTGCTGCTGACCCGCGACGGCGGCACCAACAACAACCGCACCAACGACA
CCGAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAACCTGGCGCAGCGAGCTGTAC
AAGTACAAGGTGGTGCGCATCGAGCCCCCTGGGCGTGGCCCCCACCAGGCCAAGCGCCG
CGTGGTGCAGCGCAGAGAAGCGCGCCGTGGGCTGGGCGCCCTGTTTCATCGGCTTCTTG
GCGCCGCGGGAGCACCATGGGCGCCGCTCCGTGACCCTGACCCTGCAGGCCCGCCAG
CTGCTGAGCGGCATCGTGACGAGCAGACAACCTGCTGCGCGCCATCGAGGCCAGCA
GCACCTGCTGCAGCTGACCGTGTGGGGCATCAAGCAGCTGCAGGCCCGCATCCTGGCCG
TGGAGCGCTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGCGGCAAGCTG
ATCTGGAACGACGAGGCTGGGCTGGAAGAGGAGTGGAGGAACAAGAGCCTGAGGGAGAT
CTGGGACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTACACCGGCCTGA
TCTACAACCTGATCGAGATCGCCAGAACAGCAGGAGAAGAACGAGCAGGAGCTGCTG
GAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCACCAACTGGCTGTGGTA
CATCCGCATCTTCATCATGATCGTGGGCGGCCTGATCGGCCTGCGCATCGTGTTCCGCC
TGCTGAGCATCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCCTGCAGACCCGC
CTGCCCCGCCAGCGCGGCCCGACCGCCCCGAGGGCATCGAGGAGGAGGGCGGCGAGCG
CGACCGGACCGCAGCAACCGCCTGGTGCACGGCCTGCTGGCCCTGATCTGGGACGACC
TGCGCAGCCTGTGCCTGTTACAGCTACCACCGCCTGCGCGACCTGCTGCTGATCGTGGCC
CGCATCGTGGAGCTGCTGGGCGCGCGGCTGGGAGGCCCTGAAGTACTGGTGGAACTT
GCTGCAGTACTGGAGCCAGGAGCTGAAGAGCAGCGCCGTGAGCCTGTTCAACGCCACCG
CCATCGCCGTGGCCGAGGGCACCGACCGCATCATCGAGATCGTGACGCGCATCTTCCGC
GCCGTGATCCACATCCCCCGCCGCATCCGCCAGGGCCTGGAGCGCGCCCTGCTGTAAGA
TATCGGATCCTCTAGA

FIG. 53

(SEQ ID NO:66)

66 / 131

gp160.modUS4delV1/2

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGGAGCA
GTCTTCGTTTTGCCCCAGCGCCACCACCGTGTGTGGGTGACCGTGTACTACGGCGTGCCCGTG
TGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAGGCCGAGGC
CCACAACGTGTGGGCCACCCACGCTGCGTGTGCCACCGACCCCAACCCCAAGGAGGTGAACC
TGACCAACGTGACCGAGAACTTCAACATGTGGAAGAAACAATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGGGCGCCGGCCAGGCCTGCCC
CAAGGTGAGCTTCGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTCGCCATCCTGAA
GTGCAAGGACAAGAAGTTCAACGGCACCGGCCCTGCAAGAACGTGAGCACCGTGCAGTGCA
CCCACGGCATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAG
GAGATCGTGCTGCGCTCCGAGAACTTCACCGACAACGCCAAGACCATCATCGTGAGCTGAA
CGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAAACAACGCGTAAGAGCATCCACATCG
GCCCCGGCCGCGCCTTCTACGCCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTGCA
ACATCAGCAAGGCCAACTGGACCAACACCTCGAGCAGATCGTGGAGAAGCTGCGCGAGCAG
TTCGGCAACAACAAGACCATCATCTTCAACAGCAGCAGCGCGCGGACCCCGAGATCGTGTT
CCACAGCTTCAACTGCGGCGGCGAGTTCTTCTACTGCAACACCAGCCAAGCTGTTCAACAGCAC
CTGGAACATCACCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCATCCTGCCCTGCC
GCATCCGCCAGATCATCAACATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATC
CGCGGCCAGATCAAGTGACAGCAGCAATATTACCGGCTGCTGCTGACCCGCGACGGCGGCAC
CAACAACAACCGCACCAACGACACCGAGACCTTCGCCCCCGCGGCGGCAACATGAAGGACA
ACTGGCGCAGCGAGCTGTACAAGTACAAGGTGGTGGCGCATCGAGCCCCTGGGCGTGGCCCCC
ACCCAGGCCAAGCGCCGCGTGGTGACGCGGAGACCAAGCGCGCCGTGGGCTGGGCGCCCTGTT
CATCGGCTTCTGGGCGCGCGGAGCACCATGGGCGCCGCTCCGTGACCTGACCGTGCA
GGCCCCGCGAGCTGTGAGCGGCATCGTGACAGCAGCAGAACAACTGCTGCGCGCCATCGAGG
CCCAGCAGCACCTGCTGCAGCTGACCGTGTGGGCGATCAAGCAGCTGCAGGCCCGCATCCTG
GCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGCGGCAAGCT
GATCTGCACCAACCCTGCCCTGGAACAGCAGCTGGAGCAACAAGAGCCTGACCGAGATCT
GGGACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTACACCGGCTGATCTAC
AACCTGATCGAGATCGCCAGAACAGCAGGAGAAGAAGAGCAGGAGCTGCTGGAGCTGG
ACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCACTGCTGTGGTACATCCGCATCT
TCATCATGATCGTGGGCGGCTGATCGGCCTGCGCATCGTGTTGCGCGTGTGAGCATCGTGA
ACCGCGTGCAGCCAGGGCTACAGCCCCATCAGCCTGCAGACCCGCTGCCCGCCAGCGCGG
CCCCACCGCCCCGAGGGCATCGAGGAGGAGGGCGGCGAGCGCGACCGCGACCGCAGCAACC
GCCTGGTGACGGCCTGCTGGCCCTGATCTGGGACGACCTGCGCAGCCTGTGCCTGTTACGT
ACCACCGCCTGCGCGACCTGCTGCTGATCGTGGCCCCGATCGTGGAGCTGCTGGGCGCGCG
GCTGGGAGGCCCTGAAGTACTGGTGGAACTGCTGCAGTACTGGAGCCAGGAGCTGAAGAGC
AGCGCGGTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCCGAGGGCACCGACCGCATCATC
GAGATCGTGACGCGCATCTTCCGCGCGGTGATCCACATCCCCCGCGCATCCGCCAGGGCCTG
GAGCGCGCCCTGCTGTAAGATATCGGATCCTCTAGA

FIG. 54

(SEQ ID NO:67)

67 / 131

gp160.modUS4 del 128-194

GAATTGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGGAGCA
GTCTTCGTTTTCGCCAGCGCCACCACCGTGCTGTGGGTGACCGTGTACTACGGCGTGCCCGTG
TGGAAGGAGGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAGGCCGAGGC
CCACAACGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCAAGGAGGTGAACC
TGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAGCAGATGCATGAG
GACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTGACCCCTGTGCGTG
GGGCGAGGAACTGCGAGACCAGCGTGATCAACAGGCTGCCCCAAGGTGAGCTTCGAGCC
CATCCCCATCCACTACTGCGCCCCCGCGGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGTT
CAACGGCACCGGCCCCCTGCAAGAACGTGAGCACCGTGACGTGCACCCAAGGATCCGCCCCG
TGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCC
GAGAACTTCAACGACAACGCCAAGACCATCATCGTGAGCTGAACGAGTCCGTGGAGATCAA
CTGCATCCGCCCCAACAAACACGCGTAAGAGCATCCACATCGGCCCCCGCCGCGCTTCTA
CGCCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCAAGGCCAACT
GGACCAACACCCTCGAGCAGATCGTGAGAAAGCTGCGCGAGCAGTTCGGCAACAACAAGACC
ATCATCTTCAACAGCAGCAGCGGCGGCGACCCGAGATCGTGTTCCACAGCTTCAACTGCGGC
GGCGAGTTCTTCTACTGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGAG
GTGAACAAGACCAAGGAGAACGACACCATCATCTGCCCTGCCGATCCGCCAGATCATCAA
CATGTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGCA
GCAGCAATATTACCGGCTGCTGCTGACCCGCGACGGCGGCCAACAAACAACCGCACCAAC
GACACCGAGACCTTCGCCCCCGCGGCGGCAACATGAAGGACAACCTGGCGCAGCGAGCTGTA
CAAGTACAAGGTGGTGCGCATCGAGCCCCCTGGGCGTGCCCCCAAGGCCAAGCGCCGCG
TGGTGACGCGGAGAAAGCGCGCCGTGGGCGCTGGGCGCCCTGTTTCATCGGCTTCTGGGCGCCG
CCGGGAGCACCATGGGCGCCGCTCCGTGACCCCTGACCGTGACGGCCCGCCAGCTGCTGAGC
GGCATCGTGACGAGCAGAACCAACCTGCTGCGCGCCATCGAGGCCCAAGCAGCACCTGCTGCA
GCTGACCGTGTTGGGGCATCAAGCAGCTGCAAGGCCGATCCTGGCCGTGGAGCGCTACCTGA
AGGACCAGCAGCTGCTGGGCATCTGGGGCTGACGCGCAAGCTGATCTGCACCAACCCTG
CCCTGGAAACAGCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAACATGACCTGGAT
GGAGTGGGAGCGCGAGATCGGCAACTACCCGGCCTGATCTACAACCTGATCGAGATCGCCC
AGAACCAGCAGGAGAAGAAGCAGCAGGAGCTGCTGGAGCTGGACAAGTGGGCCAGCCTGTG
GAACTGGTTTCGACATCACTGCTGTGGTACATCCGCTCTTCATCATGATCGTGGGCGG
CCTGATCGGCCTGCGCATCGTGTTCCCGCTGTGAGCATCGTGAACCGCGTGCGCCAGGGCTA
CAGCCCCATCAGCCTGCAGACCCGCTGCCCCGCCAGCGCGGCCCGACCGCCCCGAGGGCA
TCGAGGAGGAGGGCGGCGAGCGCGACCGCGACCGCAGCAACCGCCTGGTGACGGCCTGCTG
GCCCTGATCTGGGACGACCTGCGCAGCCTGTGCTGTTCACTACCGCCTGCGCGACCTG
CTGCTGATCGTGGCCGATCGTGAGCTGCTGGGCGCCGCGGCTGGGAGGCCCTGAAGTAC
TGGTGAAACCTGCTGCAGTACTGGAGCCAGGAGCTGAAGAGCAGCGCCGTGAGCCTGTTCAA
CGCCACCGCCATCGCCGTGGCGAGGGCAACCGACCGCATCATCGAGATCGTGACGCGCATCTT
CCGCGCCGTGATCCACATCCCCCGCGCATCCGCCAGGGCCTGGAGCGCGCCCTGCTGTAAGA
TATCGGATCCTCTAGA

FIG. 55

(SEQ ID NO:68)

68 / 131

Env_US4_C4wt

GACACTATCATACTCCCATGCAGAATAAGACAAATTATAAACATGTGGCAAGAAGTAGG
AAAAGCAATGTATGCCCCTCCCATCAGAGGACAAATTAAATGTTTCATCAAATATTACAG
GGCTGCTATTAAGATGAGATGGTGGT

FIG. 56

(SEQ ID NO:69)

Env_SF162_C4wt

GGAAGTATCACAATCCCATGCAGAATAAAACAAATTATAAACAGGTGGCAGGAAGTAGG
AAAAGCAATGTATGCCCCTCCCATCAGAGGACAAATTAGATGCTCATCAAATATTACAG
GACTGCTATTAACAAGAGATGGTGGT

FIG. 57

(SEQ ID NO:70)

Env_US4_C4mod

GACACCATCATCCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAGGAGGTGGG
CAAGGCCATGTACGCCCCCCCCCATCCGCCGCCAGATCAAGTGCAGCAGCAACATCACCG
GCCTGCTGCTGACCCGCGACGGCGGC

FIG. 58

(SEQ ID NO:71)

Env_SF162_C4mod

GGCACCATCACCTGCCCTGCCGCATCAAGCAGATCATCAACCGCTGGCAGGAGGTGGG
CAAGGCCATGTACGCCCCCCCCCATCCGCCGCCAGATCCGCTGCAGCAGCAACATCACCG
GCCTGCTGCTGACCCGCGACGGCGGC

FIG. 59

(SEQ ID NO:72)

69 / 131




FIG. 60

70 / 131

gp160mod.us4.gag.modSF2

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGGA
GCAGTCTTCGTTTCGCCCCAGCGCCACCACCGTGCTGTGGGTGACCGTGTAACGGCGTG
CCCGTGTTGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAG
GCCGAGGCCCAACAGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG
GAGGTGAACCTGACCAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAG
CAGATGCATGAGGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG
ACCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGACCGGCAGCACCAACGGCACC
AACAGCACCAGCGGCACCAACAGCACCAGCGGCACCAACAGCACCAGCACCAACAGCACC
GACAGCTGGGAGAAGATGCCCGAGGGCGAGATCAAGAACTGCAGCTTCAACATCACCACC
AGCGTGCGCGACAAGGTGCAGAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCC
ATCGACAACGACAACGCCAGCTACCGCCTGATCAACTGCAACACCAGCGTGATCACCAG
GCCTGCCCAAGGTGAGCTTCGAGCCCCATCCCCATCCACTACTGCGCCCCCGCGGCTTC
GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCGGCCCTGCAAGAACGTGAGC
ACCGTGAGTGACCCACGGCATCCGCCCCGTTGGTGAGCACCCAGCTGCTGCTGAACGGC
AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACTTACCGACAACGCCAAGACC
ATCATCGTGAGCTGAACGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACAG
CGTAAGAGCATCCACATCGGCCCCGCGCGCCTTCTACGCCACCGGCGACATCATCGGC
GACATCCGCCAGGCCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCTCGAGCAG
ATCGTGAGAAAGCTGCGCGAGCAGTTCGGCAACAACAAGACCATCATCTTCAACAGCAGC
AGCGGCGGCGACCCCGAGATCGTGTTCCACAGCTTCAACTGCGGCGGCGAGTTCTTCTAC
TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCAGGAGGTGAACAAGACC
AAGGAGAACGACACCATCATCCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG
GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCAAGTGACGAGCAAT
ATTACCGGCCTGCTGCTGACCCGCGACGGCGGCCACCAACAACCGCACCAACGACACC
GAGACCTTCCGCCCCGCGCGCGCAACATGAAGGACAACCTGGCGCAGCGAGCTGTACAAG
TACAAGGTGGTGCGCATCGAGCCCCCTGGGCGTGCGCCCCACCCAGGCCAAGCGCCGCGTG
GTGCAGCGCGAGAAGCGCGCCCTGGGCGCTGGGCGCCCTGTTTCATCGGCTTCCTGGGCGCC
GCCGGGAGCACCATGGGCGCCGCTCCGTGACCCTGACCGTGACGGCCCGCCAGCTGCTG
AGCGGCATCGTGAGCAGCAGAAACAACCTGCTGCGCGCCATCGAGGCCCGAGCAGCACTG
CTGCAGCTGACCGTGTTGGGCGATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCGC
TACCTGAAGGACCAGCAGCTGCTGGGCGATCTGGGCGTGACGGCAAGCTGATCTGCACC
ACCAACCGTGCCCTGGAACAGCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAAC
ATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTACACCGGCCTGATCTACAACCTG
ATCGAGATCGCCCAGAACCGAGGAGGAGAAGACGAGCAGGAGCTGCTGGAGCTGGACAAG
TGGGCCAGCCTGTGGAACCTGTTTCGACATCACCAACTGGCTGTGGTACATCCGCATCTTC
ATCATGATCGTGGGCGGCTGATCGGCCTGCGCATCGTGTTGCGCGTGCTGAGCATCGTG
AACC GCGTGCGCCAGGGCTACAGCCCCATCAGCCTGCAGACCCGCTGCCCGCCAGCGC
GGCCCCGACCGCCCCGAGGGCATCGAGGAGGAGGGCGGCGAGCGCGACCGCGACCGCAGC
AACC GCGCTGGTGACGGCCTGCTGGCCCTGATCTGGGACGACCTGCGCAGCCTGTGCCTG
TTCAGCTACCAACCGCCTGCGCGACCTGCTGATCGTGCGCCCGCATCGTGAGCTGCTG
GGCCGCGCGGCTGGGAGGCCCTGAAGTACTGGTGAACCTGCTGCAGTACTGGAGCCAG
GAGCTGAAGAGCAGCGCGCTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCCGAGGGC
ACCGACCGCATCATCGAGATCGTGAGCGCATCTTCCGCGCCGTGATCCACATCCCCCGC
CGCATCCGCCAGGGCCTGGAGCGCGCCCTGCTGTAAGATATCGGATCCTCTAGAGAATTC

FIG. 61A

(SEQ ID NO:73)

71 / 131

CGCCCCCCCCCCCCCCCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCGAAGCCGC
TTGGAATAAGGCCGCTGTGCGTTTGTCTATATGTTATTTCCACCATATTGCCGTCTTTT
GGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAGCATTCTAGGGGTCTT
TCCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTCGTGAAGGAAGCAGTTCCTCTG
GAAGCTTCTTGAAGACAAACAACGTCTGTAGCGACCCTTTGCAGGCAGCGGAACCCCCCA
CCTGGCGACAGGTGCCTCTGCGGCCAAAGCCACGTGTATAAGATACACCTGCAAAGGCG
GCACAACCCCAAGTGCCACGTGTGTAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCC
TCAAGCGTATTCAACAAGGGGCTGAAGGATGCCAGAAGGTACCCCATTTGTATGGGATCT
GATCTGGGGCCTCGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTA
GGCCCCCGGAACCAACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCATGGGCGC
CCGCGCCAGCGTGTGAGCGGCGGCGAGCTGGACAAGTGGGAGAAGATCCGCCTGCGCCC
CGGCGGCAAGAAGAAGTACAAGCTGAAGCACATCGTGTGGGCCAGCCGCGAGCTGGAGCG
CTTCGCCCCTGAACCCCGGCTGTGAGACACAGCGAGGGCTGCCGCCAGATCCTGGGCCA
GCTGCAGCCAGCCTGCAGACCGGCAGCGAGGAGCTGCGCAGCCTGTACAACACCGTGGC
CACCTGTACTGCGTGCACAGCGCATCGACGTCAAGGACACCAAGGAGGCCCTGGAGAA
GATCGAGGAGGAGCAGAACAAGTCCAAGAAGAAGGCCAGCAGGCCGCCGCCGCCGCCG
CACCGGCAACAGCAGCCAGGTGAGCCAGAACTACCCCATCGTGCAGAACCTGCAGGGCCA
GATGGTGCAACAGGCCATCAGCCCCCGCACCTGAACGCTGGGTGAAGGTGGTGGAGGA
GAAGGCCTTCAGCCCCGAGGTGATCCCCATGTTAGCGCCCTGAGCGAGGGCGCCACCC
CCAGGACCTGAACACGATGTTGAACACCGTGGGCGGCCACCAGGCCGCCATGCAGATGCT
GAAGGAGACCATCAACGAGGAGGCCGCCGAGTGGGACCGGTGCACCCCGTGCAGCCCG
CCCCATCGCCCCCGGCCAGATGCGCGAGCCCCCGCGCAGCGACATCGCCGGCACCACCAG
CACCTGCAAGGAGCAGATCGGCTGGATGACCAACAACCCCCCATCCCCGTGGGCGAGAT
CTACAAGCGGTGGATCATCCTGGGCCTGAACAAGATCGTGCAGATGTACAGCCCCACCAG
CATCCTGGACATCCGCCAGGGCCCCAAGGAGCCCTTCCGCGACTACGTGGACCGCTTCTA
CAAGACCCTGCGCGCTGAGCAGGCCAGCCAGGACGTGAAGAACTGGATGACCGAGACCCT
GCTGGTGCAGAACGCCAACCCCGACTGCAAGACCATCCTGAAGGCTCTCGGCCCGCGGC
CACCTGGAGGAGATGATGACCGCTGCCAGGGCGTGGGCGGCCCGGCCACAAGGCCCG
CGTGCTGGCCGAGGCGATGAGCCAGGTGACGAACCCGGCGACCATCATGATGCAGCGCG
CAACTTCCGCAACCAGCGGAAGACCGTCAAGTGCTTCAACTGCGGCAAGGAGGGCCACAC
CGCCAGGAACTGCCGCGCCCCCGCAAGAAGGGCTGCTGGCGCTGCGGCCGCGAGGGCCA
CCAGATGAAGGACTGCACCGAGCGCCAGGCCAACTTCTGGGCAAGATCTGGCCAGCTA
CAAGGGCCGCCCCGGCAACTTCTGCAAGCGCCCGGAGCCCAACGCCCCCGGAGGA
GAGCTTCCGCTTCGGCGAGGAGAAGACCACCCCGAGCCAGAAGCAGGAGCCCATCGACAA
GGAGCTGTACCCCTGACCAGCCTGCGCAGCCTGTTCCGGCAACGACCCAGCAGCCAGTA
AGAATTCAGACTCGAGCAAGTCTAGA

FIG. 61B

(SEQ ID NO:73)

72 / 131

gp160mod.SF162.gag.modSF2

GAATTCGCCACCATGGATGCAATGAAGAGAGGGGCTCTGCTGTGTGCTGCTGCTGTGTGG
AGCAGTCTTCGTTTTGCCCCAGCGCCGTGGAGAAGCTGTGGGTGACCGTGTACTACGGCG
TGCCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCCTAC
GACACCGAGGTGCACAACGTGTGGGCCACCCACGCCTGCGTGCCCAACGACCCCAACCC
CCAGGAGATCGTGCTGGAGAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGG
TGGAGCAGATGCACGAGGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTG
AAGCTGACCCCCCTGTGCGTGACCCCTGCACTGCACCAACCTGAAGAACGCCACCAACAC
CAAGAGCAGCAACTGGAAGGAGATGGACCGCGGCGAGATCAAGAACTGCAGCTTCAAGG
TGACCACCAGCATCCGCAACAAGATGCAGAAGGAGTACGCCCTGTTCTACAAGCTGGAC
GTGGTGCCCATCGACAACGACAACACCAGCTACAAGCTGATCAACTGCAACACCAGCGT
GATCACCCAGGCCTGCCCCAAGGTGAGCTTCGAGCCCATCCCCATCCACTACTGCGCCC
CCGCCGGCTTCGCCATCCTGAAGTGCAACGACAAGAAGTTCAACGGCAGCGGCCCTGCG
ACCAACGTGAGCACCGTGCACTGCACCCACGGCATCCGCCCGGTGGTGAGCACCCAGCT
GCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGTGGTGATCCGCAGCGAGAAGTTCAACCG
ACAACGCCAAGACCATCATCGTGCACTGAAGGAGAGCGTGGAGATCAACTGCACCCGC
CCCAACAACAACACCCGCAAGAGCATCACCATCGGCCCGGCCGCGCCTTCTACGCCAC
CGGCGACATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGTGGA
ACAACACCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTCCGGCAACAAGACCATC
GTGTTCAAGCAGAGCAGCGGCGGCGACCCCGAGATCGTGATGCACAGCTTCAACTGCGG
CGGCGAGTTCTTCTACTGCAACAGCACCCAGCTGTTCAACAGCACCTGGAACAACACCA
TCGGCCCCAACAACACCAACGGCACCATCACCTGCCCCTGCCGCATCAAGCAGATCATC
AACCGCTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCCAGATCCG
CTGCAGCAGCAACATCACCGGCCTGCTGCTGACCCGCGACGGCGGCAAGGAGATCAGCA
ACACCACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGACAACTGGCGCAGCGAG
CTGTACAAGTACAAGGTGGTGAAGATCGAGCCCTGGGCGTGGCCCCACCAAGGCCAA
GCGCCGCGTGGTGCGAGCGGAGAAGCGCGCCGTGACCCTGGGCGCCATGTTCTTGGGCT
TCCTGGGCGCGCGGCGGCGAGCACCATGGGCGCCCGCAGCCTGACCCTGACCGTGCAAGGC
CGCCAGCTGCTGAGCGGCATCGTGAGCAGCAGACAACCTGCTGCGCGCCATCGAGGC
CCAGCAGCACCTGCTGAGCTGACCGTGTGGGGCATCAAGCAGCTGCAGGCCCGCGTGC
TGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGCAGCGGC
AAGCTGATCTGCACCAACCGCCGTGCCCTGGAACGCCAGCTGGAGCAACAAGAGCCTGGA
CCAGATCTGGAACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGACAACCTACACCA
ACCTGATCTACACCTGATCGAGGAGAGCCAGAACCAGCAGGAGAAGAACGAGCAGGAG
CTGCTGGAGCTGGACAAGTGGGCCAGCCTGTGGAAGTGGTTGACATCAGCAAGTGGCT
GTGGTACATCAAGATCTTCATCATGATCGTGGGCGGCCTGCTGGGCCTGCGCATCGTGT
TCACCGTGCTGAGCATCGTGAACCGCGTGCGCCAGGGCTACAGCCCCCTGAGCTTCCAG
ACCCGCTTCCCCGCCCCCGCGGCCCGACCGCCCCGAGGGCATCGAGGAGGAGGGCGG
CGAGCGGACCGCGACCGCAGCAGCCCCCTGGTGACGGCCTGCTGGCCCTGATCTGGG
ACGACCTGCGCAGCCTGTGCCTGTTCAAGCTACCACCGCCTGCGCGACCTGATCCTGATC
GCCGCCCGCATCGTGGAGCTGCTGGGCGCGCGGCTGGGAGGCCCTGAAGTACTGGGG
CAACCTGCTGCAGTACTGGATCCAGGAGCTGAAGAACAGCGCCGTGAGCCTGTTTCGAGC
CCATCGCCATCGCCGTGGCCGAGGGCACCGACCGCATCATCGAGGTGGCCCAGCGCATC
GGCCGCGCCTTCTGACATCCCCCGCCGCATCCGCCAGGGCTTCGAGCGCGCCCTGCT

FIG. 62A

(SEQ ID NO:74)

73 / 131

GTAAC TCGAGCAAGTCTAGAGAATTCCGCCCCCCCCCCCCCCCCCTCTCCCTCCCC
CCCCCTAACGTTACTGGCCGAAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATAT
GTTATTTTCCACCATATTGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTG
TCTTCTTGACGAGCATTCCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTG
TTGAATGTCGTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGT
AGCGACCCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA
AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCAGTGCCACGTTGTGAGT
TGGATAGTTGTGGAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAAGGGGCTGAA
GGATGCCCAGAAGGTACCCCATTTGTATGGGATCTGATCTGGGGCTCGGTGCACATGCT
TTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCGAACCACGGGGACGTG
GTTTTCTTTTGA AAAACACGATAATACCATGGGCGCCCGCGCCAGCGTGTGAGCGGC
GCGAGCTGGACAAGTGGGAGAAGATCCGCTTGC GCGCCCGCGGCAAGAAGAAGTACAAG
CTGAAGCACATCGTGTGGGCCAGCCGCGAGCTGGAGCGCTTCGCGCTGAACCCCGGCCT
GCTGGAGACCAGCGAGGGCTGCCGCCAGATCCTGGGCCAGCTGCAGCCAGCCTGCAGA
CCGGCAGCGAGGAGCTGCCAGCCTGTACAACACCGTGGCCACCCTGTACTGCGTGCAC
CAGCGCATCGACGTCAAGGACACCAAGGAGGCCCTGGAGAAGATCGAGGAGGAGCAGAA
CAAGTCCAAGAAGAAGGCCAGCAGGCCGCGCGCCGCGCGCCGCAACAGCAGCC
AGGTGAGCCAGAACTACCCCATCGTGCAGAACCTGCAGGGCCAGATGGTGCACCAGGCC
ATCAGCCCCCGCACCCCTGAACGCCTGGGTGAAGGTGCTGGAGGAGAAGGCCTTCAGCCC
CGAGGTGATCCCCATGTTTCAGCGCCCTGAGCGAGGGCGCCACCCCCAGGACCTGAACA
CGATGTTGAACACCGTGGGCGGCCACCAGGCCGCCATGCAGATGCTGAAGGAGACCATC
AACGAGGAGGCCGCGAGTGGGACCGCGTGCACCCCGTGCAGCGCGGCCCCATCGCCCC
CGGCCAGATGCGCGAGCCCCGCGGCAGCGACATCGCCGGCACCACAGCACCCCTGCAGG
AGCAGATCGGCTGGATGACCAACAACCCCCCATCCCCGTGGGCGAGATCTACAAGCGG
TGGATCATCCTGGGCCTGAACAAGATCGTGGCGATGTACAGCCCCACCAGCATCCTGGA
CATCCGCCAGGGCCCCAAGGAGCCCTTCCGCGACTACGTGGACCGCTTCTACAAGACCC
TGCGCGCTGAGCAGGCCAGCCAGGACGTGAAGAACTGGATGACCGAGACCCTGCTGGTG
CAGAACGCCAACCCCGACTGCAAGACCATCCTGAAGGCTCTCGGCCCGCGGCCACCCT
GGAGGAGATGATGACCGCCTGCCAGGGCGTGGGCGGCCCGGCCACAAGGCCCGCGTGC
TGGCCGAGGCGATGAGCCAGGTGACGAACCCGCGACCATCATGATGCAGCGCGGCAAC
TTCCGCAACCAGCGGAAGACCGTCAAGTGCTTCAACTGCGGCAAGGAGGGCCACACCGC
CAGGAAC TGCCGCGCCCCCGCAAGAAGGGCTGCTGGCGCTGCGGCCGCGAGGGCCACC
AGATGAAGGACTGCACCGAGCGCCAGGCCAACTTCTGGGCAAGATCTGGCCCAGCTAC
AAGGGCCGCCCCGGCAACTTCTGTCAGAGCCGCCCCGAGCCACCGCCCCCCCCGAGGA
GAGCTTCCGCTTCGGCGAGGAGAAGACCACCCCGAGCCAGAAGCAGGAGCCCATCGACA
AGGAGCTGTACCCCTGACCAGCCTGCGCAGCCTGTTGCGCAACGACCCAGCAGCCAG
TAAGAATTGAGACTCGAGCAAGTCTAGA

FIG. 62B

(SEQ ID NO:74)

74 / 131

gp160modUS4.delV1/V2.gag.modSF2

GAATTCCGCCACCATGGATGCAATGAAGAGAGGGGCTCTGCTGTGTGCTGCTGCTGTGTGGA
GCAGTCTTCGTTTTCGCCAGCGCCACCACCGTGCTGTGGGTGACCGTGTAACGGCGTG
CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCAGCGACGCCAAGGCTTACAAG
GCCGAGGCCCAACAGTGTGGGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG
GAGGTGAACCTGACCAACGTGACCGAGAATTCAACATGTGGAAGAACAACATGGTGGAG
CAGATGCATGAGGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGGGCGCC
GGCCAGGCCTGCCCCAAGGTGAGCTTCGAGCCCATCCCATCCACTACTGCGCCCCCGCC
GGCTTCGCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCGGCCCTGCAAGAAC
GTGAGCACCGTGAGTGACCCACGGCATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTG
AACGGCAGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACTTCACCGACAACGCC
AAGACCATCATCGTGAGCTGAACGAGTCCGTGGAGATCAACTGCATCCGCCCCAACAAAC
AACACGCGTAAGAGCATCCACATCGGCCCGCGCGCCTTCTACGCCACCGGCGACATC
ATCGGCGACATCCGCCAGGCCACTGCAACATCAGCAAGGCCAACTGGACCAACACCCTC
GAGCAGATCGTGGAAGCTGCGCGAGCAGTTCCGCAACAACAAGACCATCATCTTCAAC
AGCAGCAGCGCGCGGACCCCGAGATCGTGTTCCACAGCTTCAACTGCGGCGGCGAGTTC
TTCTACTGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCACCGAGGAGGTGAAC
AAGACCAAGGAGAACGACACCATCATCTGCCCTGCGCATCCGCGAGATCATCAACATG
TGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCATCCGCGGCCAGATCAAGTGCAGC
AGCAATATTACCGGCTGCTGACCCCGCAGCGCGGCAACATGAAGGACAACCTGGCGCAGCGAGCTG
GACACCGAGACCTTCCGCCCGCGCGCGGCAACATGAAGGACAACCTGGCGCAGCGAGCTG
TACAAGTACAAGGTGGTGCGCATCGAGCCCCCTGGGCGTGCCCCCAACCGGCCAAGCGC
CGCGTGGTGACGCGAGAGCGCGCGCTGGGCGTGGGCGCCCTGTTTCATCGGCTTCCTG
GGCGCGCGCGGAGCACCATGGGCGCGCGCTCCGTGACCTGACCGTGACGGCCCCGCCAG
CTGCTGAGCGGCATCGTGAGCAGCAGAACAACCTGCTGCGCGCCATCGAGGCCAGCAG
CACCTGCTGCAGCTGACCGTGTGGGCGCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTG
GAGCGCTACCTGAAGGACAGCAGCTGTGGGCGCATCTGGGCTGCAGCGGCAAGCTGATC
TGACCAACACCGTGCCCTGGAACAGCAGCTGAGCAACAAGAGCCTGACCGAGATCTGG
GACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTACACCGGCTGATCTAC
AACCTGATCGAGATCGCCGAGAACCAGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTG
GACAAGTGGGCCAGCCTGTGGAACCTGGTTTCGACATCAACCACTGGCTGTGGTACATCCGC
ATCTTCATCATGATCGTGGGCGGCTGATCGGCCTGCGCATCGTGTTCGCGGTGCTGAGC
ATCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCCTGCAGACCCGCTGCCCGCC
CAGCGCGGCCCCGACCGCCCCGAGGGCATCGAGGAGGAGGGCGGCGAGCGGACCGCGAC
CGCAGCAACCGCCTGGTGACGGCCTGCTGGCCCTGATCTGGGACGACCTGCGCAGCCTG
TGCCTGTTTCAGTACACCGCCTGCGCGACCTGCTGCTGATCGTGGCCCCGATCGTGAG
CTGCTGGGCGCGCGGCTGGGAGGCCCTGAAGTACTGGTGGAACCTGCTGCAGTACTGG
AGCCAGGAGCTGAAGAGCAGCGCCGTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCC
GAGGGCACCGACCGCATCATCGAGATCGTGACGCGCATCTTCCGCGCCGTGATCCACATC
CCCCGCGCATCCGCCAGGGCCTGGAGCGCGCCCTGCTGTAAGATATCGGATCCTCTAGA
GAATTCCGCCCCCCCCCCCCCCCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCGA
AGCCGCTTGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATATTGCCG
TCTTTTGGCAATGTGAGGGCCCCGAAACCTGGCCCTGTCTTCTTGACGAGCATTCTAGG
GGTCTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTGCTGAAGGAAGCAGTT

FIG. 63A

(SEQ ID NO:75)

75 / 131

CCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCGACCCTTTGCAGGCAGCGGAAC
CCCCACCTGGCGACAGGTGCCTCTGCGGCCAAAAGCCACGTGTATAAGATACACCTGCA
AAGGCGGCACAACCCAGTGCCACGTTGTGAGTTGGATAGTTGTGGAAAGAGTCAAATGG
CTCTCCTCAAGCGTATTCAACAAGGGGCTGAAGGATGCCCAGAAGGTACCCCATTTGTATG
GGATCTGATCTGGGGCCTCGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAA
CGTCTAGGCCCCCGAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCAT
GGGCGCCCCGCGCCAGCGTGCTGAGCGGCGGCGAGCTGGACAAGTGGGAGAAGATCCGCCT
GCGCCCCGGCGGCAAGAAGAAGTACAAGCTGAAGCACATCGTGTGGGCCAGCCGCGAGCT
GGAGCGCTTCGCCGTGAACCCCGGCCTGCTGGAGACCAGCGAGGGCTGCCGCCAGATCCT
GGGCCAGCTGCAGCCCAGCCTGCAGACCGGCAGCGAGGAGCTGCGCAGCCTGTACAACAC
CGTGGCCACCCTGTACTGCGTGCACCAGCGCATCGACGTCAAGGACACCAAGGAGGCCCT
GGAGAAGATCGAGGAGGAGCAGAACAAGTCCAAGAAGAAGGCCAGCAGGCCGCGCCGCGC
CGCCGGCACCGGCAACAGCAGCCAGGTGAGCCAGAATAACCCATCGTGCAGAACCTGCA
GGGCCAGATGGTGCACCAGGCCATCAGCCCCCGCACCCCTGAACGCCTGGGTGAAGGTGGT
GGAGGAGAAGGCCTTCAGCCCCGAGGTGATCCCCATGTTTACGCGCCCTGAGCGAGGGCGC
CACCCCCCAGGACCTGAACACGATGTTGAACACCGTGGGCGGCCACCAGGCCGCCATGCA
GATGCTGAAGGAGACCATCAACGAGGAGGCCCGCGAGTGGGACCGCGTGCACCCCGTGCA
CGCCGGCCCCATCGCCCCCGGCCAGATGCGCGAGCCCCGCGGCAGCGACATCGCCGGCAC
CACCAGCACCCCTGCAGGAGCAGATCGGCTGGATGACCAACAACCCCCCATCCCCGTGGG
CGAGATCTACAAGCGGTGGATCATCCTGGGCCTGAACAAGATCGTGCGGATGTACAGCCC
CACCAGCATCCTGGACATCCGCCAGGGCCCCAAGGAGCCCTTCCGCGACTACGTGGACCG
CTTCTACAAGACCCTGCGCGCTGAGCAGGCCAGCCAGGACGTGAAGAACTGGATGACCGA
GACCCCTGCTGGTGCAGAACGCCAACCCCGACTGCAAGACCATCCTGAAGGCTCTCGGCCC
CGCGGCCACCCTGGAGGAGATGATGACCGCCTGCCAGGGCGTGGGCGGCCCGGCCACAA
GGCCCCGCTGCTGGCCGAGGCGATGAGCCAGGTGACGAACCCGCGACCATCATGATGCA
GCGCGGCAACTTCCGCAACCAGCGGAAGACCGTCAAGTGCTTCAACTGCGGCAAGGAGGG
CCACACCGCCAGGAACTGCCGCGCCCCCGCAAGAAGGGCTGCTGGCGCTGCGGCCGCGA
GGGCCACCAGATGAAGGACTGCACCGAGCGCCAGGCCAACTTCTGGGCAAGATCTGGCC
CAGCTACAAGGGCCGCCCCGGCAACTTCTGCAGAGCCGCCCCGAGCCACCGCCCCCCC
CGAGGAGAGCTTCCGCTTCGGCGAGGAGAAGACCACCCCGAGCCAGAAGCAGGAGCCCAT
CGACAAGGAGCTGTACCCCTGACCAGCCTGCGCAGCCTGTTGCGCAACGACCCAGCAG
CCAGTAAGAATTGAGACTCGAGCAAGTCTAGA

FIG. 63B

(SEQ ID NO:75)

76 / 131

gp160.modSF162.delV2.gag.modSF2

GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCTGCTGTGTGGA
GCAGTCTTCGTTTCGCCCAGCGCCGTGGAGAAGCTGTGGGTGACCGTGTAACGGCGTG
CCCGTGTGGAAGGAGGCCACCACCACCCTGTTCTGCGCCAGCGACGCCAAGGCCTACGAC
ACCGAGGTGCACAACGTGTGGGCCACCCACGCCTGCGTGGCCACCGACCCCAACCCCCAG
GAGATCGTGCTGGAGAACGTGACCGAGAACTTCAACATGTGGAAGAACAACATGGTGGAG
CAGATGCACGAGGACATCATCAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG
ACCCCCCTGTGCGTGACCCCTGCACTGCACCAACCTGAAGAACGCCACCAACACCAAGAGC
AGCAACTGGAAGGAGATGGACCGCGGCGAGATCAAGAACTGCAGCTTCAAGGTGGGCGCC
GGCAAGCTGATCAACTGCAACACCAGCGTGATCACCAGGCCTGCCCAAGGTGAGCTTC
GAGCCCATCCCCATCCACTACTGCGCCCCCGCGGCTTCGCCATCCTGAAGTGCAACGAC
AAGAAGTTCAACGGCAGCGGCCCTGCACCAACGTGAGCACCGTGCACTGCACCCACGGC
ATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGTG
GTGATCCGCAGCGAGAACTTCAACGACAACGCCAAGACCATCATCGTGCACTGAAGGAG
AGCGTGGAGATCAACTGCACCCGCCCCAACAAACACCCGCAAGAGCATCACCATCGGC
CCCCGCGCGCCTTCTACGCCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTGC
AACATCAGCGGCGAGAAGTGGAACAACACCCTGAAGCAGATCGTGACCAAGCTGCAGGCC
CAGTTCGGCAACAAGACCATCGTGTTCAAGCAGAGCAGCGGCGGCGACCCCGAGATCGTG
ATGCACAGCTTCAACTGCGGCGGCGAGTTCTTCTACTGCAACAGCACCCAGCTGTTCAAC
AGCACCTGGAACAACACCATCGGCCCCAACAAACACCAACGGCACCATCACCTGCCCTGC
CGCATCAAGCAGATCATCAACCGCTGGCAGGAGGTGGGCAAGGCCATGTACGCCCCCCCC
ATCCGCGGCGCAGATCCGCTGCAGCAGCAACATCACCGGCCTGCTGCTGACCCGCGACGGC
GGCAAGGAGATCAGCAACACCACCGAGATCTTCCGCCCCGGCGGCGGCGACATGCGCGAC
AACTGGCGCAGCGAGCTGTACAAGTACAAGGTGGTGAAGATCGAGCCCCTGGGCGTGGCC
CCCACCAAGGCCAAGCGCGCGCTGGTGACGCGGAGAAGCGCGCCGTGACCCCTGGGCGCC
ATGTTCTTGGGCTTCTTGGGCGCGCGCGGCGAGCACCATGGGCGCCCGCAGCCTGACCCTG
ACCGTGCAAGGCCCGCCAGCTGCTGAGCGGCATCGTGACAGCAGCAACAACCTGCTGCGC
GCCATCGAGGCCCGCAGCAGCCTGCTGCAGCTGACCGTGTGGGGCATCAAGCAGCTGCAG
GCCCCGCTGCTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGC
TGCAGCGGCAAGCTGATCTGCACCAACCGCCGTGCCCTGGAACGCCAGCTGGAGCAACAAG
AGCCTGGACCAGATCTGGAACAACATGACCTGGATGGAGTGGGAGCGCGAGATCGACAAC
TACACCAACCTGATCTACACCCTGATCGAGGAGAGCCAGAACCAGCAGGAGAAGAACGAG
CAGGAGETGETGGAGCTGGACAAGTGGGCCAGCCTGTGGAAGTGGTTCGACATCAGCAAG
TGGCTGTGGTACATCAAGATCTTCATCATGATCGTGGGCGGCCTGGTGGGCCTGCGCATC
GTGTTACCCGTGCTGAGCATCGTGAACCGCGTGCGCCAGGGCTACAGCCCCCTGAGCTTC
CAGACCCGCTTCCCCGCCCCCGCGGCCCGACCGCCCCGAGGGCATCGAGGAGGAGGGC
GGCGAGCGCGACCGCGACCGCAGCAGCCCCCTGGTGACGGCCTGCTGGCCCTGATCTGG
GACGACCTGCGCAGCCTGTGCCTGTTCACTACCAACCGCCTGCGCGACCTGATCCTGATC
GCCGCCCCGATCGTGGAGCTGCTGGGCCCGCGCGCTGGGAGGCCCTGAAGTACTGGGGC
AACCTGCTGCAGTACTGGATCCAGGAGCTGAAGAACAGCGCCGTGAGCCTGTTTCGACGCC
ATCGCCATCGCCGTGGCCGAGGGCACCGACCGCATCATCGAGGTGGCCCAGCGCATCGGC
CGCGCCTTCTGACATCCCCCGCGCATCCGCCAGGGCTTCGAGCGCGCCCTGCTGTAA
CTCGAGCAAGTCTAGAGAATTCGCCCCCCCCCCCCCCCCCCCCCTCTCCCTCCCCCCCCC
TAACGTTACTGGCCGAAGCCGCTTGAATAAGGCCGTGTGCGTTTGTCTATATGTTATT
TTCCACCATATTGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTT

FIG. 64A

(SEQ ID NO:76)

77 / 131

GACGAGCATTCTAGGGGTCTTTCCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGT
CGTGAAGGAAGCAGTTCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCGACCCT
TTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAAAGCCACGTGT
ATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTGTGAGTTGGATAGTTGT
GGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAAGGGGCTGAAGGATGCCCAGAA
GGTACCCCATTTGTATGGGATCTGATCTGGGGCCTCGGTGCACATGCTTTACATGTGTTTA
GTCGAGGTTAAAAAACGTCTAGGCCCCCGAACCACGGGGACGTGGTTTTCTTTGAAA
AACACGATAATACCATGGGCGCCCGCGCCAGCGTGCTGAGCGGCGGCGAGCTGGACAAGT
GGGAGAAGATCCGCTGCGCCCCGCGCGGCAAGAAGAAGTACAAGCTGAAGCACATCGTGT
GGGCCAGCCGCGAGCTGGAGCGCTTCGCGGTGAACCCCGGCCTGCTGGAGACCAGCGAGG
GCTGCGCGCCAGATCCTGGGCGCAGCTGCAGCCCAGCCTGCAGACCGGCAGCGAGGAGCTGC
GCAGCCTGTACAACACCGTGGCCACCCTGTACTGCGTGCACCAGCGCATCGACGTCAAGG
ACACCAAGGAGGCCCTGGAGAAGATCGAGGAGGAGCAGAACAAGTCCAAGAAGAAGGCCC
AGCAGGCCCGCCGCGCCCGCGGCCACCGGCAACAGCAGCCAGGTGAGCCAGAATAACCCCA
TCGTGCAGAACCTGCAGGGCCAGATGGTGCACCAGGCCATCAGCCCCCGCACCCCTGAACG
CCTGGGTGAAGGTGGTGGAGGAGAAGGCCTTCAGCCCCGAGGTGATCCCCATGTTTCAGCG
CCCTGAGCGAGGGCGCCACCCCCCAGGACCTGAACACGATGTTGAACACCGTGGGCGGCC
ACCAGGCCCGCATGCAGATGCTGAAGGAGACCATCAACGAGGAGGCCCGCGAGTGGGACC
GCGTGCACCCCGTGCACGCGCGCCCATCGCCCCCGGCCAGATGCGCGAGCCCCGCGGCA
GCGACATCGCCGGCACCAACAGCACCCCTGCAGGAGCAGATCGGCTGGATGACCAACAACC
CCCCCATCCCCGTGGGCGAGATCTACAAGCGGTGGATCATCCTGGGCCTGAACAAGATCG
TGCGGATGTACAGCCCCACAGCATCCTGGACATCCGCCAGGGCCCCAAGGAGCCCTTCC
GCGACTACGTGGACCGCTTCTACAAGACCCTGCGCGCTGAGCAGGCCAGCCAGGACGTGA
AGAACTGGATGACCGAGACCCTGCTGGTGCAGAACGCCAACCCCGACTGCAAGACCATCC
TGAAGGCTCTCGGCCCCGCGGCCACCCTGGAGGAGATGATGACCGCTGCCAGGGCGTGG
GCGGCCCCCGGCCACAAGGCCCGCGTGCTGGCCGAGGCGATGAGCCAGGTGACGAACCCGG
CGACCATCATGATGCAGCGCGGCAACTTCCGCAACCAGCGGAAGACCGTCAAGTGCTTCA
ACTGCGGCAAGGAGGGCCACACCGCCAGGAAGTCCCGCGCCCCCGCAAGAAGGGCTGCT
GGCGCTGCGGCGCGAGGGCCACCAGATGAAGGACTGCACCGAGCGCCAGGCCAACTTCC
TGGGCAAGATCTGGCCCAGCTACAAGGGCCGCCCCGGCAACTTCTGTCAGAGCCGCCCCG
AGCCCCACCGCCCCCCCCGAGGAGAGCTTCCGCTTCGGCGAGGAGAAGACCCCCCAGCC
AGAAGCAGGAGCCCATCGACAAGGAGCTGTACCCCTGACCAGCCTGCGCAGCCTGTTTCG
GCAACGACCCACGACCGAGTAAGAATTCAGACTCGAGCAAGTCTAGA

FIG. 64B

(SEQ ID NO:76)




FIG. 65C



FIG. 65B



FIG. 65A




FIG. 65F



FIG. 65E



FIG. 65D

79 / 131

50

1

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

(1) GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCTGTGTGCTGCT

51

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

(51) GCTGTGTGGAGCAGTCTTCGTTTCGCCACAGGCCGTGGAGAAGCTGTGGG

101

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

(101) TGACCGTGTACTACGGCGTGCCCGTGTGGAAGGAGGCCACCCACCCCTG

Consensus

gp160.modSF162

gp160.modSF162.delV2

gp160.modSF162.delV1V2

gp140.modSF162

gp140.mut.modSF162

gp140.mut7.modSF162

gp140.mut8.modSF162

gp120.modSF162

Consensus

gp160.modSF162

gp160.modSF162.delV2

gp160.modSF162.delV1V2

gp140.modSF162

gp140.mut.modSF162

gp140.mut7.modSF162

gp140.mut8.modSF162

gp120.modSF162

Consensus

gp160.modSF162

gp160.modSF162.delV2

gp160.modSF162.delV1V2

gp140.modSF162

gp140.mut.modSF162

gp140.mut7.modSF162

gp140.mut8.modSF162

gp120.modSF162

Consensus

FIG. 66A-1

80 / 131

[illegible]

FIG. 66A-2

gp120.modSF162	(251)	TGGAGAACGTGACCGAGAACTTCAACATGTGGAAGAACAAACATGGTGGAG	350
Consensus	(251)	TGGAGAACGTGACCGAGAACTTCAACATGTGGAAGAACAAACATGGTGGAG	350
gp160.modSF162	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
gp160.modSF162.delV2	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
gp160.modSF162.delV1V2	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
gp140.modSF162	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
gp140.mut.modSF162	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
gp140.mut7.modSF162	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
gp140.mut8.modSF162	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
gp120.modSF162	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
Consensus	(301)	CAGATGCACGAGGACATCATCAGCCTGTGGGACCCAGAGCCCTGAAGCCCTG	301
gp160.modSF162	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
gp160.modSF162.delV2	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
gp160.modSF162.delV1V2	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
gp140.modSF162	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
gp140.mut.modSF162	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
gp140.mut7.modSF162	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
gp140.mut8.modSF162	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
gp120.modSF162	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
Consensus	(351)	CGTGAAGCTGACCCCTGTGCGTGACCTGCACCTGCACCAACCTGAAGA	351
gp160.modSF162	(401)	ACGCCACCAACACCAAGAGCAGCAACTGGAAGGAGATGGACCGCGCGGAG	401
gp160.modSF162.delV2	(401)	ACGCCACCAACACCAAGAGCAGCAACTGGAAGGAGATGGACCGCGCGGAG	401
gp160.modSF162.delV1V2	(375)	-----	401
gp140.modSF162	(401)	ACGCCACCAACACCAAGAGCAGCAACTGGAAGGAGATGGACCGCGCGGAG	401
gp140.mut.modSF162	(401)	ACGCCACCAACACCAAGAGCAGCAACTGGAAGGAGATGGACCGCGCGGAG	401
gp140.mut7.modSF162	(401)	ACGCCACCAACACCAAGAGCAGCAACTGGAAGGAGATGGACCGCGCGGAG	401
gp140.mut8.modSF162	(401)	ACGCCACCAACACCAAGAGCAGCAACTGGAAGGAGATGGACCGCGCGGAG	401
gp120.modSF162	(401)	ACGCCACCAACACCAAGAGCAGCAACTGGAAGGAGATGGACCGCGCGGAG	401
Consensus	(401)	ACGCCACCAACACCAAGAGCAGCAACTGGAAGGAGATGGACCGCGCGGAG	401

FIG. 66A-3

82 / 131

gp160.modSF162
gp160.modSF162.delV2
gp160.modSF162.delV1V2
gp140.modSF162
gp140.mut.modSF162
gp140.mut7.modSF162
gp140.mut8.modSF162
gp120.modSF162
Consensus

gp160.modSF162
gp160.modSF162.delV2
gp160.modSF162.delV1V2
gp140.modSF162
gp140.mut.modSF162
gp140.mut7.modSF162
gp140.mut8.modSF162
gp120.modSF162
Consensus

gp160.modSF162
gp160.modSF162.delV2
gp160.modSF162.delV1V2
gp140.modSF162
gp140.mut.modSF162
gp140.mut7.modSF162
gp140.mut8.modSF162
gp120.modSF162
Consensus

451 ATCAAGAACTGCAGCTTCAAGGTGACCAACCAGCATCCGCAACAAGATGCA 500
(451) ATCAAGAACTGCAGCTTCAAGGTGGG-----GGC-----
(376) ATCAAGAACTGCAGCTTCAAGGTGACCAACCAGCATCCGCAACAAGATGCA
(451) ATCAAGAACTGCAGCTTCAAGGTGACCAACCAGCATCCGCAACAAGATGCA
(451) ATCAAGAACTGCAGCTTCAAGGTGACCAACCAGCATCCGCAACAAGATGCA
(451) ATCAAGAACTGCAGCTTCAAGGTGACCAACCAGCATCCGCAACAAGATGCA
(451) ATCAAGAACTGCAGCTTCAAGGTGACCAACCAGCATCCGCAACAAGATGCA
(451) ATCAAGAACTGCAGCTTCAAGGTGACCAACCAGCATCCGCAACAAGATGCA
(451) ATCAAGAACTGCAGCTTCAAGGTGACCAACCAGCATCCGCAACAAGATGCA 550
501 GAAGGAGTACGCCCTGTTCTACAAGCTGGACGTGGTGTGCCCCATCGACAACG
(501) -----GCC-----GG-----
(478) -----GCC-----GG-----
(379) -----GCC-----GG-----
(501) GAAGGAGTACGCCCTGTTCTACAAGCTGGACGTGGTGTGCCCCATCGACAACG
(501) GAAGGAGTACGCCCTGTTCTACAAGCTGGACGTGGTGTGCCCCATCGACAACG
(501) GAAGGAGTACGCCCTGTTCTACAAGCTGGACGTGGTGTGCCCCATCGACAACG
(501) GAAGGAGTACGCCCTGTTCTACAAGCTGGACGTGGTGTGCCCCATCGACAACG
(501) GAAGGAGTACGCCCTGTTCTACAAGCTGGACGTGGTGTGCCCCATCGACAACG
(501) GAAGGAGTACGCCCTGTTCTACAAGCTGGACGTGGTGTGCCCCATCGACAACG
(501) GAAGGAGTACGCCCTGTTCTACAAGCTGGACGTGGTGTGCCCCATCGACAACG 600
551 ACAACACCAGCTACAAGCTGATCAACTGCAACACCAACAGCGGTGATCACCCAG
(551) -----CAAGCTGATCAACTGCAACACCAACAGCGGTGATCACCCAG
(492) -----CAACTGCCAGACCAACAGCGGTGATCACCCAG
(384) ACAACACCAGCTACAAGCTGATCAACTGCAACACCAACAGCGGTGATCACCCAG
(551) ACAACACCAGCTACAAGCTGATCAACTGCAACACCAACAGCGGTGATCACCCAG
(551) ACAACACCAGCTACAAGCTGATCAACTGCAACACCAACAGCGGTGATCACCCAG

FIG. 66A-4

gp140.mut7.modSF162
 gp140.mut8.modSF162
 gp120.modSF162
 Consensus
 gp160.modSF162
 gp160.modSF162.delV2
 gp160.modSF162.delV1V2
 gp140.modSF162
 gp140.mut.modSF162
 gp140.mut7.modSF162
 gp140.mut8.modSF162
 gp120.modSF162
 Consensus
 gp160.modSF162
 gp160.modSF162.delV2
 gp160.modSF162.delV1V2
 gp140.modSF162
 gp140.mut.modSF162
 gp140.mut7.modSF162
 gp140.mut8.modSF162
 gp120.modSF162
 Consensus
 gp160.modSF162
 gp160.modSF162.delV2
 gp160.modSF162.delV1V2
 gp140.modSF162
 gp140.mut.modSF162
 gp140.mut7.modSF162
 gp140.mut8.modSF162
 gp120.modSF162
 Consensus

(551) ACAACACAGCTACAAGCTGATCAACTGCAACACACAGCGTGATCACCCAG
 (551) ACAACACAGCTACAAGCTGATCAACTGCAACACACAGCGTGATCACCCAG
 (551) ACAACACAGCTACAAGCTGATCAACTGCAACACACAGCGTGATCACCCAG
 (551) ACAACACAGCTACAAGCTGATCAACTGCAACACACAGCGTGATCACCCAG
 650
 (601) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 (520) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 (412) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 (601) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 (601) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 (601) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 (601) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 (601) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 (601) GCTGCCCCAAGGTGAGCTTCGAGGCCATCCCATCCACTACTGCGCCCC
 700
 (651) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (570) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (462) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (651) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (651) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (651) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (651) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (651) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (651) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 (651) CGCGGGCTTCGCCATCCTGAAGTGCAACGACAGAAGTTCAACGGCAGCG
 750
 (701) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (620) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (512) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (701) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (701) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (701) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (701) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (701) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (701) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC
 (701) GCGCTGCACCAACGTGAGCACCGTGAGTGACACCGCATCCCGCCCC

FIG. 66A-5

751
 (751) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT 800
 (670) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT
 (562) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT
 (751) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT
 (751) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT
 (751) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT
 (751) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT
 (751) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT
 (751) GTGGTGAGCACCAGCTGCTGCTGAACGGCAGCCTGGCCGAGGAGGGCGT 850
 801
 (801) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC
 (720) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC
 (612) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC
 (801) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC
 (801) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC
 (801) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC
 (801) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC
 (801) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC
 (801) GGTGATCCGCGAGCGAGAACTTACCGGACAAACGCCAAGACCATCATCGTGC 900
 851
 (851) AGCTGAAGGAGAGCGGTGGAGATCAACTGCACCCGCCCAACAAACACACC
 (770) AGCTGAAGGAGAGCGGTGGAGATCAACTGCACCCGCCCAACAAACACACC
 (662) AGCTGAAGGAGAGCGGTGGAGATCAACTGCACCCGCCCAACAAACACACC

gp160.modSF162
 gp160.modSF162.delV2
 gp160.modSF162.delV1V2
 gp140.modSF162
 gp140.mut.modSF162
 gp140.mut7.modSF162
 gp140.mut8.modSF162
 gp120.modSF162
 Consensus

gp160.modSF162
 gp160.modSF162.delV2
 gp160.modSF162.delV1V2
 gp140.modSF162
 gp140.mut.modSF162
 gp140.mut7.modSF162
 gp140.mut8.modSF162
 gp120.modSF162
 Consensus

gp160.modSF162
 gp160.modSF162.delV2
 gp160.modSF162.delV1V2

FIG. 66A-6

85 / 131

gp140.modSF162	(851)	AGCTGAAGGAGAGCGTGGAGATCAACTGCACCCCGCCCCCAACAACACACC
gp140.mut.modSF162	(851)	AGCTGAAGGAGAGCGTGGAGATCAACTGCACCCCGCCCCCAACAACACACC
gp140.mut7.modSF162	(851)	AGCTGAAGGAGAGCGTGGAGATCAACTGCACCCCGCCCCCAACAACACACC
gp140.mut8.modSF162	(851)	AGCTGAAGGAGAGCGTGGAGATCAACTGCACCCCGCCCCCAACAACACACC
gp120.modSF162	(851)	AGCTGAAGGAGAGCGTGGAGATCAACTGCACCCCGCCCCCAACAACACACC
Consensus	901	950
gp160.modSF162	(901)	CGCAAGAGCATCACCATCGGCCCGCGCGGCGCTTCTACGCCACCGGCGA
gp160.modSF162.delV2	(820)	CGCAAGAGCATCACCATCGGCCCGCGCGGCGCTTCTACGCCACCGGCGA
gp160.modSF162.delV1V2	(712)	CGCAAGAGCATCACCATCGGCCCGCGCGGCGCTTCTACGCCACCGGCGA
gp140.modSF162	(901)	CGCAAGAGCATCACCATCGGCCCGCGCGGCGCTTCTACGCCACCGGCGA
gp140.mut.modSF162	(901)	CGCAAGAGCATCACCATCGGCCCGCGCGGCGCTTCTACGCCACCGGCGA
gp140.mut7.modSF162	(901)	CGCAAGAGCATCACCATCGGCCCGCGCGGCGCTTCTACGCCACCGGCGA
gp140.mut8.modSF162	(901)	CGCAAGAGCATCACCATCGGCCCGCGCGGCGCTTCTACGCCACCGGCGA
gp120.modSF162	(901)	CGCAAGAGCATCACCATCGGCCCGCGCGGCGCTTCTACGCCACCGGCGA
Consensus	951	1000
gp160.modSF162	(951)	CATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGT
gp160.modSF162.delV2	(870)	CATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGT
gp160.modSF162.delV1V2	(762)	CATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGT
gp140.modSF162	(951)	CATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGT
gp140.mut.modSF162	(951)	CATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGT
gp140.mut7.modSF162	(951)	CATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGT
gp140.mut8.modSF162	(951)	CATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGT
gp120.modSF162	(951)	CATCATCGGCGACATCCGCCAGGCCCACTGCAACATCAGCGGCGAGAAGT
Consensus	(951)	

FIG. 66A-7

86 / 131

gp160.modSF162	(1001)	GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC	1001	1050
gp160.modSF162.delV2	(920)	GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC		
gp160.modSF162.delV1V2	(812)	GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC		
gp140.modSF162	(1001)	GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC		
gp140.mut.modSF162	(1001)	GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC		
gp140.mut7.modSF162	(1001)	GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC		
gp140.mut8.modSF162	(1001)	GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC		
gp120.modSF162	(1001)	GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC		
Consensus		GGAACAACACCCCTGAAGCAGATCGTGACCAAGCTGCAGGCCAGTTTCGGC	1100	
gp160.modSF162	(1051)	AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT	1051	
gp160.modSF162.delV2	(970)	AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT		
gp160.modSF162.delV1V2	(862)	AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT		
gp140.modSF162	(1051)	AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT		
gp140.mut.modSF162	(1051)	AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT		
gp140.mut7.modSF162	(1051)	AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT		
gp140.mut8.modSF162	(1051)	AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT		
gp120.modSF162	(1051)	AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT		
Consensus		AACAAGACCATCGTGTTCAGCAGAGCAGCGCGGCGGACCCCGAGATCGT	1150	
gp160.modSF162	(1101)	GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC	1101	
gp160.modSF162.delV2	(1020)	GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC		
gp160.modSF162.delV1V2	(912)	GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC		
gp140.modSF162	(1101)	GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC		
gp140.mut.modSF162	(1101)	GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC		
gp140.mut7.modSF162	(1101)	GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC		
gp140.mut8.modSF162	(1101)	GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC		
gp120.modSF162	(1101)	GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC		
Consensus		GATGCACAGCTTCAACTGCGGGCGGAGTTCTTCTACTGCAACAGCACCC	1200	
gp160.modSF162	(1151)	AGCTGTTCACACAGCACCTGGACACACACCATCGGCCCCCAACACCAAC	1151	

FIG. 66A-8

87 / 131

gp160.modSF162.delV2	(1070)	AGCTGTTCAACAGCACCTTGGAAACAACACCATCGGCCCAACAAACACCAAC	1250
gp160.modSF162.delV1V2	(962)	AGCTGTTCAACAGCACCTTGGAAACAACACCATCGGCCCAACAAACACCAAC	
gp140.modSF162	(1151)	AGCTGTTCAACAGCACCTTGGAAACAACACCATCGGCCCAACAAACACCAAC	
gp140.modSF162	(1151)	AGCTGTTCAACAGCACCTTGGAAACAACACCATCGGCCCAACAAACACCAAC	
gp140.modSF162	(1151)	AGCTGTTCAACAGCACCTTGGAAACAACACCATCGGCCCAACAAACACCAAC	
gp140.modSF162	(1151)	AGCTGTTCAACAGCACCTTGGAAACAACACCATCGGCCCAACAAACACCAAC	
gp140.modSF162	(1151)	AGCTGTTCAACAGCACCTTGGAAACAACACCATCGGCCCAACAAACACCAAC	
gp120.modSF162	(1151)	AGCTGTTCAACAGCACCTTGGAAACAACACCATCGGCCCAACAAACACCAAC	
Consensus	1201	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp160.modSF162	(1201)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp160.modSF162.delV2	(1120)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp160.modSF162.delV1V2	(1012)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp140.modSF162	(1201)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp140.modSF162	(1201)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp140.modSF162	(1201)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp140.modSF162	(1201)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp140.modSF162	(1201)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
gp120.modSF162	(1201)	GGCACCATCACCCCTGCCCTGCCGATCAAGCAGATCATCAACCGCTGGCA	
Consensus	1251	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp160.modSF162	(1251)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp160.modSF162.delV2	(1170)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp160.modSF162.delV1V2	(1062)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp140.modSF162	(1251)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp140.modSF162	(1251)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp140.modSF162	(1251)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp140.modSF162	(1251)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp140.modSF162	(1251)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp140.modSF162	(1251)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
gp120.modSF162	(1251)	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	
Consensus	1300	GGAGGTGGGCAAGGCCATGTACGCCCCCCCCCATCCGGCGCCAGATCCGCT	

FIG. 66A-9

88 / 131

gp160.modSF162	(1301)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	1350
gp160.modSF162.delV2	(1220)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	
gp160.modSF162.delV1V2	(1112)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	
gp140.modSF162	(1301)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	
gp140.mut.modSF162	(1301)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	
gp140.mut7.modSF162	(1301)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	
gp140.mut8.modSF162	(1301)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	
gp120.modSF162	(1301)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	
Consensus	(1301)	GCAGCAGCAACATCACCGGCCTGCTGCTGACCCCGGACGCGGCAAGGAG	1400
gp160.modSF162	(1351)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	
gp160.modSF162.delV2	(1270)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	
gp160.modSF162.delV1V2	(1162)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	
gp140.modSF162	(1351)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	
gp140.mut.modSF162	(1351)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	
gp140.mut7.modSF162	(1351)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	
gp140.mut8.modSF162	(1351)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	
gp120.modSF162	(1351)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	
Consensus	(1351)	ATCAGCAACACCAACCGAGATCTTCCGCCCGGCGGCGGCGACATGCGCGA	1450
gp160.modSF162	(1401)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	
gp160.modSF162.delV2	(1320)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	
gp160.modSF162.delV1V2	(1212)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	
gp140.modSF162	(1401)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	
gp140.mut.modSF162	(1401)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	
gp140.mut7.modSF162	(1401)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	
gp140.mut8.modSF162	(1401)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	
gp120.modSF162	(1401)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	
Consensus	(1401)	CAACTGGCGCAGCGAGCTGTACAAGTACAAGTGAAGATCGAGCCCC	

FIG. 66A-10

89 / 131

gp160.modSF162	(1451)	TGGCGTGGCCCCACCAAGGCCAAGCGCGCGTGGTGCAGCGCGAGAAG	1500
gp160.modSF162.delV2	(1370)	TGGCGTGGCCCCACCAAGGCCAAGCGCGCGTGGTGCAGCGCGAGAAG	
gp160.modSF162.delV1V2	(1262)	TGGCGTGGCCCCACCAAGGCCAAGCGCGCGTGGTGCAGCGCGAGAAG	
gp140.modSF162	(1451)	TGGCGTGGCCCCACCAAGGCCAAGCGCGCGTGGTGCAGCGCGAGAAG	
gp140.mut.modSF162	(1451)	TGGCGTGGCCCCACCAAGGCCAAGCGCGCGTGGTGCAGCGCGAGAAG	
gp140.mut7.modSF162	(1451)	TGGCGTGGCCCCACCAAGGCCAAGCGCGCGTGGTGCAGCGCGAGAAG	
gp140.mut8.modSF162	(1451)	TGGCGTGGCCCCACCAAGGCCAAGCGCGCGTGGTGCAGCGCGAGAAG	
gp120.modSF162	(1451)	TGGCGTGGCCCCACCAAGGCCAAGCGCGCGTGGTGCAGCGCGAGAAG	
Consensus			1550
gp160.modSF162	(1501)	CGGCGGTGACCCCTGGGCGCCATGTTCTGGGCTTCCTGGGCGCGCCGG	
gp160.modSF162.delV2	(1420)	CGGCGGTGACCCCTGGGCGCCATGTTCTGGGCTTCCTGGGCGCGCCGG	
gp160.modSF162.delV1V2	(1312)	CGGCGGTGACCCCTGGGCGCCATGTTCTGGGCTTCCTGGGCGCGCCGG	
gp140.modSF162	(1501)	CGGCGGTGACCCCTGGGCGCCATGTTCTGGGCTTCCTGGGCGCGCCGG	
gp140.mut.modSF162	(1501)	AGCGCGTGACCCCTGGGCGCCATGTTCTGGGCTTCCTGGGCGCGCCGG	
gp140.mut7.modSF162	(1501)	AGCGCGTGACCCCTGGGCGCCATGTTCTGGGCTTCCTGGGCGCGCCGG	
gp140.mut8.modSF162	(1501)	AGCGCGTGACCCCTGGGCGCCATGTTCTGGGCTTCCTGGGCGCGCCGG	
gp120.modSF162	(1501)	CGC-----TAACTCGAG-----	
Consensus			1600
gp160.modSF162	(1551)	CAGACCATGGGCGCGCCGAGCCTGACCCCTGACCGTGCAGGCCCGCCAGC	
gp160.modSF162.delV2	(1470)	CAGACCATGGGCGCGCCGAGCCTGACCCCTGACCGTGCAGGCCCGCCAGC	
gp160.modSF162.delV1V2	(1362)	CAGACCATGGGCGCGCCGAGCCTGACCCCTGACCGTGCAGGCCCGCCAGC	
gp140.modSF162	(1551)	CAGACCATGGGCGCGCCGAGCCTGACCCCTGACCGTGCAGGCCCGCCAGC	
gp140.mut.modSF162	(1551)	CAGACCATGGGCGCGCCGAGCCTGACCCCTGACCGTGCAGGCCCGCCAGC	
gp140.mut7.modSF162	(1551)	CAGACCATGGGCGCGCCGAGCCTGACCCCTGACCGTGCAGGCCCGCCAGC	
gp140.mut8.modSF162	(1551)	CAGACCATGGGCGCGCCGAGCCTGACCCCTGACCGTGCAGGCCCGCCAGC	
gp120.modSF162	(1513)	-----	
Consensus		CAGACCATGGGCGCGCCGAGCCTGACCCCTGACCGTGCAGGCCCGCCAGC	

FIG. 66A-11

90 / 131

gp160.modSF162	(1601)	1601	TGCTGAGCGGCATCGTGCAGCAGCAGAGAACCAACCTGCTGCGGCCCATCGAG	1650
gp160.modSF162.delV2	(1520)		TGCTGAGCGGCATCGTGCAGCAGCAGAGAACCAACCTGCTGCGGCCCATCGAG	
gp160.modSF162.delV1V2	(1412)		TGCTGAGCGGCATCGTGCAGCAGCAGAGAACCAACCTGCTGCGGCCCATCGAG	
gp140.modSF162	(1601)		TGCTGAGCGGCATCGTGCAGCAGCAGAGAACCAACCTGCTGCGGCCCATCGAG	
gp140.mut.modSF162	(1601)		TGCTGAGCGGCATCGTGCAGCAGCAGAGAACCAACCTGCTGCGGCCCATCGAG	
gp140.mut7.modSF162	(1601)		TGCTGAGCGGCATCGTGCAGCAGCAGAGAACCAACCTGCTGCGGCCCATCGAG	
gp140.mut8.modSF162	(1601)		TGCTGAGCGGCATCGTGCAGCAGCAGAGAACCAACCTGCTGCGGCCCATCGAG	
gp120.modSF162	(1513)		-----	
Consensus	(1601)		TGCTGAGCGGCATCGTGCAGCAGCAGAGAACCAACCTGCTGCGGCCCATCGAG	1700
gp160.modSF162	(1651)	1651	GCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCA	
gp160.modSF162.delV2	(1570)		GCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCA	
gp160.modSF162.delV1V2	(1462)		GCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCA	
gp140.modSF162	(1651)		GCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCA	
gp140.mut.modSF162	(1651)		GCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCA	
gp140.mut7.modSF162	(1651)		GCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCA	
gp140.mut8.modSF162	(1651)		GCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCA	
gp120.modSF162	(1513)		-----	
Consensus	(1651)		GCCCAGCAGCACCTGCTGCAGCTGACCGTGTTGGGGCATCAAGCAGCTGCA	1750
gp160.modSF162	(1701)	1701	GGCCCCGGTGTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGG	
gp160.modSF162.delV2	(1620)		GGCCCCGGTGTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGG	
gp160.modSF162.delV1V2	(1512)		GGCCCCGGTGTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGG	
gp140.modSF162	(1701)		GGCCCCGGTGTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGG	
gp140.mut.modSF162	(1701)		GGCCCCGGTGTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGG	
gp140.mut7.modSF162	(1701)		GGCCCCGGTGTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGG	
gp140.mut8.modSF162	(1701)		GGCCCCGGTGTGGCCGTGGAGCGCTACCTGAAGGACCAGCAGCTGCTGG	

FIG. 66A-12

gp120.modSF162	(1513)	-----	-----	1800
Consensus	(1701)	GGCCCGCTGCTGGCCGTGGAGCGCTACCTGAAGGACCAGAGCTGCTGG		
gp160.modSF162	(1751)	GCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACACCCGCCGTGCCCTGG		
gp160.modSF162.delV2	(1670)	GCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACACCCGCCGTGCCCTGG		
gp160.modSF162.delV1V2	(1562)	GCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACACCCGCCGTGCCCTGG		
gp140.modSF162	(1751)	GCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACACCCGCCGTGCCCTGG		
gp140.mut.modSF162	(1751)	GCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACACCCGCCGTGCCCTGG		
gp140.mut7.modSF162	(1751)	GCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACACCCGCCGTGCCCTGG		
gp140.mut8.modSF162	(1751)	GCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACACCCGCCGTGCCCTGG		
gp120.modSF162	(1513)	-----	-----	
Consensus	(1751)	GCATCTGGGGCTGCAGCGGCAAGCTGATCTGCACACCCGCCGTGCCCTGG		1850
gp160.modSF162	(1801)	AACGCCAGCTGGAGCAACAAGAGCCCTGGACCAGATCTGGAACAACATGAC		
gp160.modSF162.delV2	(1720)	AACGCCAGCTGGAGCAACAAGAGCCCTGGACCAGATCTGGAACAACATGAC		
gp160.modSF162.delV1V2	(1612)	AACGCCAGCTGGAGCAACAAGAGCCCTGGACCAGATCTGGAACAACATGAC		
gp140.modSF162	(1801)	AACGCCAGCTGGAGCAACAAGAGCCCTGGACCAGATCTGGAACAACATGAC		
gp140.mut.modSF162	(1801)	AACGCCAGCTGGAGCAACAAGAGCCCTGGACCAGATCTGGAACAACATGAC		
gp140.mut7.modSF162	(1801)	AACGCCAGCTGGAGCAACAAGAGCCCTGGACCAGATCTGGAACAACATGAC		
gp140.mut8.modSF162	(1801)	AACGCCAGCTGGAGCAACAAGAGCCCTGGACCAGATCTGGAACAACATGAC		
gp120.modSF162	(1513)	-----	-----	
Consensus	(1801)	AACGCCAGCTGGAGCAACAAGAGCCCTGGACCAGATCTGGAACAACATGAC		1900
gp160.modSF162	(1851)	CTGGATGGAGTGGGAGCGGAGATCGACAACCTACACCAACCTGATCTACA		
gp160.modSF162.delV2	(1770)	CTGGATGGAGTGGGAGCGGAGATCGACAACCTACACCAACCTGATCTACA		
gp160.modSF162.delV1V2	(1662)	CTGGATGGAGTGGGAGCGGAGATCGACAACCTACACCAACCTGATCTACA		
gp140.modSF162	(1851)	CTGGATGGAGTGGGAGCGGAGATCGACAACCTACACCAACCTGATCTACA		
gp140.mut.modSF162	(1851)	CTGGATGGAGTGGGAGCGGAGATCGACAACCTACACCAACCTGATCTACA		
gp140.mut7.modSF162	(1851)	CTGGATGGAGTGGGAGCGGAGATCGACAACCTACACCAACCTGATCTACA		
gp140.mut8.modSF162	(1851)	CTGGATGGAGTGGGAGCGGAGATCGACAACCTACACCAACCTGATCTACA		
gp120.modSF162	(1513)	-----	-----	
Consensus	(1851)	CTGGATGGAGTGGGAGCGGAGATCGACAACCTACACCAACCTGATCTACA		

FIG. 66A-13

92/131

			1950
			1901
gp160.modSF162	(1901)	CCCTGATCGAGGAGGCCAGAACCCAGCAGGAGAGAAACGAGCAGGAGCTG	
gp160.modSF162.delV2	(1820)	CCCTGATCGAGGAGAGGCCAGAACCCAGCAGGAGAGAAACGAGCAGGAGCTG	
gp160.modSF162.delV1V2	(1712)	CCCTGATCGAGGAGAGGCCAGAACCCAGCAGGAGAGAAACGAGCAGGAGCTG	
gp140.modSF162	(1901)	CCCTGATCGAGGAGAGGCCAGAACCCAGCAGGAGAGAAACGAGCAGGAGCTG	
gp140.mut.modSF162	(1901)	CCCTGATCGAGGAGAGGCCAGAACCCAGCAGGAGAGAAACGAGCAGGAGCTG	
gp140.mut7.modSF162	(1901)	CCCTGATCGAGGAGAGGCCAGAACCCAGCAGGAGAGAAACGAGCAGGAGCTG	
gp140.mut8.modSF162	(1901)	CCCTGATCGAGGAGAGGCCAGAACCCAGCAGGAGAGAAACGAGCAGGAGCTG	
gp120.modSF162	(1513)	-----	
Consensus	(1901)	CCCTGATCGAGGAGAGGCCAGAACCCAGCAGGAGAGAAACGAGCAGGAGCTG	
			2000
			1951
gp160.modSF162	(1951)	CTGGAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCAGCAA	
gp160.modSF162.delV2	(1870)	CTGGAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCAGCAA	
gp160.modSF162.delV1V2	(1762)	CTGGAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCAGCAA	
gp140.modSF162	(1951)	CTGGAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCAGCAA	
gp140.mut.modSF162	(1951)	CTGGAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCAGCAA	
gp140.mut7.modSF162	(1951)	CTGGAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCAGCAA	
gp140.mut8.modSF162	(1951)	CTGGAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCAGCAA	
gp120.modSF162	(1513)	-----	
Consensus	(1951)	CTGGAGCTGGACAAGTGGGCCAGCCTGTGGAACCTGGTTCGACATCAGCAA	
			2050
gp160.modSF162	(2001)	GTGGCTGTGGTACATCAAGATCTTCATCATGATCGTGGCGGCCCTGGTGG	
gp160.modSF162.delV2	(1920)	GTGGCTGTGGTACATCAAGATCTTCATCATGATCGTGGCGGCCCTGGTGG	
gp160.modSF162.delV1V2	(1812)	GTGGCTGTGGTACATCAAGATCTTCATCATGATCGTGGCGGCCCTGGTGG	
gp140.modSF162	(2001)	GTGGCTGTGGTACATCTAACTCGAG-----	
gp140.mut.modSF162	(2001)	GTGGCTGTGGTACATCTAACTCGAG-----	

FIG. 66A-14

93 / 131

gp140.mut7.modSF162	(2001)	GTGGCTGTGGTACATCTAACTCGAG	2100
gp140.mut8.modSF162	(2001)	GTGGCTGTGGTACATCTAACTCGAG	
gp120.modSF162	(1513)	-----	
Consensus	(2001)	GTGGCTGTGGTACATCTAACTCGAG	
gp160.modSF162	(2051)	GCCTGGGCATCGTGTTCACCGTGTGAGCATCGTGAACCGCGTGGCGCCAG	2100
gp160.modSF162.delV2	(1970)	GCCTGGGCATCGTGTTCACCGTGTGAGCATCGTGAACCGCGTGGCGCCAG	
gp160.modSF162.delV1V2	(1862)	GCCTGGGCATCGTGTTCACCGTGTGAGCATCGTGAACCGCGTGGCGCCAG	
gp140.modSF162	(2026)	-----	
gp140.mut.modSF162	(2026)	-----	
gp140.mut7.modSF162	(2026)	-----	
gp140.mut8.modSF162	(2026)	-----	
gp120.modSF162	(1513)	-----	
Consensus	(2051)	-----	
gp160.modSF162	(2101)	GGCTACAGCCCCCTGAGCTTCCAGACCCCGCTTCCCCCGCCCCCGCGGCC	2101
gp160.modSF162.delV2	(2020)	GGCTACAGCCCCCTGAGCTTCCAGACCCCGCTTCCCCCGCCCCCGCGGCC	
gp160.modSF162.delV1V2	(1912)	GGCTACAGCCCCCTGAGCTTCCAGACCCCGCTTCCCCCGCCCCCGCGGCC	
gp140.modSF162	(2026)	-----	
gp140.mut.modSF162	(2026)	-----	
gp140.mut7.modSF162	(2026)	-----	
gp140.mut8.modSF162	(2026)	-----	
gp120.modSF162	(1513)	-----	
Consensus	(2101)	-----	
gp160.modSF162	(2151)	CGACCGCCCCGAGGGGCATCGAGGAGGAGGGCGGGCGGAGCGCGGACCGCGACC	2200
gp160.modSF162.delV2	(2070)	CGACCGCCCCGAGGGGCATCGAGGAGGAGGGCGGGCGGAGCGCGGACCGCGACC	
gp160.modSF162.delV1V2	(1962)	CGACCGCCCCGAGGGGCATCGAGGAGGAGGGCGGGCGGAGCGCGGACCGCGACC	
gp140.modSF162	(2026)	-----	
gp140.mut.modSF162	(2026)	-----	
gp140.mut7.modSF162	(2026)	-----	
gp140.mut8.modSF162	(2026)	-----	
gp120.modSF162	(1513)	-----	
Consensus	(2151)	-----	

FIG. 66A-15

94 / 131

gp160.modSF162	(2201)	2201	GCAGAGCCCCCTGGTGCACGGCCCTGCTGGCCCTGATCTGGGACGACCTG	2250
gp160.modSF162.delV2	(2120)		GCAGAGCCCCCTGGTGCACGGCCCTGCTGGCCCTGATCTGGGACGACCTG	
gp160.modSF162.delV1V2	(2012)		GCAGAGCCCCCTGGTGCACGGCCCTGCTGGCCCTGATCTGGGACGACCTG	
gp140.modSF162	(2026)		-----	
gp140.modSF162	(2026)		-----	
gp140.mut.modSF162	(2026)		-----	
gp140.mut7.modSF162	(2026)		-----	
gp140.mut8.modSF162	(2026)		-----	
gp120.modSF162	(1513)		-----	
Consensus	(2201)		-----	
gp160.modSF162	(2251)	2251	CGCAGCCTGTGCCTGTTTCAGCTACCAACGGCCCTGCGGACCTGATCCTGAT	2300
gp160.modSF162.delV2	(2170)		CGCAGCCTGTGCCTGTTTCAGCTACCAACGGCCCTGCGGACCTGATCCTGAT	
gp160.modSF162.delV1V2	(2062)		CGCAGCCTGTGCCTGTTTCAGCTACCAACGGCCCTGCGGACCTGATCCTGAT	
gp140.modSF162	(2026)		-----	
gp140.mut.modSF162	(2026)		-----	
gp140.mut7.modSF162	(2026)		-----	
gp140.mut8.modSF162	(2026)		-----	
gp120.modSF162	(1513)		-----	
Consensus	(2251)		-----	
gp160.modSF162	(2301)	2301	CGCCGCCCGCATCGTGGAGCTGCTGGGCCCGCCCGCGGCTGGGAGGCCCTGA	2350
gp160.modSF162.delV2	(2220)		CGCCGCCCGCATCGTGGAGCTGCTGGGCCCGCCCGCGGCTGGGAGGCCCTGA	
gp160.modSF162.delV1V2	(2112)		CGCCGCCCGCATCGTGGAGCTGCTGGGCCCGCCCGCGGCTGGGAGGCCCTGA	

FIG. 66A-16

95 / 131

gp140.modSF162	(2026)	-----	
gp140.mut.modSF162	(2026)	-----	
gp140.mut7.modSF162	(2026)	-----	
gp140.mut8.modSF162	(2026)	-----	
gp120.modSF162	(1513)	-----	
Consensus	(2301)	-----	
gp160.modSF162	(2351)	-----	2400
gp160.modSF162.delV2	(2270)	-----	AGTACTGGGGCAACCTGCTGCAGTACTGGATCCAGGAGCTGAAGAACAGC
gp160.modSF162.delV1V2	(2162)	-----	AGTACTGGGGCAACCTGCTGCAGTACTGGATCCAGGAGCTGAAGAACAGC
gp140.modSF162	(2026)	-----	AGTACTGGGGCAACCTGCTGCAGTACTGGATCCAGGAGCTGAAGAACAGC
gp140.mut.modSF162	(2026)	-----	-----
gp140.mut7.modSF162	(2026)	-----	-----
gp140.mut8.modSF162	(2026)	-----	-----
gp120.modSF162	(1513)	-----	-----
Consensus	(2351)	-----	2401
gp160.modSF162	(2401)	-----	2450
gp160.modSF162.delV2	(2320)	-----	GCCGTGAGCCTGTTTCGACGCCCATCGCCATCGCCGTGGCCGAGGGCACCCGA
gp160.modSF162.delV1V2	(2212)	-----	GCCGTGAGCCTGTTTCGACGCCCATCGCCATCGCCGTGGCCGAGGGCACCCGA
gp140.modSF162	(2026)	-----	GCCGTGAGCCTGTTTCGACGCCCATCGCCATCGCCGTGGCCGAGGGCACCCGA
gp140.mut.modSF162	(2026)	-----	-----
gp140.mut7.modSF162	(2026)	-----	-----
gp140.mut8.modSF162	(2026)	-----	-----
gp120.modSF162	(1513)	-----	-----
Consensus	(2401)	-----	-----

FIG. 66A-17

96 / 131

gp160.modSF162	(2451)	2451	2500
gp160.modSF162.delV2	(2370)	CCGCATCATCGAGGTGGCCAGCGCATCGGCCGCGCCTTCCTGCACATCC	
gp160.modSF162.delV1V2	(2262)	CCGCATCATCGAGGTGGCCAGCGCATCGGCCGCGCCTTCCTGCACATCC	
gp140.modSF162	(2026)	-----	
gp140.mut.modSF162	(2026)	-----	
gp140.mut7.modSF162	(2026)	-----	
gp140.mut8.modSF162	(2026)	-----	
gp120.modSF162	(1513)	-----	
Consensus	(2451)	-----	
gp160.modSF162	(2501)	2501	2547
gp160.modSF162.delV2	(2420)	CCCGCCGCATCCGCCAGGGCTTCGAGCGCGCCCTGCTGTAACTCGAG	
gp160.modSF162.delV1V2	(2312)	CCCGCCGCATCCGCCAGGGCTTCGAGCGCGCCCTGCTGTAACTCGAG	
gp140.modSF162	(2026)	-----	
gp140.mut.modSF162	(2026)	-----	
gp140.mut7.modSF162	(2026)	-----	
gp140.mut8.modSF162	(2026)	-----	
gp120.modSF162	(1513)	-----	
Consensus	(2501)	-----	

FIG. 66A-18

97 / 131

		Start of tPA	
		1	40
gp160	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
gp160 del V1	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
gp160 del V2	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
gp160 del V1-2	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
gp 160 del 128-194	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
gp140TM	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
gp140	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
gp140mut	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
gp120	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
Consensus	(1)	GAATTCGCCACCATGGATGCAATGAAGAGAGGGCTCTGCT	
		41	80
gp160	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
gp160 del V1	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
gp160 del V2	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
gp160 del V1-2	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
gp 160 del 128-194	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
gp140TM	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
gp140	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
gp140mut	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
gp120	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
Consensus	(41)	GTGTGCTGCTGCTGTGTGGAGCAGTCTTCGTTTCGCCCAG	
end of tPA		81	120
gp160	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
gp160 del V1	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
gp160 del V2	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
gp160 del V1-2	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
gp 160 del 128-194	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
gp140TM	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
gp140	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
gp140mut	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
gp120	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
Consensus	(81)	CGCCACCACCGTGCTGTGGGTGACCGTGACTACGGCGTG	
		121	160
gp 160	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
gp160 del V1	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
gp160 del V2	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
gp160 del V1-2	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
gp 160 del 128-194	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
gp140TM	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
gp140	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
gp140mut	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
gp120	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	
Consensus	(121)	CCCGTGTGGAAGGAGGCCACCACCACCTGTTCTGCGCCA	

FIG. 66B-1

	98 / 131	200
gp160	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
gp160 del V1	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
gp160 del V2	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
gp160 del V1-2	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
gp 160 del 128-194	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
gp140TM	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
gp140	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
gp140mut	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
gp120	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	
Consensus	(161) GCGACGCCAAGGCTTACAAGGCCGAGGCCCAACAGTGTG	240
gp160	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	201
gp160 del V1	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	
gp160 del V2	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	
gp160 del V1-2	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	
gp 160 del 128-194	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	
gp140TM	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	
gp140	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	
gp140mut	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	
gp120	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	
Consensus	(201) GGCCACCCACGCCTGCGTGCCACCGACCCCAACCCCCAG	280
gp160	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	241
gp160 del V1	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	
gp160 del V2	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	
gp160 del V1-2	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	
gp 160 del 128-194	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	
gp140TM	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	
gp140	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	
gp140mut	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	
gp120	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	
Consensus	(241) GAGGTGAACCTGACCAACGTGACCGAGAAGTTCAACATGT	320
gp160	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	281
gp160 del V1	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	
gp160 del V2	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	
gp160 del V1-2	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	
gp 160 del 128-194	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	
gp140TM	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	
gp140	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	
gp140mut	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	
gp120	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	
Consensus	(281) GGAAGAACAACATGGTGGAGCAGATGCATGAGGACATCAT	360
gp160	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	321
gp160 del V1	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	
gp160 del V2	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	
gp160 del V1-2	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	
gp 160 del 128-194	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	
gp140TM	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	
gp140	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	
gp140mut	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	
gp120	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	
Consensus	(321) CAGCCTGTGGGACCAGAGCCTGAAGCCCTGCGTGAAGCTG	

FIG. 66B-2

	99/131	400
	361	
gp160	(361) ACCCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGA	
gp160 del V1	(361) ACCCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGG	
gp160 del V2	(361) ACCCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGA	
gp160 del V1-2	(361) GGC-----	
gp 160 del 128-194	(361) ACCCCCCCTGTGCGTGCGGGGAGGG-----	
gp140TM	(361) ACCCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGA	
gp140	(361) ACCCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGA	
gp140mut	(361) ACCCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGA	
gp120	(361) ACCCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGA	
Consensus	(361) ACCCCCCCTGTGCGTGACCCTGAACTGCACCGACAAGCTGA	440
	401	
gp160	(401) CCGGCAGCACCAACGGCACCAACAGCACCAGCGGCACCAA	
gp160 del V1	(401) GCGCCGGC-----	
gp160 del V2	(401) CCGGCAGCACCAACGGCACCAACAGCACCAGCGGCACCAA	
gp160 del V1-2	(364) -----	
gp 160 del 128-194	(385) -----	
gp140TM	(401) CCGGCAGCACCAACGGCACCAACAGCACCAGCGGCACCAA	
gp140	(401) CCGGCAGCACCAACGGCACCAACAGCACCAGCGGCACCAA	
gp140mut	(401) CCGGCAGCACCAACGGCACCAACAGCACCAGCGGCACCAA	
gp120	(401) CCGGCAGCACCAACGGCACCAACAGCACCAGCGGCACCAA	
Consensus	(401) CCGGCAGCACCAACGGCACCAACAGCACCAGCGGCACCAA	480
	441	
gp160	(441) CAGCACCAGCGGCACCAACAGCACCAGCACCACCAACAGCACC	
gp160 del V1	(409) -----	
gp160 del V2	(441) CAGCACCAGCGGCACCAACAGCACCAGCACCACCAACAGCACC	
gp160 del V1-2	(364) -----	
gp 160 del 128-194	(385) -----	
gp140TM	(441) CAGCACCAGCGGCACCAACAGCACCAGCACCACCAACAGCACC	
gp140	(441) CAGCACCAGCGGCACCAACAGCACCAGCACCACCAACAGCACC	
gp140mut	(441) CAGCACCAGCGGCACCAACAGCACCAGCACCACCAACAGCACC	
gp120	(441) CAGCACCAGCGGCACCAACAGCACCAGCACCACCAACAGCACC	
Consensus	(441) CAGCACCAGCGGCACCAACAGCACCAGCACCACCAACAGCACC	520
	481	
gp160	(481) GACAGCTGGGAGAAGATGCCCGAGGGGCGAGATCAAGAACT	
gp160 del V1	(409) -----GGCGAGATCAAGAACT	
gp160 del V2	(481) GACAGCTGGGAGAAGATGCCCGAGGGGCGAGATCAAGAACT	
gp160 del V1-2	(364) -----	
gp 160 del 128-194	(385) -----	
gp140TM	(481) GACAGCTGGGAGAAGATGCCCGAGGGGCGAGATCAAGAACT	
gp140	(481) GACAGCTGGGAGAAGATGCCCGAGGGGCGAGATCAAGAACT	
gp140mut	(481) GACAGCTGGGAGAAGATGCCCGAGGGGCGAGATCAAGAACT	
gp120	(481) GACAGCTGGGAGAAGATGCCCGAGGGGCGAGATCAAGAACT	
Consensus	(481) GACAGCTGGGAGAAGATGCCCGAGGGGCGAGATCAAGAACT	560
	521	
gp160	(521) GCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA	
gp160 del V1	(521) GCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA	
gp160 del V2	(521) GCAGCTTCAACATCGGCGCCGGC-----	
gp160 del V1-2	(521) -----	
gp 160 del 128-194	(521) -----	
gp140TM	(521) GCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA	
gp140	(521) GCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA	
gp140mut	(521) GCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA	
gp120	(521) GCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA	
Consensus	(521) GCAGCTTCAACATCACCACCAGCGTGCGCGACAAGGTGCA	

FIG. 66B-3

100 / 131		600
561		
gp160	(561)	GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCC
gp160 del V1	(465)	GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCC
gp160 del V2	(544)	-----
gp160 del V1-2	(364)	-----
gp 160 del 128-194	(385)	-----
gp140TM	(561)	GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCC
gp140	(561)	GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCC
gp140mut	(561)	GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCC
gp120	(561)	GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCC
Consensus	(561)	GAAGGAGTACAGCCTGTTCTACAAGCTGGACGTGGTGCCC
601		
gp160	(601)	ATCGACAACGACAACGCCAGCTACCGCCTGATCAACTGCA
gp160 del V1	(505)	ATCGACAACGACAACGCCAGCTACCGCCTGATCAACTGCA
gp160 del V2	(544)	-----CGCCTGATCAACTGCA
gp160 del V1-2	(364)	-----
gp 160 del 128-194	(385)	-----AACTGCG
gp140TM	(601)	ATCGACAACGACAACGCCAGCTACCGCCTGATCAACTGCA
gp140	(601)	ATCGACAACGACAACGCCAGCTACCGCCTGATCAACTGCA
gp140mut	(601)	ATCGACAACGACAACGCCAGCTACCGCCTGATCAACTGCA
gp120	(601)	ATCGACAACGACAACGCCAGCTACCGCCTGATCAACTGCA
Consensus	(601)	ATCGACAACGACAACGCCAGCTACCGCCTGATCAACTGCA
641		
gp160	(641)	ACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
gp160 del V1	(545)	ACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
gp160 del V2	(560)	ACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
gp160 del V1-2	(364)	-----CAGGCCTGCCCCAAGGTGAGCTT
gp 160 del 128-194	(392)	AGACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
gp140TM	(641)	ACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
gp140	(641)	ACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
gp140mut	(641)	ACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
gp120	(641)	ACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
Consensus	(641)	ACACCAGCGTGATCACCCAGGCCTGCCCCAAGGTGAGCTT
720		
681		
gp160	(681)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
gp160 del V1	(585)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
gp160 del V2	(600)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
gp160 del V1-2	(387)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
gp 160 del 128-194	(432)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
gp140TM	(681)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
gp140	(681)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
gp140mut	(681)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
gp120	(681)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
Consensus	(681)	CGAGCCCATCCCCATCCACTACTGCGCCCCCGCCGGCTTC
760		
721		
gp160	(721)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
gp160 del V1	(625)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
gp160 del V2	(640)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
gp160 del V1-2	(427)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
gp 160 del 128-194	(472)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
gp140TM	(721)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
gp140	(721)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
gp140mut	(721)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
gp120	(721)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG
Consensus	(721)	GCCATCCTGAAGTGCAAGGACAAGAAGTTCAACGGCACCG

FIG. 66B-4

101 / 131

		761	800
gp160	(761)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
gp160 del V1	(665)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
gp160 del V2	(680)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
gp160 del V1-2	(467)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
gp 160 del 128-194	(512)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
gp140TM	(761)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
gp140	(761)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
gp140mut	(761)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
gp120	(761)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	
Consensus	(761)	GCCCCTGCAAGAACGTGAGCACCGTGCACTGCACCCACGG	840
		801	
gp160	(801)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
gp160 del V1	(705)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
gp160 del V2	(720)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
gp160 del V1-2	(507)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
gp 160 del 128-194	(552)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
gp140TM	(801)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
gp140	(801)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
gp140mut	(801)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
gp120	(801)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	
Consensus	(801)	CATCCGCCCCGTGGTGAGCACCCAGCTGCTGCTGAACGGC	880
		841	
gp160	(841)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
gp160 del V1	(745)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
gp160 del V2	(760)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
gp160 del V1-2	(547)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
gp 160 del 128-194	(592)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
gp140TM	(841)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
gp140	(841)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
gp140mut	(841)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
gp120	(841)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	
Consensus	(841)	AGCCTGGCCGAGGAGGAGATCGTGCTGCGCTCCGAGAACT	920
		881	
gp160	(881)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
gp160 del V1	(785)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
gp160 del V2	(800)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
gp160 del V1-2	(587)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
gp 160 del 128-194	(632)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
gp140TM	(881)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
gp140	(881)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
gp140mut	(881)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
gp120	(881)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	
Consensus	(881)	TCACCGACAACGCCAAGACCATCATCGTGCACTGAACGA	960
		921	
gp160	(921)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
gp160 del V1	(825)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
gp160 del V2	(840)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
gp160 del V1-2	(627)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
gp 160 del 128-194	(672)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
gp140TM	(921)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
gp140	(921)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
gp140mut	(921)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
gp120	(921)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	
Consensus	(921)	GTCCGTGGAGATCAACTGCATCCGCCCCAACAACAACACG	

FIG. 66B-5

102 / 131

		961	1000
gp160	(961)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
gp160 del V1	(865)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
gp160 del V2	(880)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
gp160 del V1-2	(667)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
gp 160 del 128-194	(712)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
gp140TM	(961)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
gp140	(961)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
gp140mut	(961)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
gp120	(961)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	
Consensus	(961)	CGTAAGAGCATCCACATCGGCCCCGGCCGCGCCTTCTACG	1040
		1001	
gp160	(1001)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
gp160 del V1	(905)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
gp160 del V2	(920)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
gp160 del V1-2	(707)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
gp 160 del 128-194	(752)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
gp140TM	(1001)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
gp140	(1001)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
gp140mut	(1001)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
gp120	(1001)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	
Consensus	(1001)	CCACCGGCGACATCATCGGCGACATCCGCCAGGCCCACTG	1080
		1041	
gp160	(1041)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
gp160 del V1	(945)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
gp160 del V2	(960)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
gp160 del V1-2	(747)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
gp 160 del 128-194	(792)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
gp140TM	(1041)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
gp140	(1041)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
gp140mut	(1041)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
gp120	(1041)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	
Consensus	(1041)	CAACATCAGCAAGGCCAACTGGACCAACACCCTCGAGCAG	1120
		1081	
gp160	(1081)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
gp160 del V1	(985)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
gp160 del V2	(1000)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
gp160 del V1-2	(787)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
gp 160 del 128-194	(832)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
gp140TM	(1081)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
gp140	(1081)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
gp140mut	(1081)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
gp120	(1081)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	
Consensus	(1081)	ATCGTGGAGAAGCTGCGCGAGCAGTTCGGCAACAACAAGA	1160
		1121	
gp160	(1121)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
gp160 del V1	(1025)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
gp160 del V2	(1040)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
gp160 del V1-2	(827)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
gp 160 del 128-194	(872)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
gp140TM	(1121)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
gp140	(1121)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
gp140mut	(1121)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
gp120	(1121)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	
Consensus	(1121)	CCATCATCTTCAACAGCAGCAGCGGCGGCGACCCCGAGAT	

FIG. 66B-6

103 / 131

		1161		1200
gp160	(1161)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
gp160 del V1	(1065)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
gp160 del V2	(1080)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
gp160 del V1-2	(867)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
gp 160 del 128-194	(912)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
gp140TM	(1161)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
gp140	(1161)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
gp140mut	(1161)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
gp120	(1161)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		
Consensus	(1161)	CGTGTTCACAGCTTCAACTGCGGGCGGCGAGTTCTTCTAC		1240
		1201		
gp160	(1201)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
gp160 del V1	(1105)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
gp160 del V2	(1120)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
gp160 del V1-2	(907)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
gp 160 del 128-194	(952)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
gp140TM	(1201)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
gp140	(1201)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
gp140mut	(1201)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
gp120	(1201)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		
Consensus	(1201)	TGCAACACCAGCCAGCTGTTCAACAGCACCTGGAACATCA		1240
		1241		
gp160	(1241)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
gp160 del V1	(1145)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
gp160 del V2	(1160)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
gp160 del V1-2	(947)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
gp 160 del 128-194	(992)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
gp140TM	(1241)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
gp140	(1241)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
gp140mut	(1241)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
gp120	(1241)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		
Consensus	(1241)	CCGAGGAGGTGAACAAGACCAAGGAGAACGACACCATCAT		1320
		1281		
gp160	(1281)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
gp160 del V1	(1185)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
gp160 del V2	(1200)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
gp160 del V1-2	(987)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
gp 160 del 128-194	(1032)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
gp140TM	(1281)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
gp140	(1281)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
gp140mut	(1281)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
gp120	(1281)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		
Consensus	(1281)	CCTGCCCTGCCGCATCCGCCAGATCATCAACATGTGGCAG		1360
		1321		
gp160	(1321)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
gp160 del V1	(1225)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
gp160 del V2	(1240)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
gp160 del V1-2	(1027)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
gp 160 del 128-194	(1072)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
gp140TM	(1321)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
gp140	(1321)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
gp140mut	(1321)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
gp120	(1321)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		
Consensus	(1321)	GAGGTGGGCAAGGCCATGTACGCCCCCCCCATCCGCGGCC		

FIG. 66B-7

		104 / 131	
		1361	1400
gp160	(1361)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
gp160 del V1	(1265)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
gp160 del V2	(1280)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
gp160 del V1-2	(1067)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
gp 160 del 128-194	(1112)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
gp140TM	(1361)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
gp140	(1361)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
gp140mut	(1361)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
gp120	(1361)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
Consensus	(1361)	AGATCAAGTGCAGCAGCAATATTACCGGCCTGCTGCTGAC	
		1401	1440
gp160	(1401)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
gp160 del V1	(1305)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
gp160 del V2	(1320)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
gp160 del V1-2	(1107)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
gp 160 del 128-194	(1152)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
gp140TM	(1401)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
gp140	(1401)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
gp140mut	(1401)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
gp120	(1401)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
Consensus	(1401)	CCGCGACGGCGGCACCAACAACAACCGCACCAACGACACC	
		1441	1480
gp160	(1441)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
gp160 del V1	(1345)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
gp160 del V2	(1360)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
gp160 del V1-2	(1147)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
gp 160 del 128-194	(1192)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
gp140TM	(1441)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
gp140	(1441)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
gp140mut	(1441)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
gp120	(1441)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
Consensus	(1441)	GAGACCTTCCGCCCCGGCGGCGGCAACATGAAGGACAAC	
		1481	1520
gp160	(1481)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
gp160 del V1	(1385)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
gp160 del V2	(1400)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
gp160 del V1-2	(1187)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
gp 160 del 128-194	(1232)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
gp140TM	(1481)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
gp140	(1481)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
gp140mut	(1481)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
gp120	(1481)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
Consensus	(1481)	GGCGCAGCGAGCTGTACAAGTACAAGGTGGTGCGCATCGA	
		1521	1560
gp160	(1521)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
gp160 del V1	(1425)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
gp160 del V2	(1440)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
gp160 del V1-2	(1227)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
gp 160 del 128-194	(1272)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
gp140TM	(1521)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
gp140	(1521)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
gp140mut	(1521)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
gp120	(1521)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	
Consensus	(1521)	GCCCCCTGGGCGTGGCCCCCAGCCAGGCCAAGCGCCGCGTG	

FIG. 66B-8

105 / 131

		1561	1600
		1561	
gp160	(1561)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
gp160 del V1	(1465)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
gp160 del V2	(1480)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
gp160 del V1-2	(1267)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
gp 160 del 128-194	(1312)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
gp140TM	(1561)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
gp140	(1561)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
gp140mut	(1561)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
gp120	(1561)	GTGCAGCGCGAGAAGCGCTAAG-----	
Consensus	(1561)	GTGCAGCGCGAGAAGCGCGCCGTGGGCCTGGGCGCCCTGT	
		1601	1640
gp160	(1601)	TCATCGGCTTC-CTGGGCGCCGCCGGGAGCACCATGGGCG	
gp160 del V1	(1505)	TCATCGGCTTC-CTGGGCGCCGCCGGGAGCACCATGGGCG	
gp160 del V2	(1520)	TCATCGGCTTC-CTGGGCGCCGCCGGGAGCACCATGGGCG	
gp160 del V1-2	(1307)	TCATCGGCTTC-CTGGGCGCCGCCGGGAGCACCATGGGCG	
gp 160 del 128-194	(1352)	TCATCGGCTTC-CTGGGCGCCGCCGGGAGCACCATGGGCG	
gp140TM	(1601)	TCATCGGCTTC-CTGGGCGCCGCCGGGAGCACCATGGGCG	
gp140	(1601)	TCATCGGCTTC-CTGGGCGCCGCCGGGAGCACCATGGGCG	
gp140mut	(1601)	TCATCGGCTTC-CTGGGCGCCGCCGGGAGCACCATGGGCG	
gp120	(1583)	ATATCGGATCCTCTAGA-----	
Consensus	(1601)	TCATCGGCTTCNCTGGGCGCCGCCGGGAGCACCATGGGCG	
		1641	1680
gp160	(1640)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
gp160 del V1	(1544)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
gp160 del V2	(1559)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
gp160 del V1-2	(1346)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
gp 160 del 128-194	(1391)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
gp140TM	(1640)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
gp140	(1640)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
gp140mut	(1640)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
gp120	(1600)	-----	
Consensus	(1641)	CCGCCTCCGTGACCCTGACCGTGCAGGCCCGCCAGCTGCT	
		1720	1681
gp160	(1680)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
gp160 del V1	(1584)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
gp160 del V2	(1599)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
gp160 del V1-2	(1386)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
gp 160 del 128-194	(1431)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
gp140TM	(1680)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
gp140	(1680)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
gp140mut	(1680)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
gp120	(1600)	-----	
Consensus	(1681)	GAGCGGCATCGTGCAGCAGCAGAACAACCTGCTGCGCGCC	
		1760	1721
gp160	(1720)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	
gp160 del V1	(1624)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	
gp160 del V2	(1639)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	
gp160 del V1-2	(1426)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	
gp 160 del 128-194	(1471)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	
gp140TM	(1720)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	
gp140	(1720)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	
gp140mut	(1720)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	
gp120	(1600)	-----	
Consensus	(1721)	ATCGAGGCCAGCAGCACCTGCTGCAGCTGACCGTGTGGG	

FIG. 66B-9

106/131

		1761	1800
gp160	(1760)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	
gp160 del V1	(1664)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	
gp160 del V2	(1679)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	
gp160 del V1-2	(1466)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	
gp 160 del 128-194	(1511)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	
gp140TM	(1760)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	
gp140	(1760)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	
gp140mut	(1760)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	
gp120	(1600)	-----	
Consensus	(1761)	GCATCAAGCAGCTGCAGGCCCGCATCCTGGCCGTGGAGCG	1840
		1801	
gp160	(1800)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	
gp160 del V1	(1704)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	
gp160 del V2	(1719)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	
gp160 del V1-2	(1506)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	
gp 160 del 128-194	(1551)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	
gp140TM	(1800)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	
gp140	(1800)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	
gp140mut	(1800)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	
gp120	(1600)	-----	
Consensus	(1801)	CTACCTGAAGGACCAGCAGCTGCTGGGCATCTGGGGCTGC	1880
		1841	
gp160	(1840)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	
gp160 del V1	(1744)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	
gp160 del V2	(1759)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	
gp160 del V1-2	(1546)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	
gp 160 del 128-194	(1591)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	
gp140TM	(1840)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	
gp140	(1840)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	
gp140mut	(1840)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	
gp120	(1600)	-----	
Consensus	(1841)	AGCGGCAAGCTGATCTGCACCACCACCGTGCCCTGGAACA	1920
		1881	
gp160	(1880)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	
gp160 del V1	(1784)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	
gp160 del V2	(1799)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	
gp160 del V1-2	(1586)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	
gp 160 del 128-194	(1631)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	
gp140TM	(1880)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	
gp140	(1880)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	
gp140mut	(1880)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	
gp120	(1600)	-----	
Consensus	(1881)	GCAGCTGGAGCAACAAGAGCCTGACCGAGATCTGGGACAA	1960
		1921	
gp160	(1920)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	
gp160 del V1	(1824)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	
gp160 del V2	(1839)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	
gp160 del V1-2	(1626)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	
gp 160 del 128-194	(1671)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	
gp140TM	(1920)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	
gp140	(1920)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	
gp140mut	(1920)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	
gp120	(1600)	-----	
Consensus	(1921)	CATGACCTGGATGGAGTGGGAGCGCGAGATCGGCAACTAC	

FIG. 66B-10

107 / 131

			2000
		1961	
gp160	(1960)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
gp160 del V1	(1864)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
gp160 del V2	(1879)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
gp160 del V1-2	(1666)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
gp 160 del 128-194	(1711)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
gp140TM	(1960)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
gp140	(1960)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
gp140mut	(1960)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
gp120	(1600)	-----	
Consensus	(1961)	ACCGGCCTGATCTACAACCTGATCGAGATCGCCCAGAACC	
		2040	
		2001	
gp160	(2000)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
gp160 del V1	(1904)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
gp160 del V2	(1919)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
gp160 del V1-2	(1706)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
gp 160 del 128-194	(1751)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
gp140TM	(2000)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
gp140	(2000)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
gp140mut	(2000)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
gp120	(1600)	-----	
Consensus	(2001)	AGCAGGAGAAGAACGAGCAGGAGCTGCTGGAGCTGGACAA	
		2080	
		2041	
gp160	(2040)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
gp160 del V1	(1944)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
gp160 del V2	(1959)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
gp160 del V1-2	(1746)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
gp 160 del 128-194	(1791)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
gp140TM	(2040)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
gp140	(2040)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
gp140mut	(2040)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
gp120	(1600)	-----	
Consensus	(2041)	GTGGGCCAGCCTGTGGAACCTGGTTCGACATCACC AACTGG	
		2120	
		2081	
gp160	(2080)	CTGTGGTACATCCGCATCTTCATCATGATCGTGGGCGGCC	
gp160 del V1	(1984)	CTGTGGTACATCCGCATCTTCATCATGATCGTGGGCGGCC	
gp160 del V2	(1999)	CTGTGGTACATCCGCATCTTCATCATGATCGTGGGCGGCC	
gp160 del V1-2	(1786)	CTGTGGTACATCCGCATCTTCATCATGATCGTGGGCGGCC	
gp 160 del 128-194	(1831)	CTGTGGTACATCCGCATCTTCATCATGATCGTGGGCGGCC	
gp140TM	(2080)	CTGTGGTACATCCGCATCTTCATCATGATCGTGGGCGGCC	
gp140	(2080)	CTGTGGTACATC-----	
gp140mut	(2080)	CTGTGGTACATC-----	
gp120	(1600)	-----	
Consensus	(2081)	CTGTGGTACATCCGCATCTTCATCATGATCGTGGGCGGCC	
		2160	
		2121	
gp160	(2120)	TGATCGGCCTGCGCATCGTGTTCGCCCGTGCTGAGCA----	
gp160 del V1	(2024)	TGATCGGCCTGCGCATCGTGTTCGCCCGTGCTGAGCA----	
gp160 del V2	(2039)	TGATCGGCCTGCGCATCGTGTTCGCCCGTGCTGAGCA----	
gp160 del V1-2	(1826)	TGATCGGCCTGCGCATCGTGTTCGCCCGTGCTGAGCA----	
gp 160 del 128-194	(1871)	TGATCGGCCTGCGCATCGTGTTCGCCCGTGCTGAGCA----	
gp140TM	(2120)	TGATCGGCCTGCGCATCGTGTTCGCCCGTGCTGAGCATCGT	
gp140	(2092)	-----	
gp140mut	(2092)	-----	
gp120	(1600)	-----	
Consensus	(2121)	TGATCGGCCTGCGCATCGTGTTCGCCCGTGCTGAGCANNNN	

FIG. 66B-11

108/131		2200
2161		
gp160	(2156)	-TCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCC
gp160 del V1	(2060)	-TCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCC
gp160 del V2	(2075)	-TCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCC
gp160 del V1-2	(1862)	-TCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCC
gp 160 del 128-194	(1907)	-TCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCC
gp140TM	(2160)	GTAAGATATCGGATCCTCTAGA-----
gp140	(2092)	-TAAGATATCGGATCCTCTAGA-----
gp140mut	(2092)	-TAAGATATCGGATCCTCTAGA-----
gp120	(1600)	-----
Consensus	(2161)	NTCGTGAACCGCGTGCGCCAGGGCTACAGCCCCATCAGCC
2240		
2201		
gp160	(2195)	TGCAGACCCGCCTGCCCCGCCAGCGCGGCCCCGACCGCCC
gp160 del V1	(2099)	TGCAGACCCGCCTGCCCCGCCAGCGCGGCCCCGACCGCCC
gp160 del V2	(2114)	TGCAGACCCGCCTGCCCCGCCAGCGCGGCCCCGACCGCCC
gp160 del V1-2	(1901)	TGCAGACCCGCCTGCCCCGCCAGCGCGGCCCCGACCGCCC
gp 160 del 128-194	(1946)	TGCAGACCCGCCTGCCCCGCCAGCGCGGCCCCGACCGCCC
gp140TM	(2182)	-----
gp140	(2113)	-----
gp140mut	(2113)	-----
gp120	(1600)	-----
Consensus	(2201)	TGCAGACCCGCCTGCCCCGCCAGCGCGGCCCCGACCGCCC
2280		
2241		
gp160	(2235)	CGAGGGCATCGAGGAGGAGGGCGGCGAGCGCGACCGCGAC
gp160 del V1	(2139)	CGAGGGCATCGAGGAGGAGGGCGGCGAGCGCGACCGCGAC
gp160 del V2	(2154)	CGAGGGCATCGAGGAGGAGGGCGGCGAGCGCGACCGCGAC
gp160 del V1-2	(1941)	CGAGGGCATCGAGGAGGAGGGCGGCGAGCGCGACCGCGAC
gp 160 del 128-194	(1986)	CGAGGGCATCGAGGAGGAGGGCGGCGAGCGCGACCGCGAC
gp140TM	(2182)	-----
gp140	(2113)	-----
gp140mut	(2113)	-----
gp120	(1600)	-----
Consensus	(2241)	CGAGGGCATCGAGGAGGAGGGCGGCGAGCGCGACCGCGAC
2320		
2281		
gp160	(2275)	CGCAGCAACCGCCTGGTGCACGGCCTGCTGGCCCTGATCT
gp160 del V1	(2179)	CGCAGCAACCGCCTGGTGCACGGCCTGCTGGCCCTGATCT
gp160 del V2	(2194)	CGCAGCAACCGCCTGGTGCACGGCCTGCTGGCCCTGATCT
gp160 del V1-2	(1981)	CGCAGCAACCGCCTGGTGCACGGCCTGCTGGCCCTGATCT
gp 160 del 128-194	(2026)	CGCAGCAACCGCCTGGTGCACGGCCTGCTGGCCCTGATCT
gp140TM	(2182)	-----
gp140	(2113)	-----
gp140mut	(2113)	-----
gp120	(1600)	-----
Consensus	(2281)	CGCAGCAACCGCCTGGTGCACGGCCTGCTGGCCCTGATCT
2360		
2321		
gp160	(2315)	GGGACGACCTGCGCAGCCTGTGCCTGTTTACGTACCACCG
gp160 del V1	(2219)	GGGACGACCTGCGCAGCCTGTGCCTGTTTACGTACCACCG
gp160 del V2	(2234)	GGGACGACCTGCGCAGCCTGTGCCTGTTTACGTACCACCG
gp160 del V1-2	(2021)	GGGACGACCTGCGCAGCCTGTGCCTGTTTACGTACCACCG
gp 160 del 128-194	(2066)	GGGACGACCTGCGCAGCCTGTGCCTGTTTACGTACCACCG
gp140TM	(2182)	-----
gp140	(2113)	-----
gp140mut	(2113)	-----
gp120	(1600)	-----
Consensus	(2321)	GGGACGACCTGCGCAGCCTGTGCCTGTTTACGTACCACCG

FIG. 66B-12

SUBSTITUTE SHEET (RULE 26)

		109/131	2400
		2361	
gp160	(2355)	CCTGCGCGACCTGCTGCTGATCGTGGCCCCGCATCGTGGAG	
gp160 del V1	(2259)	CCTGCGCGACCTGCTGCTGATCGTGGCCCCGCATCGTGGAG	
gp160 del V2	(2274)	CCTGCGCGACCTGCTGCTGATCGTGGCCCCGCATCGTGGAG	
gp160 del V1-2	(2061)	CCTGCGCGACCTGCTGCTGATCGTGGCCCCGCATCGTGGAG	
gp 160 del 128-194	(2106)	CCTGCGCGACCTGCTGCTGATCGTGGCCCCGCATCGTGGAG	
gp140TM	(2182)	-----	
gp140	(2113)	-----	
gp140mut	(2113)	-----	
gp120	(1600)	-----	
Consensus	(2361)	CCTGCGCGACCTGCTGCTGATCGTGGCCCCGCATCGTGGAG	2440
		2401	
gp160	(2395)	CTGCTGGGCCCCGCGGCTGGGAGGCCCTGAAGTACTGGT	
gp160 del V1	(2299)	CTGCTGGGCCCCGCGGCTGGGAGGCCCTGAAGTACTGGT	
gp160 del V2	(2314)	CTGCTGGGCCCCGCGGCTGGGAGGCCCTGAAGTACTGGT	
gp160 del V1-2	(2101)	CTGCTGGGCCCCGCGGCTGGGAGGCCCTGAAGTACTGGT	
gp 160 del 128-194	(2146)	CTGCTGGGCCCCGCGGCTGGGAGGCCCTGAAGTACTGGT	
gp140TM	(2182)	-----	
gp140	(2113)	-----	
gp140mut	(2113)	-----	
gp120	(1600)	-----	
Consensus	(2401)	CTGCTGGGCCCCGCGGCTGGGAGGCCCTGAAGTACTGGT	2480
		2441	
gp160	(2435)	GGAACCTGCTGCAGTACTGGAGCCAGGAGCTGAAGAGCAG	
gp160 del V1	(2339)	GGAACCTGCTGCAGTACTGGAGCCAGGAGCTGAAGAGCAG	
gp160 del V2	(2354)	GGAACCTGCTGCAGTACTGGAGCCAGGAGCTGAAGAGCAG	
gp160 del V1-2	(2141)	GGAACCTGCTGCAGTACTGGAGCCAGGAGCTGAAGAGCAG	
gp 160 del 128-194	(2186)	GGAACCTGCTGCAGTACTGGAGCCAGGAGCTGAAGAGCAG	
gp140TM	(2182)	-----	
gp140	(2113)	-----	
gp140mut	(2113)	-----	
gp120	(1600)	-----	
Consensus	(2441)	GGAACCTGCTGCAGTACTGGAGCCAGGAGCTGAAGAGCAG	2520
		2481	
gp160	(2475)	CGCCGTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCC	
gp160 del V1	(2379)	CGCCGTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCC	
gp160 del V2	(2394)	CGCCGTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCC	
gp160 del V1-2	(2181)	CGCCGTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCC	
gp 160 del 128-194	(2226)	CGCCGTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCC	
gp140TM	(2182)	-----	
gp140	(2113)	-----	
gp140mut	(2113)	-----	
gp120	(1600)	-----	
Consensus	(2481)	CGCCGTGAGCCTGTTCAACGCCACCGCCATCGCCGTGGCC	2560
		2521	
gp160	(2515)	GAGGGCACCGACCGCATCATCGAGATCGTGCAGCGCATCT	
gp160 del V1	(2419)	GAGGGCACCGACCGCATCATCGAGATCGTGCAGCGCATCT	
gp160 del V2	(2434)	GAGGGCACCGACCGCATCATCGAGATCGTGCAGCGCATCT	
gp160 del V1-2	(2221)	GAGGGCACCGACCGCATCATCGAGATCGTGCAGCGCATCT	
gp 160 del 128-194	(2266)	GAGGGCACCGACCGCATCATCGAGATCGTGCAGCGCATCT	
gp140TM	(2182)	-----	
gp140	(2113)	-----	
gp140mut	(2113)	-----	
gp120	(1600)	-----	
Consensus	(2521)	GAGGGCACCGACCGCATCATCGAGATCGTGCAGCGCATCT	

FIG. 66B-13

[illegible]

FIG. 66B-14

111 / 131




FIG. 67

112 / 131

HIV-1SF2 wt RT (PISPIET-->GIRKVL)
CCCATTAGTCCTATTGAACTGTACCAGTAAAATTAAAGCCAGGAATGGATGGCCCCAAA
GTTAAGCAATGGCCATTGACAGAAGAAAAATAAAAGCATTAGTAGAGATATGTACAGAA
ATGGAAAAGGAAGGGAAAATTTCAAAAATTGGGCCTGAAAATCCATACAATACTCCAGTA
TTTGCTATAAAGAAAAAGACAGTACTAAATGGAGAAAAGTAGATTTTCAGAGAAGTT
AATAAAGAAGCTCAAGACTTCTGGGAAGTTCAGTTAGGAATACCACACCCCGCAGGGTTA
AAAAAGAAAAATCAGTAACAGTATTGGATGTGGGTGATGCATACTTTTCAGTTCCCTTA
GATAAGACTTTAGAAAGTATACTGCATTTACCATACTAGTATAAACAATGAGACACCA
GGGATTAGATATCAGTACAATGTGCTGCCACAGGGATGGAAAGGATCACCAGCAATATTC
CAAAGTAGCATGACAAAAATCTTAGAGCCTTTTAGAAAAACAGAATCCAGACATAGTTATC
TATCAAtacatggatgatTTGTATGTAGGATCTGACTTAGAAATAGGGCAGCATAGAACA
AAAATAGAGGAAGTGAAGACAGCATCTGTTGAGGTGGGGATTTACCACACCAGACAAAAAA
CATCAGAAAGAACCTCCATTCTTTggatgggttatGAACTCCATCCTGATAAATGGACA
GTACAGCCTATAATGCTGCCAGAAAAGACAGCTGGACTGTCAATGACATACAGAAGTTA
GTGGGAAAATTGAATTGGGCAAGTCAGATTTATGCAGGGATTAAAGTAAAGCAGTTATGT
AACTCCTTAGAGGAACCAAAGCACTAACAGAAGTAATACCACTAACAGAAGAAGCAGAG
CTAGAAGTGGCAGAAAACAGGGAGATTCTAAAAGAACCAGTACATGAAGTATATTATGAC
CCATCAAAAGACTTAGTAGCAGAAATACAGAAGCAGGGGCAAGGCCAATGGACATATCAA
ATTTATCAAGAGCCATTTAAAAATCTGAAAACAGGAAAGTATGCAAGGATGAGGGGTGCC
CACACTAATGATGTAAAACAGTTAACAGAGGCAGTGCAAAAAGTATCCACAGAAAGCATA
GTAATATGGGGAAAGATTCTTAAATTTAAACTACCCATACAAAAGGAAACATGGGAAGCA
TGGTGGATGGAGTATTGGCAAGCTACCTGGATTCTGAGTGGGAGTTTGTCAATACCCCT
CCCTTAGTGAAATTATGGTACCAGTTAGAGAAAGAACCATAGTAGGAGCAGAACTTTC
TATGTAGATGGGGCAGCTAATAGGGAGAGTAAATTAGGAAAAGCAGGATATGTTACTGAC
AGAGGAAGACAAAAGTTGTCTCCATAGCTGACACAACAAATCAGAAGACTGAATTACAA
GCAATTCATCTAGCTTTGCAGGATTTCGGGATTAGAAGTAAACATAGTAACAGACTCACAA
TATGCATTAGGAATCATTCAAGCACAACCAGATAAGAGTGAATCAGAGTTAGTCAGTCAA
ATAATAGAGCAGTTAATAAAAAAGGAAAAGGTCTACCTGGCATGGGTACCAGCACACAAA
GGAATTGGAGGAAATGAACAAGTAGATAAATTAGTCAGTGCTGGAATCAGGAAAGTACTA

FIG. 68
(SEQ ID NO:77)

113 / 131

GagProtMod.SF2 (GP1)

GTCGACGCCACCATGGGCGCCCCGCCAGCGTGCTGAGCGGCGGCGAGCTGGACAAGTGG
GAGAAGATCCGCCTGCGCCCCGGCGGCAAGAAGAAGTACAAGCTGAAGCACATCGTGTGG
GCCAGCCGCGAGCTGGAGCGCTTCGCCGTGAACCCCGGCCTGCTGGAGACCAGCGAGGGC
TGCCGCCAGATCCTGGGCCAGCTGCAGCCCAGCCTGCAGACCGGCAGCGAGGAGCTGCGC
AGCCTGTACAACACCGTGGCCACCCTGTACTGCGTGCACCAGCGCATCGACGTCAAGGAC
ACCAAGGAGGGCCCTGGAGAAGATCGAGGAGGAGCAGAACAAGTCCAAGAAGAAGGCCAG
CAGGCCGCGCGCCGCCGCCGCCGCAACAGCAGCCAGGTGAGCCAGAACTACCCCATC
GTGCAGAACCTGCAGGGCCAGATGGTGCACCAGGCCATCAGCCCCCGCACCCCTGAACGCC
TGGGTGAAGGTGGTGGAGGAGAAGGCCTTCAGCCCCGAGGTGATCCCCATGTTTCAGCGCC
CTGAGCGAGGGCGCCACCCCCCAGGACCTGAACACGATGTTGAACACCGTGGGCGGCCAC
CAGGCCGCCATGCAGATGCTGAAGGAGACCATCAACGAGGAGGCCGCCGAGTGGGACCGC
GTGCACCCCGTGCACGCCGCGCCCCATCGCCCCCGGCCAGATGCGCGAGCCCCCGCGGCAGC
GACATCGCCGGCACCACCAGCACCCCTGCAGGAGCAGATCGGCTGGATGACCAACAACCCC
CCCATCCCCGTGGGCGAGATCTACAAGCGGTGGATCATCCTGGGCCTGAACAAGATCGTG
CGGATGTACAGCCCCACCAGCATCCTGGACATCCGCCAGGGCCCCAAGGAGCCCTTCCGC
GACTACGTGGACCGCTTCTACAAGACCCCTGCGCGCTGAGCAGGCCAGCCAGGACGTGAAG
AACTGGATGACCGAGACCCTGCTGGTGCAGAACGCCAACCCCGACTGCAAGACCATCCTG
AAGGCTCTCGGCCCCGCGGCCACCCTGGAGGAGATGATGACCGCCTGCCAGGGCGTGGGC
GGCCCCGGCCACAAGGCCCGCGTGTGGCCGAGGCGATGAGCCAGGTGACGAACCCGGCG
ACCATCATGATGCAGCGCGGCAACTTCGCAACCAGCGGAAGACCGTCAAGTGCTTCAAC
TGCGGCAAGGAGGGCCACACCGCCAGGAAGTGGCGCGCCCCCGCAAGAAGGGCTGCTGG
CGCTGCGGCGCGAAGGACACCAATGAAAGATTGCACTGAGAGACAGGCTAATTTTTTA
GGGAAGATCTGGCCTTCCTACAAGGGAAGGCCAGGGAATTTTCTTCAGAGCAGACCAGAG
CCAACAGCCCCACCAGAAGAGAGCTTCAGGTTTGGGGAGGAGAAAACAACCTCCCTCTCAG
AAGCAGGAGCCGATAGACAAGGAAGTGTATCCTTTAACTTCCCTCAGATCACTCTTTGGC
AACGACCCCTCGTCACAGTAAGGATCGGCGGCCAGCTCAAGGAGCGCTGCTCGACACCG
GCGCCGACGACACCGTGTGGAGGAGATGAACCTGCCCGGCAAGTGGAAGCCCAAGATGA
TCGGCGGGATCGGGGGCTTCATCAAGGTGCGGCAGTACGACCAGATCCCCGTGGAGATCT
GCGGCCACAAGGCCATCGGCACCGTGTGGTGGGCCCCACCCCCGTGAACATCATCGGCC
GCAACCTGCTGACCCAGATCGGCTGCACCCTGAACTTCCCCATCAGCCCCATCGAGACGG
TGCCCGTGAAGCTGAAGCCGGGGATGGACGGCCCCAAGGTCAAGCAGTGCCCCCTGTAAG
AATTC

FIG. 69

(SEQ ID NO:78)

114 / 131

GagProtMod.SF2 (GP2)

GTGACGCCACCATGGGCGCCCGGCCAGCGTGCTGAGCGGCGGCGAGCTGGACAAGTGG
GAGAAGATCCGCCTGCGCCCCGGCGGCAAGAAGAAGTACAAGCTGAAGCACATCGTGTGG
GCCAGCCGCGAGCTGGAGCGCTTCGCCGTGAACCCCGGCCTGCTGGAGACCAGCGAGGGC
TGCCGCCAGATCCTGGGCCAGCTGCAGCCCAGCCTGCAGACCGGCAGCGAGGAGCTGCGC
AGCCTGTACAACACCGTGGCCACCCTGTACTGCGTGCACCAGCGCATCGACGTCAAGGAC
ACCAAGGAGGGCCCTGGAGAAGATCGAGGAGGAGCAGAACAAGTCCAAGAAGAAGGCCCAG
CAGGCCGCGCGCCGCCCGGCCACCGGCAACAGCAGCCAGGTGAGCCAGAACTACCCCATC
GTGCAGAACCTGCAGGGCCAGATGGTGCACCAGGCCATCAGCCCCCGCACCCCTGAACGCC
TGGGTGAAGGTGGTGGAGGAGAAGGCCTTCAGCCCCGAGGTGATCCCCATGTTTCAGCGCC
CTGAGCGAGGGCGCCACCCCCCAGGACCTGAACACGATGTTGAACACCGTGGGCGGCCAC
CAGGCCGCCATGCAGATGCTGAAGGAGACCATCAACGAGGAGGCCGCGGAGTGGGACCGC
GTGCACCCCGTGCACGCGCGCCCATCGCCCCCGGCCAGATGCGCGAGCCCCGCGGCAGC
GACATCGCCGGCACCAACAGCACCCCTGCAGGAGCAGATCGGCTGGATGACCAACAACCCC
CCCATCCCCGTGGGCGAGATCTACAAGCGGTGGATCATCCTGGGCCTGAACAAGATCGTG
CGGATGTACAGCCCCACCAGCATCCTGGACATCCGCCAGGGCCCCAAGGAGCCCTTCCGC
GACTACGTGGACCGCTTCTACAAGACCCTGCGCGCTGAGCAGGCCAGCCAGGACGTGAAG
AACTGGATGACCGAGACCCTGCTGGTGCAGAACGCCAACCCGACTGCAAGACCATCCTG
AAGGCTCTCGGCCCCGCGGCCACCCTGGAGGAGATGATGACCGCCTGCCAGGGCGTGGGC
GGCCCCGGCCACAAGGCCCGCGTGTGGCCGAGGCGATGAGCCAGGTGACGAACCCGGCG
ACCATCATGATGCAGCGCGGCAACTTCCGCAACCAGCGGAAGACCGTCAAGTGCTTCAAC
TGCCGCAAGGAGGGCCACACCGCCAGGAACTGCCGCGCCCCCGCAAGAAGGGCTGCTGG
CGCTGEGGEGGGAAGGACACCAAATGAAAGATTGCACTGAGAGACAGGCTAATTTTTTA
GGGAAGATCTGGCCTTCCTACAAGGGAAGGCCAGGGAATTTCTTCAGAGCAGACCAGAG
CCAACAGCCCCACCAGAAGAGAGCTTCAGGTTTGGGGAGGAGAAAACAACTCCCTCTCAG
AAGCAGGAGCCGATAGACAAGGAACTGTATCCTTTAACTTCCCTCAGATCACTCTTTGGC
AACGACCCCTCGTCACAGTAAGGATCGGGGGGCAACTCAAGGAAGCGCTGCTCGATACAG
GAGCAGATGATACAGTATTAGAAGAAATGAATTTGCCAGGAAAATGGAAACCAAAATGA
TAGGGGGGATCGGGGGCTTCATCAAGGTGAGGCAGTACGACCAGATACCTGTAGAAATCT
GTGGACATAAAGCTATAGGTACAGTATTAGTAGGACCTACACCTGTCAACATAATTGGAA
GAAATCTGTTGACCCAGATCGGCTGCACCTTGAACCTCCCCATCAGCCCTATTGAGACGG
TGCCCGTGAAGTTGAAGCCGGGGATGGACGGCCCCAAGGTCAAGCAATGGCCATTGTAAG
AATTC

FIG. 70

(SEQ ID NO:79)

115 / 131

FS(+)_ProtInact_RTpt_YM

GCGGCCGCGAAGGACACCAAATGAAAGATTGCACTGAGAGACAGGCTAATTTTTTAGGGA
AGATCTGGCCTTCCTACAAGGGAAGGCCAGGGAATTTTCTTCAGAGCAGACCAGAGCCAA
CAGCCCCACCAAGAAGAGAGCTTCAGGTTTGGGGAGGAGAAAACAACTCCCTCTCAGAAGC
AGGAGCCGATAGACAAGGAACTGTATCCTTTAACTTCCCTCAGATCACTCTTGGCAACG
ACCCCTCGTCACAATAAGGATCGGGGGCAACTCAAGGAAGCGCTGCTCGATACAGGAGC
AGATGATACAGTATTAGAAGAAATGAATTTGCCAGGAAAATGGAAACCAAAAATGATAGG
GGGGATCGGGGGCTTCATCAAGGTGAGGCAGTACGACCAGATACCTGTAGAAATCTGTGG
ACATAAAGCTATAGGTACAGTATTAGTAGGACCTACACCTGTCAACATAATTGGAAGAAA
TCTGTTGACCCAGATCGGCTGCACCTTGAACCTCCCCATCAGCCCTATTGAGACGGTGCC
CGTGAAGTTGAAGCCGGGGATGGACGGCCCCAAGGTCAAGCAATGGCCATTGACCGAGGA
GAAGATCAAGGCCCTGGTGGAGATCTGCACCGAGATGGAGAAGGAGGGCAAGATCAGCAA
GATCGGCCCCGAGAACCCTACAACACCCCGTGTTCCGCATCAAGAAGAAGGACAGCAC
CAAGTGGCGCAAGCTGGTGGACTTCCGCGAGCTGAACAAGCGCACCCAGGACTTCTGGGA
GGTGCAGCTGGGCATCCCCACCCCGCCGGCCTGAAGAAGAAGAAGAGCGTGACCGTGCT
GGACGTGGGCGACGCCTACTTCAGCGTGCCCTGGACAAGGACTTCCGCAAGTACACCGC
CTTCACCATCCCCAGCATCAACAACGAGACCCCGGCATCCGCTACCAGTACAACGTGCT
GCCCCAGGGCTGGAAGGGCAGCCCCGCCATCTTCCAGAGCAGCATGACCAAGATCCTGGA
GCCCTTCCGCAAGCAGAACCCCGACATCGTGATCTACCAGGCCCCCTGTACGTGGGCAG
CGACCTGGAGATCGGCCAGCACCCGACCAAGATCGAGGAGCTGCGCCAGCACCTGCTGCG
CTGGGGCTTCAACACCCCGAGAAGAAGCAAGGAGGAGCCCCCTTCTGTGGATGGG
CTACGAGCTGCACCCCGACAAGTGGACCGTGAGCCCATCATGCTGCCCGAGAAGGACAG
CTGGACCGTGAAACGACATCCAGAAGCTGGTGGGCAAGCTGAACTGGGCCAGCCAGATCTA
CGCCGGCATCAAGGTGAAGCAGCTGTGCAAGCTGCTGCGCGGCACCAAGGCCCTGACCGA
GGTGATCCCCCTGACCGAGGAGGCCGAGCTGGAGCTGGCCGAGAACCGCGAGATCCTGAA
GGAGCCCGTGCACGAGGTGTACTACGACCCCGCAAGGACCTGGTGGCCGAGATCCAGAA
GCAGGGCCAGGGCCAGTGACCTACCAGATCTACCAGGAGCCCTTCAAGAACCTGAAGAC
CGGCAAGTACGCCCGCATGCGCGGCGCCACACCAACGACGTGAAGCAGCTGACCGAGGC
CGTGCAGAAGGTGAGCACCGAGAGCATCGTGATCTGGGGCAAGATCCCCAAGTTCAAGCT

FIG. 71A

(SEQ ID NO:80)

116 / 131

GCCCATCCAGAAGGAGACCTGGGAGGCCTGGTGGATGGAGTACTGGCAGGCCACCTGGAT
CCCCGAGTGGGAGTTCGTGAACACCCCCCCCCTGGTGAAGCTGTGGTACCAGCTGGAGAA
GGAGCCCCATCGTGGGCGCCGAGACCTTCTACGTGGACGGCGCCGCCAACC GCGAGACCAA
GCTGGGCAAGGCCGGCTACGTGACCGACCGGGGCCGGCAGAAGGTGGTGAGCATCGCCGA
CACCACCAACCAGAAGACCGAGCTGCAGGCCATCCACCTGGCCCTGCAGGACAGCGGCCT
GGAGGTGAACATCGTGACCGACAGCCAGTACGCCCTGGGCATCATCCAGGCCCAGCCCGA
CAAGAGCGAGAGCGAGCTGGTGAGCCAGATCATCGAGCAGCTGATCAAGAAGGAGAAGGT
GTACCTGGCCTGGGTGCCCGCCCCACAAGGGCATCGGCGGCAACGAGCAGGTGGACAAGCT
GGTGAGCGCCGGCATCCGCAAGGTGCTGTTCTGAACGGCATCGATGGCGGCATCGTGAT
CTACCAGTACATGGACGACCTGTACGTGGGCAGCGGCGGCCCTAGGATCGATTAAAAGCT
TCCCCGGGGCTAGCACCGGTGAATTC

FIG. 71B

(SEQ ID NO:80)

118 / 131

CCAGAAGGAGACCTGGGAGGCCTGGTGGATGGAGTACTGGCAGGCCACCTGGATCCCCGA
GTGGGAGTTCGTGAACACCCCCCCCCCTGGTGAAGCTGTGGTACCAGCTGGAGAAGGAGCC
CATCGTGGGCGCCGAGACCTTCTACGTGGACGGCGCCGCCAACCGCGAGACCAAGCTGGG
CAAGGCCGGCTACGTGACCGACCGGGGCCGGCAGAAGGTGGTGAGCATCGCCGACACCAC
CAACCAGAAGACCGAGCTGCAGGCCATCCACCTGGCCCTGCAGGACAGCGGCCTGGAGGT
GAACATCGTGACCGACAGCCAGTACGCCCTGGGCATCATCCAGGCCCAGCCCGACAAGAG
CGAGAGCGAGCTGGTGAGCCAGATCATCGAGCAGCTGATCAAGAAGGAGAAGGTGTACCT
GGCCTGGGTGCCCCGCCACAAGGGCATCGGCGGCAACGAGCAGGTGGACAAGCTGGTGAG
CGCCGGCATCCGCAAGGTGCTGTTCTGAACGGCATCGATGGCGGCATCGTGATCTACCA
GTACATGGACGACCTGTACGTGGGCAGCGGCGGCCCTAGGATCGATTAAAAGCTTCCCGG
GGCTAGCACCGGTGAATTC

FIG. 72B

(SEQ ID NO:81)

119 / 131

FS(-)_ProtMod_RTpt_YM

GCGGCCGCGAAGGACACCAAATGAAAGATTGCACTGAGAGACAGGCTAATTTCTTCCGCG
AGGACCTGGCCTTCCTGCAGGGCAAGGCCCCGCGAGTTCAGCAGCGAGCAGACCCGCGCCA
ACAGCCCCACCCGCGCGAGCTGCAGGTGTGGGGCGCGAGAACAACAGCCTGAGCGAGG
CCGGCGCCGACCGCCAGGGCACCGTGAGCTTCAACTTCCCCCAGATCACCTGTGGCAGC
GCCCCCTGGTGACCATCAGGATCGGCGGCCAGCTCAAGGAGGCGCTGCTCGACACCGGCG
CCGACGACACCGTGCTGGAGGAGATGAACCTGCCCGGCAAGTGGAAGCCCAAGATGATCG
GCGGGATCGGGGGCTTCATCAAGGTGCGGCAGTACGACCAGATCCCCGTGGAGATCTGCG
GCCACAAGGCCATCGGCACCGTGCTGGTGGGCCCCACCCCGTGAAACATCATCGGCCGCA
ACCTGCTGACCCAGATCGGCTGCACCTGAACTTCCCCATCAGCCCCATCGAGACGGTGC
CCGTGAAGCTGAAGCCGGGGATGGACGGCCCCAAGGTCAAGCAGTGGCCCCTGACCGAGG
AGAAGATCAAGGCCCTGGTGGAGATCTGCACCGAGATGGAGAAGGAGGGCAAGATCAGCA
AGATCGGCCCCGAGAACCCTACAACACCCCGTGTTCCGCCATCAAGAAGAAGGACAGCA
CCAAGTGGCGCAAGCTGGTGGACTTCCGCGAGCTGAACAAGCGCACCCAGGACTTCTGGG
AGGTGCAGCTGGGCATCCCCACCCCGCGGCCTGAAGAAGAAGAAGAGCGTGACCGTGC
TGGACGTGGGCGACGCCTACTTCAGCGTGCCCCCTGGACAAGGACTTCCGCAAGTACACCG
CCTTCACCATCCCCAGCATCAACAACGAGACCCCGGCATCCGCTACCAGTACAACGTGC
TGCCCCAGGGCTGGAAGGGCAGCCCCGCCATCTTCAGAGCAGCATGACCAAGATCCTGG
AGCCCTTCCGCAAGCAGAACCCCGACATCGTGATCTACCAGGCCCCCTGTACGTGGGCA
GCGACCTGGAGATGGGGGAGGACGGGAGGAAGATCGAGGAGCTGCGCCAGCACCTGCTGC
GCTGGGGCTTCACCACCCCGACAAGAAGCACCAAGGAGCCCCCTTCCTGTGGATGG
GCTACGAGCTGCACCCCGACAAGTGGACCGTGACGCCATCATGCTGCCCCGAGAAGGACA
GCTGGACCGTGAACGACATCCAGAAGCTGGTGGGCAAGCTGAACTGGGCCAGCCAGATCT
ACGCCGGCATCAAGGTGAAGCAGCTGTGCAAGCTGCTGCGCGGCACCAAGGCCCTGACCG
AGGTGATCCCCCTGACCGAGGAGGCCGAGCTGGAGCTGGCCGAGAACCGCGAGATCCTGA
AGGAGCCCGTGACGAGGTGTACTACGACCCAGCAAGGACCTGGTGGCCGAGATCCAGA
AGCAGGGCCAGGGCCAGTGGACCTACCAGATCTACCAGGAGCCCTTCAAGAACCTGAAGA
CCGGCAAGTACGCCCGCATGCGCGGCGCCACACCAACGACGTGAAGCAGCTGACCGAGG
CCGTGCAGAAGGTGAGCACCGAGAGCATCGTGATCTGGGGCAAGATCCCCAAGTTCAAGC

FIG. 73A

(SEQ ID NO:82)

SUBSTITUTE SHEET (RULE 26)

120 / 131

TGCCCCATCCAGAAGGAGACCTGGGAGGCCTGGTGGATGGAGTACTGGCAGGCCACCTGGA
TCCCCGAGTGGGAGTTTCGTGAACACCCCCCCCCCTGGTGAAGCTGTGGTACCAGCTGGAGA
AGGAGCCCATCGTGGGCGCCGAGACCTTCTACGTGGACGGCGCCGCCAACC GCGAGACCA
AGCTGGGCAAGGCCGGCTACGTGACCGACCGGGGCCGAGAGGTGGTGAGCATCGCCG
ACACCACCAACCAGAAGACCGAGCTGCAGGCCATCCACCTGGCCCTGCAGGACAGCGGCC
TGGAGGTGAACATCGTGACCGACAGCCAGTACGCCCTGGGCATCATCCAGGCCAGCCCCG
ACAAGAGCGAGAGCGAGCTGGTGAGCCAGATCATCGAGCAGCTGATCAAGAAGGAGAAGG
TGTACCTGGCCTGGGTGCCCCGCCACAAGGGCATCGGCGGCAACGAGCAGGTGGACAAGC
TGGTGAGCGCCGGCATCCGCAAGGTGCTGTTCTTGAACGGCATCGATGGCGGCATCGTGA
TCTACCAGTACATGGACGACCTGTACGTGGGCAGCGGCGGCCCTAGGATCGATTAAAAGC
TTCCCGGGGCTAGCACCGGTGAATTC

FIG. 73B

(SEQ ID NO:82)

121 / 131

FS(-)_ProtMod_RTopt_YMWM

GCGGCCGCGAAGGACACCAAATGAAAGATTGCACTGAGAGACAGGCTAATTTCTTCCGCG
AGGACCTGGCCTTCTGTCAGGGCAAGGCCCGCGAGTTCAGCAGCGAGCAGACCCGCGCCA
ACAGCCCCACCCGCGCGAGCTGCAGGTGTGGGGCGGCGAGAACAACAGCCTGAGCGAGG
CCGGCGCCGACCGCCAGGGCACCCTGAGCTTCAACTTCCCCCAGATCACCTGTGGCAGC
GCCCCCTGGTGACCATCAGGATCGGCGGCCAGCTCAAGGAGGCGCTGCTCGACACCGGCG
CCGACGACACCGTGCTGGAGGAGATGAACCTGCCCCGCAAGTGGAAGCCCCAAGATGATCG
GCGGGATCGGGGGCTTCATCAAGGTGCGGCAGTACGACCAGATCCCCGTGGAGATCTGCG
GCCACAAGGCCATCGGCACCGTGCTGGTGGGCCCCACCCCGTGAACATCATCGGCCGCA
ACCTGCTGACCCAGATCGGCTGCACCCTGAACTTCCCCATCAGCCCCATCGAGACGGTGC
CCGTGAAGCTGAAGCCGGGGATGGACGGCCCCAAGGTCAAGCAGTGGCCCCCTGACCGAGG
AGAAGATCAAGGCCCTGGTGGAGATCTGCACCGAGATGGAGAAGGAGGGCAAGATCAGCA
AGATCGGCCCCGAGAACCCCTACAACACCCCGTGTTCGCCATCAAGAAGAAGGACAGCA
CCAAGTGGCGCAAGCTGGTGGACTTCCGCGAGCTGAACAAGCGCACCCAGGACTTCTGGG
AGGTGCAGCTGGGCATCCCCACCCCGCGGCTGAAGAAGAAGAAGAGCGTGACCGTGC
TGGACGTGGGCGACGCCTACTTCAGCGTGCCCCTGGACAAGGACTTCCGCAAGTACACCG
CCTTCACCATCCCCAGCATCAACAACGAGACCCCCGGCATCCGCTACCAGTACAACGTGC
TGCCCCAGGGCTGGAAGGGCAGCCCCGCCATCTTCAGAGCAGCATGACCAAGATCCTGG
AGCCCTTCCGCAAGCAGAACCCCGACATCGTGATCTACCAGGCCCCCCTGTACGTGGGCA
GCGACCTGGAGATCGGCCAGCACCGCACCAAGATCGAGGAGCTGCGCCAGCACCTGCTGC
GCTGGGGCTTCACCACCCCGACAAGAAGCACCAGAAGGAGCCCCCTTCTGCCCCATCG
AGCTGCACCCCGACAAGTGGAACCGTGACGCCATCATGCTGCCCCGAGAAGGACAGCTGGA
CCGTGAACGACATCCAGAAGCTGGTGGGCAAGCTGAACTGGGCCAGCCAGATCTACGCCG
GCATCAAGGTGAAGCAGCTGTGCAAGCTGCTGCGCGGCACCAAGGCCCTGACCGAGGTGA
TCCCCCTGACCGAGGAGGCCGAGCTGGAGCTGGCCGAGAACCGCGAGATCCTGAAGGAGC
CCGTGCACGAGGTGTACTACGACCCCGCAAGGACCTGGTGGCCGAGATCCAGAAGCAGG
GCCAGGGCCAGTGGACCTACCAGATCTACCAGGAGCCCTTCAAGAACCTGAAGACCGGCA
AGTACGCCCCGATGCGCGGCGCCACACCAACGACGTGAAGCAGCTGACCGAGGCCGTGC
AGAAGGTGAGCACCGAGAGCATCGTGATCTGGGGCAAGATCCCCAAGTTCAAGCTGCCCA

FIG. 74A

(SEQ ID NO:83)

122 / 131

TCCAGAAGGAGACCTGGGAGGCCTGGTGGATGGAGTACTGGCAGGCCACCTGGATCCCCG
AGTGGGAGTTTCGTGAACACCCCCCCCCCTGGTGAAGCTGTGGTACCAGCTGGAGAAGGAGC
CCATCGTGGGCGCCGAGACCTTCTACGTGGACGGCGCCGCCAACCGCGAGACCAAGCTGG
GCAAGGCCGGCTACGTGACCGACCGGGGCCGGCAGAAGGTGGTGAGCATCGCCGACACCA
CCAACCAGAAGACCGAGCTGCAGGCCATCCACCTGGCCCTGCAGGACAGCGGCCTGGAGG
TGAACATCGTGACCGACAGCCAGTACGCCCTGGGCATCATCCAGGCCAGCCCGACAAGA
GCGAGAGCGAGCTGGTGAGCCAGATCATCGAGCAGCTGATCAAGAAGGAGAAGGTGTACC
TGGCCTGGGTGCCCCGCCACAAGGGCATCGGCGGCAACGAGCAGGTGGACAAGCTGGTGA
GCGCCGGCATCCGCAAGGTGCTGTTCCCTGAACGGCATCGATGGCGGCATCGTGATCTACC
AGTACATGGACGACCTGTACGTGGGCAGCGGCGGCCCTAGGATCGATTAAAAGCTTCCCG
GGGCTAGCACCGGTGAATTC

FIG. 74B

(SEQ ID NO:83)

123/131

FS(-)_ProtMod_RTopt(+)

GCGGCCCGGAAGGACACCAAATGAAAGATTGCACTGAGAGACAGGCTAATTTCTTCCGCG
AGGACCTGGCCTTCTCTGCAGGGCAAGGCCCCGCGAGTTCAGCAGCGAGCAGACCCGCGCCA
ACAGCCCCACCCGCGCGAGCTGCAGGTGTGGGGCGGCGAGAACAACAGCCTGAGCGAGG
CCGGCGCCGACCGCCAGGGCACCCTGAGCTTCAACTTCCCCCAGATCACCTGTGGCAGC
GCCCCCTGGTGACCATCAGGATCGGCGGCCAGCTCAAGGAGGCGCTGCTCGACACCGGGC
CCGACGACACCGTGCTGGAGGAGATGAACCTGCCCGGCAAGTGGAAGCCCCAAGATGATCG
GCGGGATCGGGGGCTTCATCAAGGTGCGGCAGTACGACCAGATCCCCGTGGAGATCTGCG
GCCACAAGGCCATCGGCACCGTGCTGGTGGGCCCCACCCCCGTGAACATCATCGGCCGCA
ACCTGCTGACCCAGATCGGCTGCACCCTGAACTTCCCCATCAGCCCCATCGAGACGGTGC
CCGTGAAGCTGAAGCCGGGGATGGACGGCCCCAAGGTCAAGCAGTGGCCCCCTGACCGAGG
AGAAGATCAAGGCCCTGGTGGAGATCTGCACCGAGATGGAGAAGGAGGGCAAGATCAGCA
AGATCGGCCCCGAGAACCCCTACAACACCCCCGTGTTCCGCATCAAGAAGAAGGACAGCA
CCAAGTGGCGCAAGCTGGTGGACTTCCGCGAGCTGAACAAGCGCACCCAGGACTTCTGGG
AGGTGCAGCTGGGCATCCCCACCCCCGCGGCCTGAAGAAGAAGAAGAGCGTGACCGTGC
TGGACGTGGGCGACGCCTACTTCAGCGTGCCCCCTGGACAAGGACTTCCGCAAGTACACCG
CCTTCACCATCCCCAGCATCAACAACGAGACCCCCGGCATCCGCTACCAGTACAACGTGC
TGCCCCAGGGCTGGAAGGGCAGCCCCGCCATCTTCCAGAGCAGCATGACCAAGATCCTGG
AGCCCTTCCGCAAGCAGAACCCCGACATCGTGATCTACCAGTACATGGACGACCTGTACG
TGGGCAGCGACCTGGAGATCGGCCAGCACCGCACCAAGATCGAGGAGCTGCGCCAGCACC
TGCTGCGCTGGGGCTTCAACACCCCCGACAAGAAGCACCAGAAGGAGCCCCCTTCTCTGT
GGATGGGCTACGAGCTGCACCCCGACAAGTGGACCGTGACGCCATCATGCTGCCCCGAGA
AGGACAGCTGGACCGTGAACGAGATCCAGAAGTGGTGGGGAAGCTGAACTGGGCCAGCC
AGATCTACGCCGSCATCAAGGTGAAGCAGCTGTGCAAGCTGCTGCGCGGCACCAAGGCCC
TGACCGAGGTGATCCCCCTGACCGAGGAGGCCGAGCTGGAGCTGGCCGAGAACCGCGAGA
TCCTGAAGGAGCCCGTGACGAGGTGTACTACGACCCCAGCAAGGACCTGGTGGCCGAGA
TCCAGAAGCAGGGCCAGGGCCAGTGGACCTACCAGATCTACCAGGAGCCCTTCAAGAACC
TGAAGACCGGCAAGTACGCCCGCATGCGCGGCGGCCACACCAACGACGTGAAGCAGCTGA
CCGAGGCCGTGCAGAAGGTGAGCACCGAGAGCATCGTGATCTGGGGCAAGATCCCCAAGT
TCAAGCTGCCCATCCAGAAGGAGACCTGGGAGGCCTGGTGGATGGAGTACTGGCAGGCCA
CCTGGATCCCCGAGTGGGAGTTCGTGAACACCCCCCCCCCTGGTGAAGCTGTGGTACCAGC
TGGAGAAGGAGCCCATCGTGGGCGCCGAGACCTTCTACGTGGACGGCGCCGCCAACC

FIG. 75A

(SEQ ID NO:84)

124/131

AGACCAAGCTGGGCAAGGCCGGCTACGTGACCGACCGGGGCCGGCAGAAGGTGGTGAGCA
TCGCCGACACCACCAACCAGAAGACCGAGCTGCAGGCCATCCACCTGGCCCTGCAGGACA
GCGGCCTGGAGGTGAACATCGTGACCGACAGCCAGTACGCCCTGGGCATCATCCAGGCCC
AGCCCGACAAGAGCGAGAGCGAGCTGGTGAGCCAGATCATCGAGCAGCTGATCAAGAAGG
AGAAGGTGTACCTGGCCTGGGTGCCCCGCCACAAGGGCATCGGCGGCAACGAGCAGGTGG
ACAAGCTGGTGAGCGCCGGCATCCGCAAGGTGCTGTTCCCTGAACGGCATCGATGGCGGCA
TCGTGATCTACCAGTACATGGACGACCTGTACGTGGGCAGCGGCGGCCCTAGGATCGATT
AAAAGCTTCCCGGGGCTAGCACCGGTGAATTC

FIG. 75B
(SEQ ID NO:84)

125/131

Tat_wt_SF162 (wildtype)

ATGGAGCCAGTAGATCCTAGATTAGAGCCCTGGAAGCATCCAGGAAGTCAGCCTAAGA
CTGCTTGTACAAATTGCTATTGTAAAAAGTGTGCTTTCATTGCCAAGTTTGTTCATAAC
AAAAGGCTTAGGCATCTCCTATGGCAGGAAGAAGCGGAGACAGCGACGAAGAGCTCCT
CCAGACAGTGAGGTTTCATCAAGTTTCTCTACCAAAGCAACCCGCTTCCCAGCCCCAAGG
GGACCCGACAGGCCCGAAGGAATCGAAGAAGAAGGTGGAGAGAGAGACAGAGACAGA
TCCAGTCCATTAG

FIG. 76

(SEQ ID NO:85)

Tat_SF162

MEPVDPRLEPWKHPGSQPKTACTNICYCKKCCFHCQVCFITKGLGISYGRKKRRQRRRAPDSE
VHQVSLPKQPASQPQGDPTGPKESKKKVERETETDPVH

FIG. 77

(SEQ ID NO:86)

Tat_SF162_opt

ATGGAGCCCGTGGACCCCCGCCTGGAGCCCTGGAAGCACCCCGGCAGCCAGCCCAAGAC
CGCCTGCACCAACTGCTACTGCAAGAAGTGCTGCTTCCACTGCCAGGTGTGCTTCATCACC
AAGGGCCTGGGCATCAGCTACGGCCGCAAGAAGCGCCGCGCCAGCGCCGCGCCCCCCCC
CGACAGCGAGGTGCACCAGGTGAGCCTGCCCAAGCAGCCCGCCAGCCAGCCCAAGGGCG
ACCCACCGGCCCAAGGAGAGCAAGAAGAAGGTGGAGCGCGAGACCGAGACCGACCCC
GTGCACTAG

FIG. 78

(SEQ ID NO:87)

Tat_Cys22_SF162_opt

ATGGAGCCCGTGGACCCCCGCCTGGAGCCCTGGAAGCACCCCGGCAGCCAGCCCAAGAC
CGCCGACCAACTGCTACTGCAAGAAGTGCTGCTTCCACTGCCAGGTGTGCTTCATCACC
AGGGCCTGGGCATCAGCTACGGCCGCAAGAAGCGCCGCGCCAGCGCCGCGCCCCCCCC
GACAGCGAGGTGCACCAGGTGAGCCTGCCCAAGCAGCCCGCCAGCCAGCCCAAGGGCGA
CCCCACCGGCCCAAGGAGAGCAAGAAGAAGGTGGAGCGCGAGACCGAGACCGACCCCG
TGCACTAG

FIG. 79

(SEQ ID NO:88)

126 / 131

Alignment GagMod vs GP1_GP2

	10	20	30	40	50	60	76
GagMod.SF2	(1) 1						Section 1
GagProtMod.SF2 (GP1)	(1) ATGGGCGCCGCGCCAGCGTGTGCTAGCGCGCGGAGCTGGACAAGTGGGAGAAGATCCGCCTGCGCCCGCGGCA						76
GagProtMod.SF2 (GP2)	(1) ATGGGCGCCGCGCCAGCGTGTGCTAGCGCGCGGAGCTGGACAAGTGGGAGAAGATCCGCCTGCGCCCGCGGCA						
Consensus	(1) ATGGGCGCCGCGCCAGCGTGTGCTAGCGCGCGGAGCTGGACAAGTGGGAGAAGATCCGCCTGCGCCCGCGGCA						
GagMod.SF2	(77) 77	90	100	110	120	130	140
GagProtMod.SF2 (GP1)	(77) AGAAGAAGTACAAGCTGAAGCACATCGTGTGGCCAGCCGCGAGCTGGAGCGCTTCGCCGTGAACCCCGGCTGCT						152
GagProtMod.SF2 (GP2)	(77) AGAAGAAGTACAAGCTGAAGCACATCGTGTGGCCAGCCGCGAGCTGGAGCGCTTCGCCGTGAACCCCGGCTGCT						
Consensus	(77) AGAAGAAGTACAAGCTGAAGCACATCGTGTGGCCAGCCGCGAGCTGGAGCGCTTCGCCGTGAACCCCGGCTGCT						
GagMod.SF2	(153) 153	160	170	180	190	200	210
GagProtMod.SF2 (GP1)	(153) GGAGACCGAGCGAGGGCTGCCGCCAGATCCTGGGCCAGCTGCAGCCCGAGCTGCAGACCGGCGAGGAGCTGCGC						228
GagProtMod.SF2 (GP2)	(153) GGAGACCGAGCGAGGGCTGCCGCCAGATCCTGGGCCAGCTGCAGCCCGAGCTGCAGACCGGCGAGGAGCTGCGC						
Consensus	(153) GGAGACCGAGCGAGGGCTGCCGCCAGATCCTGGGCCAGCTGCAGCCCGAGCTGCAGACCGGCGAGGAGCTGCGC						
GagMod.SF2	(229) 229	240	250	260	270	280	290
GagProtMod.SF2 (GP1)	(229) AGCCTGTACAACACCGTGGCCACCCCTGTACTGCGTGCACCGCGCATCGACGTCAAGGACACCAAGAGGCCCTGG						304
GagProtMod.SF2 (GP2)	(229) AGCCTGTACAACACCGTGGCCACCCCTGTACTGCGTGCACCGCGCATCGACGTCAAGGACACCAAGAGGCCCTGG						
Consensus	(229) AGCCTGTACAACACCGTGGCCACCCCTGTACTGCGTGCACCGCGCATCGACGTCAAGGACACCAAGAGGCCCTGG						
GagMod.SF2	(305) 305	310	320	330	340	350	360
GagProtMod.SF2 (GP1)	(305) AGAAGATCGAGGAGGAGCAGAACCAAGTCCAAGAGAAGGGCCCGAGCGCCCGCGCGCCGCGGCAACAG						380
GagProtMod.SF2 (GP2)	(305) AGAAGATCGAGGAGGAGCAGAACCAAGTCCAAGAGAAGGGCCCGAGCGCCCGCGCGCCGCGGCAACAG						
Consensus	(305) AGAAGATCGAGGAGGAGCAGAACCAAGTCCAAGAGAAGGGCCCGAGCGCCCGCGCGCCGCGGCAACAG						

FIG. 80A

127 / 131

Alignment GagMod vs GPI_GP2

	381	390	400	410	420	430	440	456	Section 6
GagMod.SF2	(381)								
GagProtMod.SF2 (GP1)	(381)	CAGCCAGGTGAGCCAGAACTACCCCATCGTGCAGAACCTGAGGGCCAGATGGTGACACAGGCCATCAGCCCCCGC							
GagProtMod.SF2 (GP2)	(381)	CAGCCAGGTGAGCCAGAACTACCCCATCGTGCAGAACCTGAGGGCCAGATGGTGACACAGGCCATCAGCCCCCGC							
Consensus	(381)	CAGCCAGGTGAGCCAGAACTACCCCATCGTGCAGAACCTGAGGGCCAGATGGTGACACAGGCCATCAGCCCCCGC							
									Section 7
GagMod.SF2	(457)	457	470	480	490	500	510	520	532
GagProtMod.SF2 (GP1)	(457)	ACCCTGAACGCTGGGTGAAGTGGTGAGGAGAGGCTTCAGCCCCGAGGTGATCCCCATGTTTCAGCGCCCTGA							
GagProtMod.SF2 (GP2)	(457)	ACCCTGAACGCTGGGTGAAGTGGTGAGGAGAGGCTTCAGCCCCGAGGTGATCCCCATGTTTCAGCGCCCTGA							
Consensus	(457)	ACCCTGAACGCTGGGTGAAGTGGTGAGGAGAGGCTTCAGCCCCGAGGTGATCCCCATGTTTCAGCGCCCTGA							
									Section 8
GagMod.SF2	(533)	533	540	550	560	570	580	590	608
GagProtMod.SF2 (GP1)	(533)	GCGAGGGCGCCACCCCGGAGGACCTGAACACGATGTTGAACACCGTGGGGGCCACACAGGCCGCCATGCAGATGCT							
GagProtMod.SF2 (GP2)	(533)	GCGAGGGCGCCACCCCGGAGGACCTGAACACGATGTTGAACACCGTGGGGGCCACACAGGCCGCCATGCAGATGCT							
Consensus	(533)	GCGAGGGCGCCACCCCGGAGGACCTGAACACGATGTTGAACACCGTGGGGGCCACACAGGCCGCCATGCAGATGCT							
									Section 9
GagMod.SF2	(609)	609	620	630	640	650	660	670	684
GagProtMod.SF2 (GP1)	(609)	GAAGGAGACCATCAACGAGGAGGCGCGGAGTGGGACCGCGTGACACCCCGTGACAGCGGGCCCATCGCCCCCGGC							
GagProtMod.SF2 (GP2)	(609)	GAAGGAGACCATCAACGAGGAGGCGCGGAGTGGGACCGCGTGACACCCCGTGACAGCGGGCCCATCGCCCCCGGC							
Consensus	(609)	GAAGGAGACCATCAACGAGGAGGCGCGGAGTGGGACCGCGTGACACCCCGTGACAGCGGGCCCATCGCCCCCGGC							
									Section 10
GagMod.SF2	(685)	685	690	700	710	720	730	740	750
GagProtMod.SF2 (GP1)	(685)	CAGATGCGCGAGCCCCCGCGGAGCGACATCGCCGGCACACACAGCACCCCTGCAGGAGCAGATCGGCTGGATGACCA							
GagProtMod.SF2 (GP2)	(685)	CAGATGCGCGAGCCCCCGCGGAGCGACATCGCCGGCACACACAGCACCCCTGCAGGAGCAGATCGGCTGGATGACCA							
Consensus	(685)	CAGATGCGCGAGCCCCCGCGGAGCGACATCGCCGGCACACACAGCACCCCTGCAGGAGCAGATCGGCTGGATGACCA							

FIG. 80B

128 / 131

Alignment GagMod vs GP1_GP2

	(761)	761	770	780	790	800	810	820	836	Section 11	
GagMod.SF2	(761)	ACAA	CCCCC	CATCC	CGTGG	CGGAGATCTA	CAANGCGTG	GATCATCT	TGGCCTG	RACAAGATCGTCGGGATGTA	
GagProtMod.SF2(GP1)	(761)	ACAA	CCCCC	CATCC	CGTGG	CGGAGATCTA	CAANGCGTG	GATCATCT	TGGCCTG	RACAAGATCGTCGGGATGTA	
GagProtMod.SF2(GP2)	(761)	ACAA	CCCCC	CATCC	CGTGG	CGGAGATCTA	CAANGCGTG	GATCATCT	TGGCCTG	RACAAGATCGTCGGGATGTA	
Consensus	(761)	ACAA	CCCCC	CATCC	CGTGG	CGGAGATCTA	CAANGCGTG	GATCATCT	TGGCCTG	RACAAGATCGTCGGGATGTA	
	(837)	837	850	860	870	880	890	900	912	Section 12	
GagMod.SF2	(837)	CAG	CCCCA	CCAGCATCT	TGGACATCC	GCAGGCC	CCC	AAGGAGCCCTT	CCGCGACTAC	TGTGGACCGCTTCTACAAG	
GagProtMod.SF2(GP1)	(837)	CAG	CCCCA	CCAGCATCT	TGGACATCC	GCAGGCC	CCC	AAGGAGCCCTT	CCGCGACTAC	TGTGGACCGCTTCTACAAG	
GagProtMod.SF2(GP2)	(837)	CAG	CCCCA	CCAGCATCT	TGGACATCC	GCAGGCC	CCC	AAGGAGCCCTT	CCGCGACTAC	TGTGGACCGCTTCTACAAG	
Consensus	(837)	CAG	CCCCA	CCAGCATCT	TGGACATCC	GCAGGCC	CCC	AAGGAGCCCTT	CCGCGACTAC	TGTGGACCGCTTCTACAAG	
	(913)	913	920	930	940	950	960	970	988	Section 13	
GagMod.SF2	(913)	ACC	TGCG	CGCTG	AGCAGGCC	CAGCCAG	CACTGA	AGACTGG	ATGACCG	GAGACCCCTGCTGGTGCAGAAGCCCAACC	
GagProtMod.SF2(GP1)	(913)	ACC	TGCG	CGCTG	AGCAGGCC	CAGCCAG	CACTGA	AGACTGG	ATGACCG	GAGACCCCTGCTGGTGCAGAAGCCCAACC	
GagProtMod.SF2(GP2)	(913)	ACC	TGCG	CGCTG	AGCAGGCC	CAGCCAG	CACTGA	AGACTGG	ATGACCG	GAGACCCCTGCTGGTGCAGAAGCCCAACC	
Consensus	(913)	ACC	TGCG	CGCTG	AGCAGGCC	CAGCCAG	CACTGA	AGACTGG	ATGACCG	GAGACCCCTGCTGGTGCAGAAGCCCAACC	
	(989)	989	1000	1010	1020	1030	1040	1050	1064	Section 14	
GagMod.SF2	(989)	CCG	ACTGCA	AAGACCATCT	CTGAAGGCTCT	CGGCC	CCCGGGCCAC	CCCTGG	AGGAGATGAT	GACCCGCTGCCAGGGCGGT	
GagProtMod.SF2(GP1)	(989)	CCG	ACTGCA	AAGACCATCT	CTGAAGGCTCT	CGGCC	CCCGGGCCAC	CCCTGG	AGGAGATGAT	GACCCGCTGCCAGGGCGGT	
GagProtMod.SF2(GP2)	(989)	CCG	ACTGCA	AAGACCATCT	CTGAAGGCTCT	CGGCC	CCCGGGCCAC	CCCTGG	AGGAGATGAT	GACCCGCTGCCAGGGCGGT	
Consensus	(989)	CCG	ACTGCA	AAGACCATCT	CTGAAGGCTCT	CGGCC	CCCGGGCCAC	CCCTGG	AGGAGATGAT	GACCCGCTGCCAGGGCGGT	
	(1065)	1065	1070	1080	1090	1100	1110	1120	1130	1140	Section 15
GagMod.SF2	(1065)	GGG	CGGCC	CCCGGCC	ACAAGGCC	CCCGCTGT	GGCGAGG	CGGATGAG	CCAGGTGAC	GAACCCCGCGCACCATCATGATG	
GagProtMod.SF2(GP1)	(1065)	GGG	CGGCC	CCCGGCC	ACAAGGCC	CCCGCTGT	GGCGAGG	CGGATGAG	CCAGGTGAC	GAACCCCGCGCACCATCATGATG	
GagProtMod.SF2(GP2)	(1065)	GGG	CGGCC	CCCGGCC	ACAAGGCC	CCCGCTGT	GGCGAGG	CGGATGAG	CCAGGTGAC	GAACCCCGCGCACCATCATGATG	
Consensus	(1065)	GGG	CGGCC	CCCGGCC	ACAAGGCC	CCCGCTGT	GGCGAGG	CGGATGAG	CCAGGTGAC	GAACCCCGCGCACCATCATGATG	

FIG. 80C

	Section 16															
	1141	1150	1160	1170	1180	1190	1200	1216	1216							
GagMod. SF2 (1141)																
GagProtMod. SF2 (GP1) (1141)																
GagProtMod. SF2 (GP2) (1141)																
Consensus (1141)																
	(1141)	1150	1160	1170	1180	1190	1200	1216	1216							
GagMod. SF2 (1217)																
GagProtMod. SF2 (GP1) (1217)																
GagProtMod. SF2 (GP2) (1217)																
Consensus (1217)																
	(1217)	1217	1230	1240	1250	1260	1270	1280	1292							
GagMod. SF2 (1293)																
GagProtMod. SF2 (GP1) (1293)																
GagProtMod. SF2 (GP2) (1293)																
Consensus (1293)																
	(1293)	1293	1300	1310	1320	1330	1340	1350	1368							
GagMod. SF2 (1369)																
GagProtMod. SF2 (GP1) (1369)																
GagProtMod. SF2 (GP2) (1369)																
Consensus (1369)																
	(1369)	1369	1380	1390	1400	1410	1420	1430	1444							
GagMod. SF2 (1445)																
GagProtMod. SF2 (GP1) (1445)																
GagProtMod. SF2 (GP2) (1445)																
Consensus (1445)																
	(1445)	1445	1450	1460	1470	1480	1490	1500	1510	1520						
GagMod. SF2 (1520)																
GagProtMod. SF2 (GP1) (1520)																
GagProtMod. SF2 (GP2) (1520)																
Consensus (1520)																
	(1520)	1520	1530	1540	1550	1560	1570	1580	1590	1600						

FIG. 80D

130/131

Alignment GagMod vs GP1 GP2

	1521	1530	1540	1550	1560	1570	1580	1596	Section 21
GagMod.SF2 (1521)	(1521)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1510)	(1510)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP1) (1521)	(1521)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP2) (1521)	(1521)	1530	1540	1550	1560	1570	1580	1596	
Consensus (1521)	(1521)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1597)	(1597)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1510)	(1510)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP1) (1597)	(1597)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP2) (1597)	(1597)	1530	1540	1550	1560	1570	1580	1596	
Consensus (1597)	(1597)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1673)	(1673)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1510)	(1510)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP1) (1673)	(1673)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP2) (1673)	(1673)	1530	1540	1550	1560	1570	1580	1596	
Consensus (1673)	(1673)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1749)	(1749)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1510)	(1510)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP1) (1749)	(1749)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP2) (1749)	(1749)	1530	1540	1550	1560	1570	1580	1596	
Consensus (1749)	(1749)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1825)	(1825)	1530	1540	1550	1560	1570	1580	1596	
GagMod.SF2 (1510)	(1510)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP1) (1825)	(1825)	1530	1540	1550	1560	1570	1580	1596	
GagProtMod.SF2 (GP2) (1825)	(1825)	1530	1540	1550	1560	1570	1580	1596	
Consensus (1825)	(1825)	1530	1540	1550	1560	1570	1580	1596	

FIG. 80E

131/131

TataminoSF162.opt

ATGGAGCCCGTGGACCCCGCCCTGGAGCCCTGGAAAGCAAGCCCGGCAAGCCAGCCCAA
GACCGCCCTGGACCAACTGCTACTGGCAAGAGTGCTGCTTCCACTGCCAGGTGTGCTT
CATCAACAAGGGCCTGGGCATCAGCTACGGCCCGCAAGAAAGCCCGGCCAGCGCCGC

FIG. 81

(SEQ ID NO:89)

Tal_Cys22_SF162

MEPVDPRLEPWKHPSQPKTAGTNCYCKKCCFHCQVCFITKGLGISYGRKKRRRRRAPPDSE
VHQVSLPKQPASQPGDPTGPKESKKIVERETETDPVHZ

FIG. 82

(SEQ ID NO:90)

SEQUENCE LISTING

<110> Chiron Corporation

<120> IMPROVED EXPRESSION OF HIV POLYPEPTIDES AND PRODUCTION
OF VIRUS-LIKE PARTICLES

<130> 1621.100

<140>

<141>

<160> 90

<170> PatentIn Ver. 2.0

<210> 1

<211> 1509

<212> DNA

<213> Human immunodeficiency virus

<400> 1

```

atgggtgcga gagcgtcggt attaagcggg ggagaattag ataaatggga aaaaattcgg 60
ttaaggccag ggggaaagaa aaaatataag ttaaaacata tagtatgggc aagcagggag 120
ctagaacgat tcgcagtcaa tcctggcctg ttagaaacat cagaaggctg cagacaaata 180
ttgggacagc tacagccatc ccttcagaca ggatcagaag aacttagatc attatataat 240
acagtagcaa ccctctattg tgtacatcaa aggatagatg taaaagacac caaggaagct 300
ttagagaaga tagaggaaga gcaaaacaaa agtaagaaaa aggcacagca agcagcagct 360
gcagctggca caggaaacag cagccaggtc agccaaaatt accctatagt gcagaacctt 420
cagggggcaa tgggtacatca ggccatatca cctagaactt taaatgcatg ggtaaaagta 480
gtagaagaaa aggcttttcag ccagaaagta atacctatgt tttcagcatt atcagaagga 540
gccacccac aagattttaa caccatgcta aacacagtgg ggggacatca agcagccatg 600
caaagtgtta aagagactat caatgaggaa gctgcagaat gggatagagt gcatccagtg 660
catgcagggc ctattgcacc aggccaaatg agagaaccaa ggggaagtga catagcagga 720
actactagta cccttcagga acaaatagga tggatgacaa ataaccacc tatcccagta 780
ggagaaatct ataaaagatg gataatcctg ggattaaata aaatagtaag aatgtatagc 840
cctaccagca ttctgggacat aagacaagga ccaaaggaa cctttagaga ttatgtagac 900
cggttctata aaactctaag agccgaacaa gcttcacagg atgtaaaaaa ttggatgaca 960
gaaaccttgt tgggtccaaa tgcaaaccga gattgttaaga ctattttaaa agcattggga 1020
ccagcagcta cactagaaga aatgatgaca gcatgtcagg gagtgggggg acccgccat 1080
aaagcaagag ttttggctga agccatgagc caagtaacaa atccagctaa cataatgatg 1140
cagagaggca attttaggaa ccaaagaaag actgttaagt gtttcaattg tggcaaagaa 1200
gggcacatag ccaaaaattg cagggccctt aggaaaaagg gctgttggag atgtggaagg 1260
gaaggacacc aatgaaaga ttgcactgag agacaggcta attttttagg gaagatctgg 1320
ccttcctaca agggaggcc agggaaattt cttcagagca gaccagagcc aacagcccca 1380
ccagaagaga gcttcagggt tggggaggag aaaacaactc cctctcagaa gcaggagccg 1440
atagacaagg aactgtatcc ttttaacttc ctcagatcac tctttggcaa cgaccctcg 1500
tcacaataa

```

<210> 2

<211> 1845

<212> DNA

<213> Human immunodeficiency virus

<400> 2

```

atgggtgcga gagcgtcggt attaagcggg ggagaattag ataaatggga aaaaattcgg 60
ttaaggccag ggggaaagaa aaaatataag ttaaaacata tagtatgggc aagcagggag 120
ctagaacgat tcgcagtcaa tcctggcctg ttagaaacat cagaaggctg cagacaaata 180

```

ttgggacagc	tacagccatc	ccttcagaca	ggatcagaag	aacttagatc	attatataat	240
acagtagcaa	ccctctattg	tgtacatcaa	aggatagatg	taaaagacac	caaggaagct	300
ttagagaaga	tagaggaaga	gcaaaacaaa	agtaagaaaa	aggcacagca	agcagcagct	360
gcagctggca	caggaaacag	cagccaggtc	agccaaaatt	accctatagt	gcagaaccta	420
caggggcaaa	tggtacatca	ggccatatca	cctagaactt	taaatgcatg	ggtaaaagta	480
gtagaagaaa	aggctttcag	cccagaagta	atacccatgt	tttcagcatt	atcagaagga	540
gccacccac	aagatttaaa	caccatgcta	aacacagtgg	ggggacatca	agcagccatg	600
caaagttaa	aagagactat	caatgaggaa	gctgcagaat	gggatagagt	gcatccagt	660
catgcagggc	ctattgcacc	aggccaaatg	agagaaccaa	ggggaagtga	catagcagga	720
actactagta	cccttcagga	acaaatagga	tgatgacaa	ataatccacc	tatcccagta	780
ggagaaatct	ataaaaagatg	gataatcctg	ggattaaata	aaatagtaag	aatgtatagc	840
cctaccagca	ttctggacat	aagacaagga	ccaaaggaac	cctttagaga	ttatgtagac	900
cggttctata	aaactctaag	agccgaacaa	gcttcacagg	atgtaaaaaa	ttggatgaca	960
gaaaccttgt	tggtccaaaa	tgcaaaccca	gattgtaaga	ctatttttaa	agcattggga	1020
ccagcagcta	cactagaaga	aatgatgaca	gcatgtcagg	gagtgggggg	acccggccat	1080
aaagcaagag	ttttggctga	agccatgagc	caagtaacaa	atccagctaa	cataatgatg	1140
cagagaggca	atttttaggaa	ccaaagaaag	actgttaagt	gtttcaattg	tggaagaa	1200
gggcacatag	ccaaaaattg	cagggccccct	aggaaaaagg	gctgttggag	atgtggaagg	1260
gaaggacacc	aaatgaaaga	ttgcaactgag	agacaggcta	attttttagg	gaagatctgg	1320
ccttcctaca	aggggaaggcc	agggaatttt	cttcagagca	gaccagagcc	aacagcccca	1380
ccagaagaga	gcttcagggt	tggggaggag	aaaacaactc	cctctcagaa	gcaggagccg	1440
atagacaagg	aactgtatcc	tttaacttcc	ctcagatcac	tctttggcaa	cgacccctcg	1500
tcacaataag	gatagggggg	caactaaagg	aagctctatt	agatacagga	gcagatgata	1560
cagtattaga	agaaatgaat	ttgccaggaa	aatggaaacc	aaaaatgata	gggggaattg	1620
gaggttttat	caaagtaaga	cagtacgatc	agatacctgt	agaaatctgt	ggacataaag	1680
ctataggtac	agtattagta	ggacctacac	ctgtcaacat	aattggaaga	aatctgttga	1740
ctcagattgg	ttgtacttta	aatttcccca	ttagtcctat	tgaaactgta	ccagtaaaat	1800
taaagccagg	aatggatggc	ccaaaagtta	agcaatggcc	attga		1845

<210> 3

<211> 4313

<212> DNA

<213> Human immunodeficiency virus

<400> 3

atgggtgcga	gagcgtcggt	attaagcggg	ggagaattag	ataaatggga	aaaaattcgg	60
ttaaggccag	ggggaaagaa	aaaatataag	ttaaaacata	tagtatgggc	aagcagggag	120
ctagaacgat	tcgcagtcaa	tcctggcctg	ttagaaacat	cagaaggctg	cagacaaata	180
ttgggacagc	tacagccatc	ccttcagaca	ggatcagaag	aacttagatc	attatataat	240
acagtagcaa	ccctctattg	tgtacatcaa	aggatagatg	taaaagacac	caaggaagct	300
ttagagaaga	tagaggaaga	gcaaaacaaa	agtaagaaaa	aggcacagca	agcagcagct	360
gcagctggca	caggaaacag	cagccaggtc	agccaaaatt	accctatagt	gcagaaccta	420
caggggcaaa	tggtacatca	ggccatatca	cctagaactt	taaatgcatg	ggtaaaagta	480
gtagaagaaa	aggctttcag	cccagaagta	atacccatgt	tttcagcatt	atcagaagga	540
gccacccac	aagatttaaa	caccatgcta	aacacagtgg	ggggacatca	agcagccatg	600
caaagttaa	aagagactat	caatgaggaa	gctgcagaat	ggggaagtga	gcatccagt	660
catgcagggc	ctattgcacc	aggccaaatg	agagaaccaa	ggggaagtga	catagcagga	720
actactagta	cccttcagga	acaaatagga	tgatgacaa	ataatccacc	tatcccagta	780
ggagaaatct	ataaaaagatg	gataatcctg	ggattaaata	aaatagtaag	aatgtatagc	840
cctaccagca	ttctggacat	aagacaagga	ccaaaggaac	cctttagaga	ttatgtagac	900
cggttctata	aaactctaag	agccgaacaa	gcttcacagg	atgtaaaaaa	ttggatgaca	960
gaaaccttgt	tggtccaaaa	tgcaaaccca	gattgtaaga	ctatttttaa	agcattggga	1020
ccagcagcta	cactagaaga	aatgatgaca	gcatgtcagg	gagtgggggg	acccggccat	1080
aaagcaagag	ttttggctga	agccatgagc	caagtaacaa	atccagctaa	cataatgatg	1140
cagagaggca	atttttaggaa	ccaaagaaag	actgttaagt	gtttcaattg	tggaagaa	1200
gggcacatag	ccaaaaattg	cagggccccct	aggaaaaagg	gctgttggag	atgtggaagg	1260
gaaggacacc	aaatgaaaga	ttgcaactgag	agacaggcta	attttttagg	gaagatctgg	1320
ccttcctaca	aggggaaggcc	agggaatttt	cttcagagca	gaccagagcc	aacagcccca	1380
ccagaagaga	gcttcagggt	tggggaggag	aaaacaactc	cctctcagaa	gcaggagccg	1440

atagacaagg	aactgtatcc	tttaacttcc	ctcagatcac	tctttggcaa	cgacccctcg	1500
tcacaataag	gatagggggg	caactaaagg	aagctctatt	agatacagga	gcagatgata	1560
cagtattaga	agaaatgaat	ttgccaggaa	aatggaaacc	aaaaatgata	gggggaattg	1620
gagggttttat	caaagtaaga	cagtacgata	agatacctgt	agaaatctgt	ggacataaag	1680
ctataggtac	agtattagta	ggacctacac	ctgtcaacat	aattggaaga	aatctgttga	1740
ctcagattgg	ttgtacttta	aatttcccca	ttagtcctat	tgaaactgta	ccagtaaaat	1800
taaagccagg	aatggatggc	ccaaaagtta	agcaatggcc	attgacagaa	gaaaaataa	1860
aagcattagt	agagatatgt	acagaaatgg	aaaaggaagg	gaaaatttca	aaaattgggc	1920
ctgaaaatcc	atacaatact	ccagtatttg	ctataaagaa	aaaagacagt	actaaatgga	1980
gaaaactagt	agatttcaga	gaacttaata	aaagaactca	agacttctgg	gaagttcagt	2040
taggaatacc	acaccccgcg	gggttaaaaa	agaaaaaatc	agtaacagta	ttggatgtgg	2100
gtgatgcata	cttttcagtt	cccttagata	aagacttttag	aaagtatact	gcattttacca	2160
tacctagtat	aaacaatgag	acaccaggga	ttagatatca	gtacaatgtg	ctgccacagg	2220
gatggaaagg	atcaccagca	atattccaaa	gtagcatgac	aaaaatctta	gagcctttta	2280
gaaaacagaa	tccagacata	gttatctatc	aatacatgga	tgatttgtat	gtaggatctg	2340
acttagaaat	agggcagcat	agaacaaaaa	tagaggaact	gagacagcat	ctgttgaggt	2400
ggggattttac	cacaccagac	aaaaaacatc	agaaagaacc	tccattcctt	tggtggggt	2460
atgaactcca	tcttgataaa	tggaacagta	agcctataat	gctgccagaa	aaagacagct	2520
ggactgtcaa	tgacatacag	aagttagtgg	gaaaattgaa	ttgggcaagt	cagattttatg	2580
cagggattaa	agtaaagcag	ttatgtaaac	tccttagagg	aaccaaagca	ctaacagaag	2640
taataccact	aacagaagaa	gcagagctag	aactggcaga	aaacagggag	attctaaaaag	2700
aaccagtaga	tgaagtata	tatgacccat	caaaagactt	agtagcagaa	atacagaagc	2760
aggggcaagg	ccaatggaca	tatcaaattt	atcaagagcc	atttaaaaat	ctgaaaacag	2820
gaaagtatgc	aaggatgagg	ggtgccacac	ctaagtatgt	aaaacagtta	acagaggcag	2880
tgcaaaaagt	atccacagaa	agcatagtaa	tatggggaaa	gatttcctaa	tttaaactac	2940
ccatacaaaa	ggaaacatgg	gaagcatggg	ggatggagta	ttggcaagct	acctggattc	3000
ctgagtggga	gtttgtcaat	acccctccct	tagtgaaatt	atggtaccag	ttagagaaaag	3060
aacccatagt	aggagcagaa	actttctatg	tagatggggc	agctaatagg	gagactaaat	3120
taggaaaagc	aggatatgtt	actgacagag	gaagacaaaa	agttgtctcc	atagctgaca	3180
caacaaatca	gaagactgaa	ttacaagcaa	ttcatctagc	tttgacaggat	tcggggattag	3240
aagtaaacat	agtaacagac	tcacaatatg	cattaggaat	cattcaagca	caaccagata	3300
agagtgaatc	agagtttagtc	agtcaaataa	tagagcagtt	aataaaaaag	gaaaagggtct	3360
acctggcatg	ggtaccagaa	cacaaaaggaa	ttggaggaaa	tgaacaagta	gataaattag	3420
tcagtgtctgg	aatcaggaaa	gtactatttt	tgaatggaat	agataaggcc	caagaagaac	3480
atgagaaata	tcacagtaat	tggaagagcaa	tggttagtga	ttttaacctg	ccacctgtag	3540
tagcaaaaaga	aatagtagcc	agctgtgata	aatgtcagct	aaaaggagaa	gccatgcatg	3600
gacaagtaga	ctgtagtcca	ggaatatggc	aactagattg	tacacatcta	gaaggaaaaa	3660
ttatcctggt	agcagttcat	gtagccagtg	gatatataga	agcagaagtt	attccagcag	3720
agacagggga	ggaaacagca	tattttctct	taaaatttagc	aggaagatgg	ccagtaaaaa	3780
caatacatatc	agacaatggc	agcaatttca	ccagtactac	gggttaaggcc	gcctgttggt	3840
gggcagggat	caagcaggaa	tttggcattc	cctacaatcc	ccaaagtcaa	ggagttagtag	3900
aatctatgaa	taatgaatta	aagaaaatta	taggacaggt	aagagatcag	gctgaacacc	3960
ttaagacagc	agtacaaatg	gcagtattca	tcacaatttt	taaaagaaaa	ggggggattg	4020
ggggatagag	tgacagggaa	agaatagtag	acataatagc	aacagacata	caaaactaaag	4080
aactacaaaa	gcaaattaca	aaaattcaaa	attttcgggt	ttattacagg	gacaacaaag	4140
atcccccttg	gaaaggacca	gcaaagcttc	tctggaaaagg	tgaaggggca	gtagtaatac	4200
aagataatag	tgacataaaa	gtagtgccaa	gaagaaaagc	aaaaatcatt	agggatttatg	4260
gaaaacagat	ggcagggtgat	gattgtgtgg	caagtagaca	ggatgaggat	tag	4313

<210> 4

<211> 1515

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic
HIV-Gag

<400> 4

```

gccaccatgg gcgcccgcgc cagcgtgctg agcggcgggc agctggacaa gtgggagaag 60
atccgcctgc gccccggcgg caagaagaag tacaagctga agcacatcgt gtggggccagc 120
cgcgagctgg agcgcttcgc cgtgaacccc ggcctgctgg agaccagcga gggctgccgc 180
cagatcctgg gccagctgca gcccagcctg cagaccggca gcgaggagct gcgcagcctg 240
tacaacaccg tggccaccct gtactgctg caccagcgca tcgacgtcaa ggacaccaag 300
gaggccctgg agaagatcga ggaggagcag aacaagtcca agaagaaggc ccagcaggcc 360
gccgcccgcg ccggcaccgg caacagcagc caggtgagcc agaactaccc catcgtgcag 420
aacctgcagg gccagatggt gcaccaggcc atcagcccc gcaccctgaa cgcctgggtg 480
aagggtggtg aggagaaggc cttcagcccc gaggtgatcc ccatgttcag cgccctgagc 540
gagggcgcca cccccaggga cctgaacacg atgttgaaca ccgtgggcgg ccaccaggcc 600
gccatgcaga tgctgaagga gaccatcaac gaggaggccg ccgagtggga ccgcgtgcac 660
cccgtgcacg ccggccccat cgccccggc cagatgcgag agccccgcgg cagcgacatc 720
gccggcacca ccagcaccct gcaggagcag atcggctgga tgaccaaaa ccccccatc 780
cccgtgggag agatctacaa gcggtggatc atcctgggcc tgaacaagat cgtgcggatg 840
tacagcccca ccagcatcct ggacatccgc cagggcccca aggagccctt ccgcgactac 900
gtggaccgct tctacaagac cctgcgcgct gagcaggcca gccaggacgt gaagaactgg 960
atgaccgaga ccctgctggt gcagaacgcc aacccccgact gcaagaccat cctgaaggct 1020
ctcggccccc cgggcaccct ggaggagatg atgaccgcct gccaggcgct gggcgggccc 1080
ggccacaagg ccgcgctgct ggccgaggcg atgagccagg tgacgaaccc ggcgaccatc 1140
atgatgcagc gcggcaactt ccgcaaccag cgggaagaccg tcaagtgtt caactgcggc 1200
aaggaggggc acaccgccag gaactgccgc gccccccgca agaagggtg ctggcgctgc 1260
ggccgcgagg gccaccagat gaaggactgc accgagcgcc aggccaaact cctgggcaag 1320
atctggccca gctacaaggg ccgccccggc aacttcctgc agagccgccc cgagcccacc 1380
gccccccccc aggagagctt ccgcttcggc gaggagaaga ccacccccag ccagaagcag 1440
gagcccatcg acaaggagct gtacccccctg accagcctgc gcagcctgtt cggcaacgac 1500
cccagcagcc agtaa 1515

```

<210> 5

<211> 1853

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic
HIV-Gag-protease

<400> 5

```

gccaccatgg gcgcccgcgc cagcgtgctg agcggcgggc agctggacaa gtgggagaag 60
atccgcctgc gccccggcgg caagaagaag tacaagctga agcacatcgt gtggggccagc 120
cgcgagctgg agcgcttcgc cgtgaacccc ggcctgctgg agaccagcga gggctgccgc 180
cagatcctgg gccagctgca gcccagcctg cagaccggca gcgaggagct gcgcagcctg 240
tacaacaccg tggccaccct gtactgctg caccagcgca tcgacgtcaa ggacaccaag 300
gaggccctgg agaagatcga ggaggagcag aacaagtcca agaagaaggc ccagcaggcc 360
gccgcccgcg ccggcaccgg caacagcagc caggtgagcc agaactaccc catcgtgcag 420
aacctgcagg gccagatggt gcaccaggcc atcagcccc gcaccctgaa cgcctgggtg 480
aagggtggtg aggagaaggc cttcagcccc gaggtgatcc ccatgttcag cgccctgagc 540
gagggcgcca cccccaggga cctgaacacg atgttgaaca ccgtgggcgg ccaccaggcc 600
gccatgcaga tgctgaagga gaccatcaac gaggaggccg ccgagtggga ccgcgtgcac 660
cccgtgcacg ccggccccat cgccccggc cagatgcgag agccccgcgg cagcgacatc 720
gccggcacca ccagcaccct gcaggagcag atcggctgga tgaccaaaa ccccccatc 780
cccgtgggag agatctacaa gcggtggatc atcctgggcc tgaacaagat cgtgcggatg 840
tacagcccca ccagcatcct ggacatccgc cagggcccca aggagccctt ccgcgactac 900
gtggaccgct tctacaagac cctgcgcgct gagcaggcca gccaggacgt gaagaactgg 960
atgaccgaga ccctgctggt gcagaacgcc aacccccgact gcaagaccat cctgaaggct 1020
ctcggccccc cgggcaccct ggaggagatg atgaccgcct gccaggcgct gggcgggccc 1080
ggccacaagg ccgcgctgct ggccgaggcg atgagccagg tgacgaaccc ggcgaccatc 1140
atgatgcagc gcggcaactt ccgcaaccag cgggaagaccg tcaagtgtt caactgcggc 1200
aaggaggggc acaccgccag gaactgccgc gccccccgca agaagggtg ctggcgctgc 1260
ggccgcgaag gacaccaaat gaaagattgc actgagagac aggctaattt tttagggaag 1320

```

```

atctggcctt cctacaaggg aaggccaggg aattttcttc agagcagacc agagccaaca 1380
gccccaccag aagagagctt caggtttggg gaggagaaaa caactccctc tcagaagcag 1440
gagccgatag acaagggaact gtatccttta acttccctca gatcactctt tggcaacgac 1500
ccctcgctcac agtaaggatc ggcggccagc tcaaggaggc gctgctcgac accggcgccc 1560
acgacaccgt gctggaggag atgaacctgc ccggcaagtg gaagcccaag atgatcggcg 1620
ggatcggggg cttcatcaag gtgcggcagt acgaccagat ccccgaggag atctgcggcc 1680
acaaggccat cggcaccgtg ctggtggggc ccacccccgt gaacatcatc ggccgcaacc 1740
tgctgaccca gatcggctgc accctgaact tccccatcag ccccatcgag acggtgcccc 1800
tgaagctgaa gccgggggatg gacggcccca aggtcaagca gtggcccttg taa 1853

```

<210> 6

<211> 4319

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic
HIV-Gag-polymerase

<400> 6

```

gccaccatgg gcgcccgcgc cagcgtgctg agcggcggcg agctggacaa gtgggagaag 60
atccgcctgc gccccggcgg caagaagaag tacaagctga agcacatcgt gtgggcccagc 120
cgcgagctgg agcgtctcgc cgtgaacccc ggctgctgg agaccagcga gggctgcccgc 180
cagatcctgg gccagctgca gcccagcctg cagaccggca gcgaggagct gcgcagcctg 240
tacaacaccg tggccaccct gtactgctg caccagcgca tcgacgtcaa ggacaccaag 300
gagggccctg agaagatcga ggaggagcag aacaagtcca agaagaaggc ccagcaggcc 360
gccgcgcgcc cgggcaccgg caacagcagc caggtgagcc agaactacc catcgtgcag 420
aacctgcagg gccagatggt gcaccaggcc atcagcccc gcaccctgaa cgcttgggtg 480
aaggtggtgg aggagaaggc cttcagcccc gaggtgatcc ccatgttcag cgccctgagc 540
gagggcgcca cccccaggga cctgaacacg atgttgaaca ccgtggcgcg ccaccaggcc 600
gccatgcaga tgctgaagga gaccatcaac gaggaggccg ccgagtggga ccgctgacac 660
cccgctgcac ccggccccat cgcccccgcg cagatgcgcg agcccccgcg cagcgacatc 720
gccggcacca ccagcacctt gcaggagcag atcggtgga tgaccaaaa cccccccatc 780
cccggtggcg agatctacaa gcggtggatc atcctgggcc tgaacaagat cgtgcggatg 840
tacagcccca ccagcatcct ggacatccgc cagggcccc aggagccctt ccgcgactac 900
gtggaccgct tctacaagac cctgcgcgct gagcaggcca gccaggacgt gaagaactgg 960
atgaccgaga cctgctggtg gcagaacgcc aaccocgact gcaagaccat cctgaaggct 1020
ctcgccccc cggccaccct ggaggagatg atgaccgct gccaggcggt gggcgggccc 1080
ggccacaagg cccgcgtgct ggccgaggcg atgagccagg tgacgaacc ggcgaccatc 1140
atgatgcagc gcggcaactt ccgcaaccag cggaagaccg tcaagtgtt caactgcggc 1200
aaggagggcc acaccgccag gaactgccgc gcccccgca agaagggtg ctggcgctgc 1260
ggccgcgaag gacaccaaat gaaagattgc actgagagac aggtctaat tttagggaag 1320
atctggcctt cctacaaggg aaggccaggg aattttcttc agagcagacc agagccaaca 1380
gccccaccag aagagagctt caggtttggg gaggagaaaa caactccctc tcagaagcag 1440
gagccgatag acaagggaact gtatccttta acttccctca gatcactctt tggcaacgac 1500
ccctcgctcac agtaaggatc ggcggccagc tcaaggaggc gctgctcgac accggcgccc 1560
acgacaccgt gctggaggag atgaacctgc ccggcaagtg gaagcccaag atgatcggcg 1620
ggatcggggg cttcatcaag gtgcggcagt acgaccagat ccccgaggag atctgcggcc 1680
acaaggccat cggcaccgtg ctggtggggc ccacccccgt gaacatcatc ggccgcaacc 1740
tgctgaccca gatcggctgc accctgaact tccccatcag ccccatcgag acggtgcccc 1800
tgaagctgaa gccgggggatg gacggcccca aggtcaagca gtggcccttg accgaggaga 1860
agatcaaggc cctggtggag atctgcaccg agatggagaa ggagggcaag atcagcaaga 1920
tcggccccga gaacccctac aacacccccg tggtcgccat caagaagaag gacagacca 1980
agtggcgcaa gctggtggac ttccgcgagc tgaacaagcg caccaggac ttctgggagg 2040
tgagctggg catccccac ccggccggcc tgaagaagaa gaagagcgtg accgtgctgg 2100
acgtgggoga cgctacttc agcgtgcccc tggacaagga cttccgcaag tacaccgctt 2160
tcaccatccc cagcatcaac aacgagaccc ccggcatccg ctaccagtac aacgtgctgc 2220
cccagggtg gaagggcagc ccggccatct tccagagcag catgaccaag atcctggagc 2280
ccttccgcaa gcagaacccc gacatcgtga tctaccagta catggacgac ctgtactgtg 2340

```



```

gcagcgacct ggagatcgcc cagcaccgca ccaagatcga ggagctgcgc cagcacctgc 2400
tgcgctgggg cttcaccacc cccgacaaga agcaccagaa ggagccccc ttctgtgga 2460
tgggctacga gctgcacccc gacaagtggg ccgtgcagcc catcatgctg cccgagaagg 2520
acagctggac cgtgaacgac atccagaagc tgggtggcaa gctgaactgg gccagccaga 2580
tctacgccgg catcaagggt aagcagctgt gcaagctgct gcgcgccacc aaggccctga 2640
ccgaggtgat cccctgacc gaggaggccg agctggagct ggccgagaac cgcgagatcc 2700
tgaaggagcc cgtgcacgag gtgtactacg accccagcaa ggacctggtg gccgagatcc 2760
agaagcaggg ccagggccag tggacctacc agatctacca ggagcccttc aagaacctga 2820
agaccggcaa gtacgcccgc atgcgcggcg cccacaccaa cgacgtgaag cagctgaccg 2880
aggccgtgca gaaggtgagc accgagagca tcgtgatctg gggcaagatc cccaagttca 2940
agctgcccac ccagaaggag acctgggagg cctggtggat ggagtactgg caggccacct 3000
ggatccccga gtgggagttc gtgaacaccc cccctctggt gaagctgtgg taccagctgg 3060
agaaggagcc catcgtgggc gccgagacct tctacgtgga cggcgccgcc aaccgcgaga 3120
ccaagctggg caaggccggc tacgtgaccg accgcgcccg ccagaagggt gtgagcatcg 3180
ccgacaccac caaccagaag accgagctgc aggccatcca cctggccctg caggacagcg 3240
gcctggaggt gaacatcgtg accgacagcc agtacgcctt gggcatcatc caggcccagc 3300
ccgacaagag cgagagcgag ctggtgagcc agatcatcga gcagctgatc aagaaggaga 3360
agggtacctt ggctgggtg cccgcccaca agggcatcgg cggcaacgag caggtggaca 3420
agctggtgag cgcctggcatc cgcaagggtg tgttcttgaa cggcatcgac aaggcccagg 3480
aggagcacga gaagtaccac agcaactggc gcgccatggc cagcgacttc aacctgcccc 3540
ccgtggtggc caaggagatc gtggccagct gcgacaagtg ccagctgaag ggcgaggcca 3600
tgcacggcca ggtggactgc agccccggca tctggcagct ggactgcacc cacctggagg 3660
gcaagatcat cctggtggcc gtgcacgtgg ccagcggtta catcgaggcc gaggtgatcc 3720
ccgccgagac cggccaggag accgcctact tccctgtgaa gctggccggc cgtggccccg 3780
tgaagaccat ccacaccgac aacggcagca acttcaccag caccaccgtg aaggccgct 3840
gctggtgggg cggcatcaag caggagttcg gcatcccta caacccccag agccaggggc 3900
tgggtggagag catgaacaac gagctgaaga agatcatcgg ccaggtgccc gaccaggccc 3960
agcacctgaa gaccgcccgtg cagatggccc tgttcatcca caacttcaag cgcaaggggc 4020
gcacgcggcg ctacagcgcc ggcgagcgca tcgtggacat catcgccacc gacatccaga 4080
ccaaggagct gcagaagcag atcaccaaga tccagaactt ccgctgttac taccgcgaca 4140
acaaggaccc cctgtggaag ggccccggca agctgctgtg gaaggcgag ggcgcccgtg 4200
tgatccagga caacagcgac atcaagggtg tgccccgcg caaggccaag atcatccgcg 4260
actacggcaa gcagatggcc ggcgacgact gcgtggccag ccgccaggac gaggactag 4319

```

<210> 7

<211> 2031

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic

HIV-Gag/HCV-core fusion polypeptide

<400> 7

```

gccaccatgg gcgcccgcgc cagcgtgctg agcggcggcg agctggacaa gtggggagaag 60
atccgcctgc gccccggcgg caagaagaag tacaagctga agcacatcgt gtggggccagc 120
cgcgagctgg agcgtctcgc cgtgaacccc ggcctgctgg agaccagcga gggctgcccgc 180
cagatcctgg gccagctgca gcccagcctg cagaccggca gcgaggagct gcgcagcctg 240
tacaacaccg tggccaccct gtactgcgtg caccagcgca tcgacgtcaa ggacaccaag 300
gaggccctgg agaagatcga ggaggagcag aacaagtcca agaagaaggc ccagcaggcc 360
ggcggccggc cgggcaccgg caacagcagc caggtgagcc agaactacct catcgtgcag 420
aacctgcagg gccagatggt gcaccaggcc atcagcccc gcacctgaa cgcctgggtg 480
aaggtggtgg aggagaaggc cttcagcccc gaggtgatcc ccatgttcag cgccctgagc 540
gagggcgcca cccccagga cctgaacacg atgttgaaca ccgtggggcg ccaccaggcc 600
gccatgcaga tgttgaagga gaccatcaac gaggaggccg ccgagtggga ccgctgcac 660
cccgtgcacg ccggccccat cgcccccgcc cagatgcgcy agccccgcg cagcgacatc 720
ggcgccacca ccagcaccct gcaggagcag atcggtgga tgaccaacaa ccccccatc 780
cccgtggggc agatctacaa gcggtggatc atcctggggc tgaacaagat cgtgcggatg 840
tacagcccca ccagcatcct ggacatccgc caggggccca aggagccctt ccgcgactac 900

```

```

gtggaccgct tctacaagac cctgcgcgct gagcaggcca gccaggacgt gaagaactgg 960
atgaccgaga ccttgctggg gcagaacgcc aaccccgact gcaagaccat cctgaaggct 1020
ctcgggccccg cggccaccct ggaggagatg atgaccgcct gccaggggcgt gggcgggccc 1080
ggccacaagg cccgcgtgct ggccgaggcg atgagccagg tgacgaaccc ggcgaccatc 1140
atgatgcagc gcggcaactt ccgcaaccag cgggaagaccg tcaagtgcct caactgcggc 1200
aaggaggggcc acaccgccag gaactgccgc gccccccgca agaagggctg ctggcgctgc 1260
ggccgcgagg gccaccagat gaaggactgc accgagcgcc aggccaaactt cctgggcaag 1320
atctggcccc gctacaaggg ccgccccggc aacttcctgc agagccggcc cgagcccacc 1380
gccccccccg aggagagcct ccgcttcggc gaggagaaga ccacccccag ccagaagcag 1440
gagcccatcg acaaggagct gtacccccctg accagcctgc gcagcctgtt cggcaacgac 1500
cccagcagcc agtcgacgaa tcctaaacct caaagaaaaa acaaacgtaa caccaacctg 1560
cgcccacagg acgtcaagtt cccgggtggc ggtagatcg ttggtggagt ttacttgttg 1620
ccgcgcaggg gccctagatt ggggtgtgcgc gcgacgagaa agacttccga gcggtcgcaa 1680
cctcgaggta gacgtcagcc tatcccaag gctcgtcggc ccgagggcag gacctgggct 1740
cagccccggg accottggcc cctctatggc aatgagggct gcggtggggc gggatggctc 1800
ctgtctcccc gtggctctcg gcctagctgg ggccccacag acccccggcg taggtcgcgc 1860
aatttgggta aggtcatcga tacccttacg tgcggcttcg ccgacctcat ggggtacata 1920
ccgctcgtcg gcgccccctt tggaggcgct gccaggggcc tggcgcatgg cgtccggggt 1980
ctggaagacg gcgtgaacta tgcaacaggg aaccttcctg gttgctctta g 2031

```

<210> 8

<211> 2025

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic
HIV-Gag/HCV-Core fusion polypeptide

<400> 8

```

atgggtgcga gagcgctcgtt attaacgggg ggagaattag ataatggga aaaaattcgg 60
ttaaggccag ggggaaaagaa aaaatataag ttaaaacata tagtatgggc aagcaggagg 120
ctagaacgat tcgcagtcaa tcctggcctg ttagaaacat cagaaggctg cagacaaata 180
ttgggacagc tacagccatc ccttcagaca ggatcagaag aacttagatc attatataat 240
acagtagcaa cctctatttg tgtacatcaa aggatagatg taaaagacac caaggaagct 300
ttagagaaga tagaggaaga gcaaaacaaa agtaagaaaa aggcacagca agcagcagct 360
gcagctggca caggaaacag cagccaggtc agccaaaatt accctatagt gcagaacctc 420
gaggggcaaa tgggtacatca ggccatatca cctagaactt taaatgcatg ggtaaaagta 480
gtagaagaaa aggcctttcag cccagaagta ataccatgt tttcagcatt atcagaagga 540
gccacccac aagattttaa caccatgcta aacacagtgg ggggacatca agcagccatg 600
caaatgttaa aagagactat caatgaggaa gctgcagaat gggatagagt gcattccagt 660
catgcagggc ctattgcacc aggccaaatg agagaaccaa ggggaagtga catagcagga 720
actactagta cccttcagga acaaatagga tggatgacaa ataatccacc tatcccagta 780
ggagaaatct ataaaagatg gataatcctg ggattaaaata aaatagtaag aatgtatagc 840
cctaccagca ttctggacat aagacaagga ccaaaggac cctttagaga ttatgtagac 900
cggttctata aaactctaag agccgaacaa gcttcacagg atgtaaaaaa ttggatgaca 960
gaaaccttgt tgggtccaaaa tgcaaaccca gattgtaaga ctattttaaa agcattggga 1020
ccagcagcta cactagaaga aatgatgaca gcatgtcagg gagtgggggg acccggccat 1080
aaagcaagag ttttggctga agccatgagc caagtaacaa atccagctaa cataatgatg 1140
cagagaggca attttaggaa ccaaaagaaag actgttaagt gtttcaattg tggcaagaa 1200
gggcacatag ccaaaaattg cagggccccct agggaaaagg gctgttggag atgtggaagg 1260
gaaggacacc aaatgaaaga ttgcactgag agacaggcta attttttagg gaagatctgg 1320
ccttcctaca aggggaaggcc agggaaatct cttcagagca gaccagagcc aacagcccca 1380
ccagaagaga gcttcagggt tggggaggag aaaacaactc cctctcagaa gcaggagccg 1440
atagacaagg aactgtatcc tttaacttcc ctcagatcac tctttggcaa cgaccctcgc 1500
tcacagtcga cgaatcctaa acctcaagaa aaaaacaaac gtaacaccaa cgtcgcacca 1560
caggacgtca agttcccggg tggcggtcag atcgttgggt gagtttactt gttgcccgcg 1620
agggggcccta gattgggtgt gcgcgcgacg agaaagactt ccgagcggtc gcaacctcga 1680
ggtagacgtc agcctatccc caaggctcgt cggcccaggg gcaggacctg ggctcagccc 1740

```

```

gggtaccctt ggcccctcta tggcaatgag ggctgctgggt gggcgggatg gctcctgtct 1800
ccccgtggct ctggccctag ctggggcccc acagaccccc ggcgtaggtc gcgcaatttg 1860
ggtaagggtca tcgataccct tacgtgctggc ttgcccagacc tcatggggta cataccgctc 1920
gtcggcgccc ctcttgagg cgctgccagg gccctggcgc atggcgctcg ggttctggaa 1980
gacggcgtga actatgcaac agggaaacctt cctggttgct cttag 2025

```

<210> 9

<211> 1268

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic Gag
common region

<400> 9

```

gccaccatgg ggcggcgcg cagcgtgctg agcggcgggc agctggacaa gtgggagaag 60
atccgcctgc gcccgcggcg caagaagaag tacaagctga agcacatcgt gtggggccagc 120
cgcgagctgg agcgcttcgc cgtgaacccc ggctgctgg agaccagcga gggctgccc 180
cagatcctgg gccagctgca gccagcctg cagaccggca gcgaggagct gcgcagcctg 240
tacaacacccg tggccaccct gtactgctg caccagcgca tcgacgtcaa ggacaccaag 300
gaggccctgg agaagatcga ggaggagcag aacaagtcca agaagaaggc ccagcaggcc 360
gccgcgccc cgggcaccgg caacagcagc caggtgagcc agaactaccc catcgtgcag 420
aacctgcagg gccagatggt gcaccaggcc atcagcccc gcaccctgaa cgcctgggtg 480
aaggtgggtg aggagaaggc cttcagcccc gaggtgatcc ccatgttcag cgcctgagc 540
gagggcgcca cccccagga cctgaacacg atgttgaaca ccgtgggcgg ccaccaggcc 600
gccatgcaga tgcgaaagga gaccatcaac gaggaggccg ccgagtggga ccgcgtgcac 660
cccgctgcag ccggccccc cgcggccggc cagatgcgcg agccccgcgg cagcgacatc 720
gccggcacca ccagcacct gcaggagcag atcggctgga tgaccaacaa cccccccatc 780
cccgctgggc agatctacaa gcggtggatc atcctgggccc tgaacaagat cgtgcggatg 840
tacagcccca ccagatcct ggacatccgc cagggcccca aggagccctt ccgcgactac 900
gtggaccgct tctacaagac cctgcgcgct gagcaggcca gccaggacgt gaagaactgg 960
atgaccgaga cctgctggt gcagaacgcc aaccccgact gcaagaccat cctgaaggct 1020
ctcggccccc cggccaccct ggaggagatg atgaccgcct gccaggcggt gggcggcccc 1080
ggccacaagg ccgcgctgct ggccgaggcg atgagccagg tgacgaaccc ggcgaccatc 1140
atgatgcagc gcggcaactt ccgcaaccag cggaagaccg tcaagtgtt caactgcggc 1200
aaggagggcc acaccgccag gaactgcccg gcccccgca agaagggtg ctggcgctgc 1260
ggccgcga 1268

```

<210> 10

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: HIV-Gag
peptide p7G

<400> 10

```

Gly Gly His Gln Ala Ala Met Gln Met Leu Lys Glu Thr Ile Asn Glu
1           5           10           15

```

```

Glu Ala Ala Glu
20

```

<210> 11

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer GAG5

<400> 11

aagaattcca tgggtgag agcgtcgga

30

<210> 12

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer
p55-SAL3

<400> 12

attcgtcgac tgtgacgagg ggtcgttgc

30

<210> 13

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer
CORESALS

<400> 13

atttgcgac gaatcctaaa cctcaaagaa aaac

34

<210> 14

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer 173CORE

<400> 14

tattgatcc-taagagcaac-caggaaggtt-c

31

<210> 15

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer MS65

<400> 15

cgaccatcat ggatgcagc c

21

<210> 16

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer MS66

<400> 16

aggattcgctc gagtcgctgc tggggctcgtt

30

<210> 17

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer XPANXNF

<400> 17

gcacgtgggc ccggcgcttc tagagc

26

<210> 18

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer XPANXNR

<400> 18

gctctagagg cgccgggccc acgtgc

26

<210> 19

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: HIV p55 Gag
Major Homology Region

<400> 19

Asp	Ile	Arg	Gln	Gly	Pro	Lys	Glu	Pro	Phe	Arg	Asp	Tyr	Val	Asp	Arg
1					5			10						15	

Phe	Tyr	Lys	Thr
			20

<210> 20

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic p55
Gag Major Homology Region

<400> 20

gacatccgcc agggccccc aa ggagcccttc cgcgactacg tggaccgctt ctacaagacc 60

<210> 21

<211> 15

<212> PRT
<213> Human immunodeficiency virus

<400> 21
Ala Pro Thr Lys Ala Lys Arg Arg Val Val Gln Arg Glu Lys Arg
1 5 10 15

<210> 22
<211> 5
<212> PRT
<213> Human immunodeficiency virus

<400> 22
Lys Ala Lys Arg Arg
1 5

<210> 23
<211> 4
<212> PRT
<213> Human immunodeficiency virus

<400> 23
Arg Glu Lys Arg
1

<210> 24
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: aa of
mut7.SF162 cleavage site

<400> 24
Ala Pro Thr Lys Ala Ile Ser Ser Val Val Gln Ser Glu Lys Ser
1 5 10 15

<210> 25
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: aa of
mut8.SF162 cleavage site

<400> 25
Ala Pro Thr Ile Ala Ile Ser Ser Val Val Gln Ser Glu Lys Ser
1 5 10 15

<210> 26
<211> 15
<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: aa of
mut.SF162 cleavage site

<400> 26

Ala Pro Thr Lys Ala Lys Arg Arg Val Val Gln Arg Glu Lys Ser
1 5 10 15

<210> 27

<211> 15

<212> PRT

<213> Human immunodeficiency virus

<220>

<223> Description of Artificial Sequence: aa of native
cleavage site in US4

<400> 27

Ala Pro Thr Gln Ala Lys Arg Arg Val Val Gln Arg Glu Lys Arg
1 5 10 15

<210> 28

<211> 5

<212> PRT

<213> Human immunodeficiency virus

<220>

<223> Description of Artificial Sequence: aa of second
cleavage site in US4

<400> 28

Gln Ala Lys Arg Arg
1 5

<210> 29

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: aa of mut.US4
cleavage site

<400> 29

Ala Pro Thr Gln Ala Lys Arg Arg Val Val Gln Arg Glu Lys Ser
1 5 10 15

<210> 30

<211> 1419

<212> DNA

<213> Human immunodeficiency virus

<400> 30

```

gtagaaaaat tgtgggtcac agtctattat ggggtacctg tgtggaaaga agcaaccacc 60
actctatttt gtgcatcaga tgctaaagcc tatgacacag aggtacataa tgtctgggcc 120
acacatgcct gtgtaccac agaccctaac ccacaagaaa tagtattgga aaatgtgaca 180
gaaaatttta acatgtggaa aaataacatg gtagaacaga tgcattgagga tataatcagt 240
ttatgggacg aaagtctaaa gccatgtgta aagttaaccc cactctgtgt tactctacat 300
tgcactaatt tgaagaatgc tactaatacc aagagtagta attggaaaga gatggacaga 360
ggagaaataa aaaattgctc tttcaaggtc accacaagca taagaaataa gatgcagaaa 420
gaatatgcac ttttttataa acttgatgta gtaccaatag ataattgataa tacaagctat 480
aaattgataa attgtaacac ctcatgcatt acacaggcct gtccaaaggc atcctttgaa 540
ccaattccca tacattattg tgccccggct ggttttgcca ttctaaagtg taatgataag 600
aagttcaatg gatcaggacc atgtacaaat gtcagcacag tacaatgtac acatggaatt 660
aggccagtag tgtcaactca attgctgtta aatggcagtc tagcagaaga aggggtagta 720
attagatctg aaaatttcac agacaatgct aaaactataa tagtacagct gaaggaaatct 780
gtagaaatta attgtacaag acctaacat aatacaagaa aaagtataac tataggaccg 840
gggagagcat tttatgcaac aggagacata ataggagata taagacaagc acattgtaac 900
attagtggag aaaaatggaa taacacttta aaacagatag ttacaaaatt acaagcacia 960
tttgggaata aaacaatagt ctttaagcaa tcctcaggag gggaccacga aattgtaatt 1020
cacagtttta attgtggagg ggaatttttc tactgtaatt caacacagct ttttaattag 1080
acttgggaata atactatagg gccaaataac actaatggaa ctatcacact cccatgcaga 1140
ataaaacaaa ttataaacag gtggcaggaa gtaggaaaag caatgtatgc ccctcccatc 1200
agaggacaaa ttagatgctc atcaaattat acaggactgc tattaacaag agatgggtgt 1260
aaagagatca gtaacaccac cgagatcttc agacctggag gtggagatat gagggacaat 1320
tggaagaagt aattatataa atataaagta gtaaaaattg agccattagg agtagcacc 1380
accaaggcaa agagaagagt ggtgcagaga gaaaaaaga 1419

```

<210> 31

<211> 1932

<212> DNA

<213> Human immunodeficiency virus

<400> 31

```

gtagaaaaat tgtgggtcac agtctattat ggggtacctg tgtggaaaga agcaaccacc 60
actctatttt gtgcatcaga tgctaaagcc tatgacacag aggtacataa tgtctgggcc 120
acacatgcct gtgtaccac agaccctaac ccacaagaaa tagtattgga aaatgtgaca 180
gaaaatttta acatgtggaa aaataacatg gtagaacaga tgcattgagga tataatcagt 240
ttatgggacg aaagtctaaa gccatgtgta aagttaaccc cactctgtgt tactctacat 300
tgcactaatt tgaagaatgc tactaatacc aagagtagta attggaaaga gatggacaga 360
ggagaaataa aaaattgctc tttcaaggtc accacaagca taagaaataa gatgcagaaa 420
gaatatgcac ttttttataa acttgatgta gtaccaatag ataattgataa tacaagctat 480
aaattgataa attgtaacac ctcatgcatt acacaggcct gtccaaaggc atcctttgaa 540
ccaattccca tacattattg tgccccggct ggttttgcca ttctaaagtg taatgataag 600
aagttcaatg gatcaggacc atgtacaaat gtcagcacag tacaatgtac acatggaatt 660
aggccagtag tgtcaactca attgctgtta aatggcagtc tagcagaaga aggggtagta 720
attagatctg aaaatttcac agacaatgct aaaactataa tagtacagct gaaggaaatct 780
gtagaaatta attgtacaag acctaacat aatacaagaa aaagtataac tataggaccg 840
gggagagcat tttatgcaac aggagacata ataggagata taagacaagc acattgtaac 900
attagtggag aaaaatggaa taacacttta aaacagatag ttacaaaatt acaagcacia 960
tttgggaata aaacaatagt ctttaagcaa tcctcaggag gggaccacga aattgtaatt 1020
cacagtttta attgtggagg ggaatttttc tactgtaatt caacacagct ttttaattag 1080
acttgggaata atactatagg gccaaataac actaatggaa ctatcacact cccatgcaga 1140
ataaaacaaa ttataaacag gtggcaggaa gtaggaaaag caatgtatgc ccctcccatc 1200
agaggacaaa ttagatgctc atcaaattat acaggactgc tattaacaag agatgggtgt 1260
aaagagatca gtaacaccac cgagatcttc agacctggag gtggagatat gagggacaat 1320
tggaagaagt aattatataa atataaagta gtaaaaattg agccattagg agtagcacc 1380
accaaggcaa agagaagagt ggtgcagaga gaaaaaaga 1440
ttccttgggt tcttgggagc agcagggaagc actatgggag cacggctact gacgctgacg 1500
gtacaggcca gacaattatt gtctgggtata gtgcaacagc agaacaattt gctgagagct 1560
attgaggcgc aacagcatct gttgcaactc acagtctggg gcatcaagca gctccaggca 1620
agagtcctgg ctgtggaaag atacctaaag gatcaacagc tcctagggat ttgggggttg 1680

```



```

tctggaaaac tcatattgcac cactgctgtg ccttggaatg ctagttaggag taataaatct 1740
ctggatcaga tttggaataa catgacctgg atggagtggg agagagaaat tgacaattac 1800
acaaacttaa tatcaccttt aattgaagaa tcgcagaacc aacaagaaaa gaatgaacaa 1860
gaattattag aattggataa gtgggcaagt ttgtggaatt ggtttgacat atcaaaatgg 1920
ctgtggtata ta 1932

```

<210> 32

<211> 2457

<212> DNA

<213> Human immunodeficiency virus

<400> 32

```

gtagaaaaat tgtgggtcac agtctattat ggggtacctg tgtggaaaga agcaaccacc 60
actctatttt gtgcatcaga tgctaaagcc tatgacacag aggtacataa tgtctggggc 120
acacatgcct gtgtaccacac agaccctaac ccacaagaaa tagtattgga aaatgtgaca 180
gaaaatttta acatgtggaa aaataacatg gtagaacaga tgcattgagga tataatcagt 240
ttatggggtc aaagtctaaa gccatgtgta aagttaaccc cactctgtgt tactctacat 300
tgactaatt tgaagaatgc tactaatacc aagagtagta attggaaaga gatggacaga 360
ggagaaataa aaaattgctc tttcaagggt accacaagca taagaaataa gatgcagaaa 420
gaatatgcac ttttttataa acttgatgta gtaccaatag ataatgataa tacaagctat 480
aaattgataa attgtaacac ctcatgcatt acacaggcct gtccaaagggt atcctttgaa 540
ccaattccca tacattattg tgccccggct ggttttgcca ttctaaagtg taatgataag 600
aagttcaatg gatcaggacc atgtacaaat gtcatcacag tacaatgtac acatggaatt 660
aggccagtag tgtcaactca attgctgtta aatggcagtc tagcagaaga aggggtagta 720
attagatctg aaaatttcac agacaatgct aaaactataa tagtacagct gaaggaaatct 780
gtagaaatta attgtacaag acctaaacaat aatacaagaa aaagtataac tataggaccg 840
gggagagcat tttatgcaac aggagacata ataggagata taagacaagc acattgtaac 900
attagtggag aaaaatggaa taacacttta aaacagatag ttacaaaatt acaagcacia 960
tttgggaata aaacaatagt ctttaagcaa tcctcaggag gggaccacaga aattgtaatg 1020
cacagtttta attgtggagg ggaatttttc tactgtaatt caacacagct ttttaatagt 1080
acttggaaat atactatagg gccaaataac actaatggaa ctatcacact ccatgcaga 1140
ataaaacaaa ttataaacag gtggcaggaa gtaggaaaag caatgtatgc ccctccatc 1200
agaggacaaa ttagatgctc atcaaatatt acaggactgc tattaacaag agatgggtgt 1260
aaagagatca gtaacaccac cgagatcttc agacctggag gtggagatat gagggacaat 1320
tgagagaagt aattatataa atataaagta gtaaaaattg agccattagg agtagcacc 1380
accaaggcaa agagaagagt ggtgcagaga gaaaaaagag cagtgcagct agtagctatg 1440
ttccttgggt tcttgggagc agcagggaagc actatgggag cactgtcact gacgctgacg 1500
gtacaggcca gacaattatt gtctgtgata gtcaacagc agaacaattt gctgagagct 1560
attgaggcgc aacagcatct gttgcaactc acagtctggg gcatcaagca gctccaggca 1620
agagtctctg ctgtggaaag atacctaaag gatcaacagc tcctagggat ttgggggttg 1680
tctggaaaac tcatattgcac cactgctgtg ccttggaatg ctagttaggag taataaatct 1740
ctggatcaga tttggaataa catgacctgg atggagtggg agagagaaat tgacaattac 1800
acaaacttaa tatcaccttt aattgaagaa tcgcagaacc aacaagaaaa gaatgaacaa 1860
gaattattag aattggataa gtgggcaagt ttgtggaatt ggtttgacat atcaaaatgg 1920
ctgtggtata taaaaatatt cataatgata gtaggaggtt tagtaggttt aaggatagtt 1980
tttactgtgc tttctatagt gaatagagtt aggcagggat actcaccatt atcatttcag 2040
accgcttcc cagccccaag gggaccggac agggccgaag gaatcgaaga agaagggtgga 2100
gagagagaca gagacagatc cagtccatta gtgcatggat tattagcact catctgggac 2160
gatctacgga gcctgtgcct cttcagctac caccgcttga gagacttaat cttgattgca 2220
gcgaggattg tggaaattct gggacgcagg ggggtgggaag ccctcaagta ttgggggaat 2280
ctcctgcagt attggattca ggaactaaag aatagtgtct ttagtttgtt tgatgccata 2340
gctatagcag tagctgaggg gacagatagg attatagaag tagcacaag aattggtaga 2400
gcttttctcc acatacctag aagaataaga cagggtttt aaagggttt gctataa 2457

```

<210> 33

<211> 1453

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: gp120.modSF162

<400> 33

```
gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttctg ttctgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccacac gcctgctgtg ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gcaactgcacc aacctgaaga acgccacca caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtgaccacc 480
agcatccgca acaagatgca gaaggagtac gccctgttct acaagctgga cgtggtgccc 540
atcgacaacg acaacaccag ctacaagctg atcaactgca acaccagcgt gatcaccag 600
gcctgcccga aggtgagcct cgagcccatc cccatccact actgcgccc cgccggcttc 660
gccatcctga agtgaacga caagaagttc aacggcagcg gccctgcac caacgtgagc 720
accgtgcagt gacccacag catccgcccc gtggtgagca cccagctgct gctgaacggc 780
agcctggcgg aggagggcgt ggtgatccgc agcgagaact tcaccgacaa cgccaagacc 840
atcatcgtgc agctgaagga gaggcgtggag atcaactgca ccgccccaa caacaacacc 900
cgcaagagca tcaccactcg ccccgccgc gccttctacg ccaccggcga catcatcggc 960
gacatccgac agggccactg caacatcagc ggcgagaagt ggaacaacac cctgaagcag 1020
atcgtgacca agctgcaggg ccagttcggc aacaagacca tcgtgttcaa gcagagcagc 1080
ggcgccgacc ccgagatcgt gatgcacagc ttcaactgcg gcggcgagtt cttctactgc 1140
aacagcacc agctgttcaa cagcacctgg aacaacacca tcggcccca caacaccaac 1200
ggcaccatca ccctgcctcg ccgcatcaag cagatcatca accgtggca ggaggtgggc 1260
aaggccatgt acgccccccc catccgcgcc cagatccgct gcagcagcaa catcacggc 1320
ctgctgctga ccgcgacgg cggaaggag atcagcaaca ccaccgagat cttccgcccc 1380
ggcgccggcg acatgcgcga caactggcgc agcgagctgt acaagtacaa ggtggtgaag 1440
atcgagcccc tgg                                     1453
```

<210> 34

<211> 1387

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
gp120.modSF162.delV2

<400> 34

```
gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttctg ttctgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccacac gcctgctgtg ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gcaactgcacc aacctgaaga acgccacca caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtgggccc 480
ggcaagctga tcaactgcaa caccagcgtg atcaccagc cctgccccaa ggtgagcttc 540
gagcccatcc ccatccacta ctgcgcccc gccggcttcg ccatacctgaa gtgcaacgac 600
aagaagttca acggcagcgg cccctgcacc aacgtgagca ccgtgcagtg caccacggc 660
atccgccccg tggtagcac ccagctgctg ctgaacggca gcctggccga ggagggcgtg 720
gtgatccgca gcgagaactt caccgacaac gccaaagacca tcacgtgca gctgaaggag 780
agcgtggaga tcaactgcac ccgccccaac aacaacaccc gcaagagcat caccatcggc 840
cccgcccgcg ccttctacgc caccggcgac atcatcggcg acatccgcca ggccactgc 900
aacatcagcg gcgagaagtg gaacaacacc ctgaagcaga tcgtgaccaa gctgcaggcc 960
cagttcggca acaagacat cgtgttcaag cagagcagcg gcggcgaccc cgagatcgtg 1020
atgcacagct tcaactgcgg cggcgagttc ttctactgca acagcaccca gctgttcaac 1080
agcacctgga acaacacat cggccccaac aacaccaacg gcacatcac cctgccctgc 1140
```

```

cgcacaaagc agatcatcaa ccgctggcag gaggtgggca aggccatgta cggccccccc 1200
atccgcggcc agatccgctg cagcagcaac atcaccggcc tgctgctgac ccgcgacggc 1260
ggcaaggaga tcagcaaacac caccgagatc ttccgccccg gcggcgggca catgcgcgac 1320
aactggcgca gcgagctgta caagtacaag gtggtgaaga tcgagccctt gggcggtggc 1380
ccccacca                                     1387

```

<210> 35

<211> 1323

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
gp120.modSF162.delV1V2

<400> 35

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttctg tttcgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccacctg ttctgcgcca gcgacgcca ggcttacgac 180
accgaggtgc acaacgtgtg ggccaccac gctgctgctg ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgttg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgggccc cggcaactgc cagaccagcg tgatcaccca ggcctgcccc 420
aaggtgagct tcgagcccat ccccatccac tactgcgccc ccgcccgtt cgccatcctg 480
aagtgaacg acaagaagtt caacggcagc ggccccctga ccaacgtgag caccgtgcag 540
tgcaccacg gcattccgccc cgtggtgagc acccagctgc tgctgaacgg cagcctggcc 600
gaggaggggc tggatgatccg cagcgagaac ttccacgaca acgccaagac catcatcgtg 660
cagctgaagg agagcgtgga gatcaactgc acccgcccc acaacaacac ccgcaagagc 720
atcaccatcg gccccggcgc cgccttctac gccaccggcg acatcatcgg cgacatccgc 780
caggccccact gcaacatcag cggcgagaag tggaaacaaca ccctgaagca gatcgtgacc 840
aagctgcagg ccagtttcgg caacaagacc atcgtgttca agcagagcag cggcgggcag 900
cccgagatcg tgatgcacag cttcaactgc ggcggcgagt tcttctactg caacagcacc 960
cagctgttca acagcacctg gaacaacacc atcggcccc acaacaccaa cggcaccatc 1020
accctgccct gccgcatcaa gcagatcatc aaccgctggc aggaggtggg caaggccatg 1080
tacgcccccc ccatccggcg ccagatccgc tgcagcagca acatcaccgg cctgctgctg 1140
acccgcgacg gcggcaaggga gatcagcaac accaccgaga tcttccgccc cggcgggcggc 1200
gacatgcgcg acaactggcg cagcgagctg tacaagtaca aggtggtgaa gatcgagccc 1260
ctgggcggtg cccccaccaa ggccaagcgc cgcgtggtgc agcgcgagaa gcgctaactc 1320
gag                                     1323

```

<210> 36

<211> 2025

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: gp140.modSF162

<400> 36

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttctg tttcgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccacctg ttctgcgcca gcgacgcca ggcttacgac 180
accgaggtgc acaacgtgtg ggccaccac gctgctgctg ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgttg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacctg gcaactgcacc aacctgaaga acgccaacaa caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtgaccacc 480
agcatccgca acaagatgca gaaggagtac gccctgttct acaagctgga cgtggtgccc 540
atcgacaacg acaacaccag ctacaagctg atcaactgca acaccagcgt gatcacccag 600

```

```

gacctccccca aggtgagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 660
gccatccctga agtgaacaga caagaagtcc aacggcagcg gcccctgcac caacgtgagc 720
accgtgcagt gcacccacgg catccgcccc gtggtgagca cccagctgct gctgaacggc 780
agcctggccg aggagggcgt ggtgatccgc agcgagaact tcaccgacaa cgccaagacc 840
atcatcgtgc agctgaagga gagcgtggag atcaactgca cccgccccaa caacaacacc 900
cgcaagagca tcaccatcgg ccccgggccg gccttctacg ccaccggcga catcatcggc 960
gacatccgcc agggccactg caacatcagc ggcgagaagt ggaacaacac cctgaagcag 1020
atcgtgacca agctgcaggc ccagtctcgg aacaagacca tcgtgttcaa gcagagcagc 1080
ggcggcgacc ccgagatcgt gatgcacagc ttcaactgcg gcggcgagtt cttctactgc 1140
aacagcacc agctgttcaa cagcacctgg aacaacacca tcggccccaa caacaccaac 1200
ggcaccatca cctgcccctg ccgcatcaag cagatcatca accgctggca ggaggtgggc 1260
aaggccatgt acgccccccc catecgcgcc cagatccgct gcagcagcaa catcaccggc 1320
ctgctgctga cccgcgacgg cggcaaggag atcagcaaca ccaccgagat cttccgcccc 1380
ggcggcgggc acatgcgcga caactggcgc agcgagctgt acaagtacaa ggtggtgaag 1440
atcgagcccc tgggcgtggc cccacccaag gccaaagcgc gcgtggtgca gcgcgagaag 1500
cgcgccgtga ccttggggcg catgttctcg ggcttctctg gcgcgcggcg cagcaccatg 1560
ggcgcccgca gcctgacct gaccgtgcag gcccgccagc tgctgagcgg catcgtgcag 1620
cagcagaaca acctgctgcg cgccatcgag gcccgagcgc acctgctgca gctgaccgtg 1680
tggggcatca agcagctgca ggccccgctg ctggccgtgg agcgctacct gaaggaccag 1740
cagctgctgg gcatctgggg ctgcagcggc aagctgatct gcaccaccgc cgtgccctgg 1800
aacgccagct ggagcaacaa gagcctggac cagatctgga acaacatgac ctggatggag 1860
tgggagcgcg agatcgacaa ctacaccaac ctgatctaca ccctgatcga ggagagccag 1920
aaccagcagg agaagaacga gcaggagctg ctggagctgg acaagtgggc cagcctgtgg 1980
aactggttcg acatcagcaa gtggctgtgg tacatctaac tcgag 2025

```

<210> 37

<211> 1944

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.modSF162.delV2

<400> 37

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagctcttcg tttcgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgctg 120
cccggtgtgga aggaaggccac caccaccctg ttctgcgcca gcgacgcca ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgcgtgc ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacct gcactgcacc aacctgaaga acgccacca caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtggggcgc 480
ggcaagctga tcaactgcaa caccagcgtg atcaccagg cctgccccaa ggtgagcttc 540
gagcccatcc ccataccta ctgcgcccc gccggcttcg ccactctgaa gtgcaacgac 600
aagaagtcca acggcagcgg cccctgcacc aacgtgagca ccgtgcagtg caccacggc 660
atccgccccg tggtagcac ccagctgctg ctgaacggca gcctggcga ggagggcgctg 720
gtgatccgca gcgagaactt caccgacaac gccaaagacca tcactgtgca gctgaaggag 780
agcgtggaga tcaactgcac ccgccccaac aacaacacc gcaagagcat caccatcggc 840
cccgcccgcg ccttctacgc caccggcgac atcatcggcg acatccgcca ggccactgc 900
aacatcagcg gcgagaagtg gaacaacacc ctgaagcaga tcgtgacca gctgcaggcc 960
cagttcgcca acaagaccat cgtgttcaa cagagcagcg gcggcgaccc cgagatcgtg 1020
atgcacagct tcaactgcgg cggcgagttc ttctactgca acagcaccca gctgttcaac 1080
agcacctgga acaacaccat cggccccaac aacaccaacg gcaccatcac cctgcccctg 1140
cgcataaagc agatcatcaa ccgctggcag gagtggggca aggccatgta cgccccccc 1200
atccgcgccc agatccgctg cagcagcaac atcaccggcc tgctgtgac ccgcgacggc 1260
ggcaaggaga tcagcaaac caccgagatc ttccgcccc gcggcgggca catgcgcgac 1320
aactggcgca gcgagctgta caagtacaag gtggtgaaga tcgagccctt gggcggtggc 1380
cccaccaagg ccaagcgccg cgtggtgcag cgcgagaagc gcgccgtgac cctggggcgc 1440

```

```

atgttcctgg gcttcctggg cgccgcgggc agcaccatgg gcgcccgcag cctgaccctg 1500
accgtgcagg cccgccagct gctgagcggc atcgtgcagc agcagaacaa cctgctgcgc 1560
gccatcgagg cccagcagca cctgctgcag ctgaccgtgt ggggcatcaa gcagctgcag 1620
gcccgcgtgc tggccgtgga gcgtacctg aaggaccagc agctgctggg catctggggc 1680
tgcagcggca agctgatctg caccaccgcc gtgccctgga acgccagctg gagcaacaag 1740
agcctggacc agatctggaa caacatgacc tggatggagt gggagcgcga gatcgacaac 1800
tacaccaacc tgatctacac cctgatcgag gagagccaga accagcagga gaagaacgag 1860
caggagctgc tggagctgga caagtgggccc agcctgtgga actggttcga catcagcaag 1920
tggctgtggt acatctaact cgag                                     1944

```

<210> 38

<211> 1944

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.modSF162.delV1/V2

<400> 38

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggccctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgcgtgc ccaccgaccc caacccccag 240
gagatcgctg tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggttgag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gcaactgcacc aacctgaaga acgccaccaa caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtggggccc 480
ggcaagctga tcaactgcaa caccagcgtg atcaccagg cctgccccaa ggtgagcttc 540
gagcccatcc ccatccacta ctgcgcccc gcgggcttcg ccatectgaa gtgcaacgac 600
aagaagttca acggcagcgg cccctgcacc aacgtgagca ccgtgcagtg caccacggc 660
atccgccccg tgggtgagca ccagctgctg ctgaacggca gcctggccga ggagggcgtg 720
gtgatccgca gcgagaactt caccgacaac gccaaagacca tcatcgtgca gctgaaggag 780
agcgtggaga tcaactgcac ccgccccaac aacaacaccc gcaagagcat caccatcggc 840
cccggccgcg ccttctacgc caccggcgac atcatcggcg acatccgcca ggccccactg 900
aacatcagcg gcgagaagtg gaacaacacc ctgaagcaga tcgtgaccaa gctgcaggcc 960
cagttcggca acaagacat cgtgttcaag cagagcagcg gcggcgaccc cgagatcgtg 1020
atgcacagct tcaactgcgg cggcgagttc ttctactgca acagcaccga gctgttcaac 1080
agcactggta acaacacat cgcccccaac aacaccaacy gcaccatcac cctgccctgc 1140
cgcataaagc agatcatcaa ccgctggcag gaggtgggca aggccatgta cgcccccccc 1200
atccgcggcc agatccgctg cagcagcaac atcaccggcc tgctgctgac ccgcgacggc 1260
ggcaaggaga tcagcaaac caccgagatc ttccgccccg gcggcgcgca catgcgcgac 1320
aactggcgca gcgagctgta caagtacaag gtggtgaaga tcgagccctt gggcgtggcc 1380
cccaccaagg ccaagcggc cgtggtgcag cgcgagaagc gcgccgtgac cctggggcgc 1440
atgttcctgg gcttcctggg cgccgcggc agcaccatgg gcgcccgcag cctgaccctg 1500
accgtgcagg cccgcagct gctgagcggc atcgtgcagc agcagaacaa cctgctgcgc 1560
gccatcgagg cccagcagca cctgctgcag ctgaccgtgt ggggcatcaa gcagctgcag 1620
gcccgcgtgc tggccgtgga gcgtacctg aaggaccagc agctgctggg catctggggc 1680
tgcagcggca agctgatctg caccaccgcc gtgccctgga acgccagctg gagcaacaag 1740
agcctggacc agatctggaa caacatgacc tggatggagt gggagcgcga gatcgacaac 1800
tacaccaacc tgatctacac cctgatcgag gagagccaga accagcagga gaagaacgag 1860
caggagctgc tggagctgga caagtgggccc agcctgtgga actggttcga catcagcaag 1920
tggctgtggt acatctaact cgag                                     1944

```

<210> 39

<211> 2025

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
gp140.mut.modSF162

<400> 39

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgctgct ccaccgacct caacccccag 240
gagatcgctg tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacct gcactgcacc aacctgaaga acgccacca caccaagagc 420
agcaactgga aggagatgga ccgcgccgag atcaagaact gcagcttcaa ggtgaccacc 480
agcatccgca acaagatgca gaaggagtac gccctgttct acaagctgga cgtgggtgccc 540
atcgacaacg acaacaccag ctacaagctg atcaactgca acaccagcgt gatcaccagc 600
gcctgccccca aggtgagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 660
gccatcctga agtgcaacga caagaagttc aacggcagcg gccctgcac caacgtgagc 720
accgtgacgt gcacccacgg catccgcccc gtggtgagca cccagctgct gctgaacggc 780
agcctggcgg aggagggcgt ggtgatccgc agcgagaact tcaccgacaa cgccaagacc 840
atcatcgtgc agtgaagga gagcgtggag atcaactgca cccgccccaa caacaacacc 900
cgcaagagca tcacccatcg ccccgccgct ccttctacg ccaccggcga catcatcggc 960
gacatccgcc agggccactg caacatcagc ggcgagaagt ggaacaacac cctgaagcag 1020
atcgtgacca agctgcaggc ccagttcggc aacaagacca tcgtgttcaa gcagagcagc 1080
ggcgccgacg ccgagatcgt gatgcacagc ttcaactgcg gcggcgagtt cttctactgc 1140
aacagcaccg agctgttcaa cagcacctgg aacaacacca tcggccccaa caacaccaac 1200
ggcaccatca cctgcacctg ccgcatcaag cagatcatca accgctggca ggaggtgggc 1260
aaggccatgt acgccccccc catccgcgcc cagatccgct gcagcagcaa catcaccggc 1320
ctgctgctga cccgcgacgg cggcaaggag atcagcaaca ccaccgagat cttccgcccc 1380
ggcgccggcg acatgcgcga caactggcgc agcgagctgt acaagtacaa ggtgggtgaag 1440
atcgagcccc tgggctgtgg ccccaaccaag gccaaagcgc gcgtgggtgca gcgcgagaag 1500
agcgccgtga ccctggcgcc catgttccct ggcttccctg gcgccgcccg cagcaccatg 1560
ggcgcccgca gcctgacctg gaccgtgcag gcccgccagc tgctgagcgg catcgtgcag 1620
cagcagaaca acctgctgct cgccatcgag gccagcagc acctgctgca gctgaccgtg 1680
tggggcatca agcagctgca ggcccgctg ctggccgtgg agcgctacct gaaggaccag 1740
cagctgctgg gcatctgggg ctgcagcggc aagctgatct gcaccaccgc cgtggccctg 1800
aacgccagct ggagcaacaa gagcctggac cagatctgga acaacatgac ctggatggag 1860
tgggagcgcg agatcgacaa ctacaccaac ctgatctaca cctgatcga ggagagccag 1920
aaccagcagg agaagaacga gcaggagctg ctggagctgg acaagtgggc cagcctgtgg 1980
aactggttcg acatcagcaa gtggctgtgg tacatctaac tcgag 2025

```

<210> 40

<211> 1944

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
gp140.mut.modSF162.delV2

<400> 40

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgctgct ccaccgacct caacccccag 240
gagatcgctg tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacct gcactgcacc aacctgaaga acgccacca caccaagagc 420
agcaactgga aggagatgga ccgcgccgag atcaagaact gcagcttcaa ggtgggccc 480
ggcaagctga tcaactgcaa caccagcgtg atcaccagc cctgccccaa ggtgagcttc 540

```

```

gagcccatcc ccatccacta ctgcgcccc gccggcttcg ccatcctgaa gtgcaacgac 600
aagaagttca acggcagcgg cccctgcacc aacgtgagca ccgtgcagtg caccacggc 660
atccgcccc tggtgagcac ccagctgctg ctgaacggca gcctggccga ggagggcgtg 720
gtgatccgca gcgagaactt caccgacaac gccaaagacca tcatcgtgca gctgaaggag 780
agcgtggaga tcaactgcac ccgccccaac aacaacaccc gcaagagcat caccatcggc 840
cccggcgcg ccttctacgc caccggcgac atcatcggcg acatccgcca ggccactgc 900
aacatcagcg gcgagaagtg gaacaacacc ctgaagcaga tcgtgaccaa gctgcaggcc 960
cagttcggca acaagaccat cgtgttcaag cagagcagcg gcggcgaccc cgagatcgtg 1020
atgcacagct tcaactgcgg cggcgagttc ttctactgca acagcaccca gctgttcaac 1080
agcaactgga acaacaccat cggccccaac aacaccaacg gcaccatcac cctgcccctgc 1140
cgcatcaagc agatcatcaa ccgctggcag gaggtgggca aggccatgta cggccccccc 1200
atccgcgggc agatccgctg cagcagcaac atcaccggcc tgctgctgac ccgcgacggc 1260
ggcaaggaga tcagcaacac caccgagatc ttccgccccg gcggcgggca catgcgcgac 1320
aactggcgca gcgagctgta caagtacaag gtggtgaaga tcgagccctt gggcgtggcc 1380
cccaccaagg ccaagcgccg cgtggtgcag cgcgagaaga gcgccgtgac cctgggccc 1440
atgttcctgg gcttcctggg cggcgccggc agcaccatgg gcgcccgag cctgaccctg 1500
accgtgcagg cccgccagct gctgagcggc atcgtgcagc agcagaacaa cctgctgcgc 1560
gccatcgagg ccagcagca cctgctgcag ctgaccgtgt ggggcatcaa gcagctgcag 1620
gcccgctgc tggcctgga gcgtacctg aaggaccagc agctgctggg catctggggc 1680
tgacgggca agctgatctg caccaccgcc gtgccctgga acgccagctg gagcaacaag 1740
agcctggacc agatctggaa caacatgacc tggatggagt gggagcgcga gatcgacaac 1800
tacaccaacc tgatctacac cctgatcgag gagagccaga accagcagga gaagaacgag 1860
caggagctgc tggagctgga caagtgggccc agcctgtgga actggttcga catcagcaag 1920
tggctgtggt acatctaact cgag 1944

```

<210> 41

<211> 1836

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.mut.modSF162.delV1/V2

<400> 41

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccacctg ttctgcgcca gcgacgcaa ggccacgac 180
accgaggtgc acaactgttg ggccaccac gcctgctgac ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgggcgc cggcaactgc cagaccagcg tgatcaccca ggcctgcccc 420
aaggtgagct tcgagcccat ccccatccac tactgcgcc ccgccggtt cgccatctg 480
aagtgaacg acaagaagtt caacggcagc ggcccctgca ccaactgag caccgtgcag 540
tgacccacg gcatccgccc cgtggtgagc acccagctgc tgctgaacgg cagcctggcc 600
gaggagggcg tggatgccg cagcgagaac ttaccgaca acgccaagac catcatcgtg 660
cagctgaagg agagcgtgga gatcaactgc acccgcccca acaacaacac ccgcaagagc 720
atcaccatcg gcccggccg cgcttctac gccaccggcg acatcatcgg cgacatccgc 780
caggccact gcaacatcag cggcgagaag tggacaaca ccctgaagca gatcgtgacc 840
aagctgcagg ccagttcgg caacaagacc atcgtgttca agcagagcag cggcggcgac 900
cccgagatcg tgatgcacag cttcaactgc ggcgggcagt tcttctactg caacagcacc 960
cagctgttca acagcacctg gaacaacacc atcgccccca acaacaccaa cggcaccatc 1020
accctgccc gccgcatcaa gcagatcatc aaccgctggc aggaggtggg caaggccatg 1080
tacgcccccc ccatccgccc ccagatccgc tgcagcagca acatcaccgg cctgctgctg 1140
acccgcgacg gcggcaagga gatcagcaac accaccgaga tcttcgccc cggcggcggc 1200
gacatgcgcg acaactggcg cagcgagctg tacaaagta aggtggtgaa gatcgagccc 1260
ctgggctggt ccccaccaca ggccaagcgc cgcgtggtgc agcgcgagaa gagcgccgtg 1320
accctggggc ccatgttctt gggcttctct ggcgcgcgcg gcagcaccat gggcgcccgc 1380
agcctgaccc tgaccgtgca ggcccgccag ctgctgagcg gcacgtgca gcagcagaac 1440

```

```

aacctgctgc gcgccatcga ggccdagcag cacctgctgc agctgaccgt gtggggcatc 1500
aagcagctgc agggccgcgt gctggccgtg gagcgctacc tgaaggacca gcagctgctg 1560
ggcatctggg gctgcagcgg caagctgatc tgcaccaccg ccgtgccctg gaacgccagc 1620
tggagcaaca agagcctgga ccagatctgg aacaacatga cctggatgga gtgggagcgc 1680
gagatcgaca actacaccaa cctgatctac accctgatcg aggagagcca gaaccagcag 1740
gagaagaacg agcaggagct gctggagctg gacaagtggg ccagcctgtg gaactgggtc 1800
gacatcagca agtggctgtg gtacatctaa ctcgag 1836

```

<210> 42

<211> 2025

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.mut7.modSF162

<400> 42

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgcccag cgcctgtggg aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccacac gcctgctgtg ccaccgacc caacccccag 240
gagatcgatc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gcactgcacc aacctgaaga acgccaccaa caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtgaccacc 480
agcatccgca acaagatgca gaaggagtac gccctgttct acaagctgga cgtggtgccc 540
atcgacaacg acaacaccag ctacaagctg atcaactgca acaccagct gatcaccag 600
gcctgcccga aggtgagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 660
gccatcctga agtgcaacga caagaagttc aacggcagcg gccctgcac caacgtgagc 720
accgtgcagt gcacccacgg catccgcccc gtggtgagca cccagctgct gctgaacggc 780
agcctggcgg aggaggcgt ggtgatccgc agcgagaact tcaccgacaa cgccaagacc 840
atcatcgtgc agctgaagga gagcgtggag atcaactgca cccgccccaa caacaacacc 900
cgcaagagca tcaccatcgg ccccgccgcg gccttctacg ccaccggcga catcatcggc 960
gacatccgcc agggccactg caacatcagc ggcgagaagt ggaacaacac cctgaagcag 1020
atcgtgacca agctgcaggc ccagtctggc aacaagacca tcgtgttcaa gcagagcagc 1080
ggcggcgacc ccgagatcgt gatgcacagc ttcaactgcg gcggcgagtt cttctactgc 1140
aacagcacc agctgttcaa cagcacctgg aacaacacca tcggccccaa caacaccaac 1200
ggcaccatca cctgcccctg ccgcatcaag cagatcatca accgctggca ggagggtggc 1260
aaggccatgt acgccccccc catccgcggc cagatccgct gcagcagcaa catcaccggc 1320
ctgctgctga cccgcgacgg cggcaaggag atcagcaaca ccaccagat cttccgcccc 1380
ggcggcgggc acatgcgcga caactggcgc agcgagctgt acaagtacaa ggtggtgaag 1440
atcgagcccc tgggcgtggc ccccaccaag gccatcagca gcgtggtgca gagcgagaag 1500
agcgccgtga ccctgggcgc catgttctct ggcttctctg gcgccgccgg cagcaccatg 1560
ggcgcccgca gcctgaccct gaccgtgcag gcccgccagc tgctgagcgg catcgtgcag 1620
cagcagaaca acctgctgog cggcatcgag gccagcagc acctgctgca gctgaccgtg 1680
tggggcatca agcagctgca ggcccgctg ctggccgtgg agcgtacct gaaggaccag 1740
cagctgctgg gcatctgggg ctgcagcggc aagctgatct gcaccaccgc cgtgccctgg 1800
aacgccagct ggagcaacaa gagcctggac cagatctgga acaacatgac ctggatggag 1860
tgggagcggc agatcgacaa ctacaccaac ctgatctaca cctgatcga ggagagccag 1920
aaccagcagg agaagaacga gcaggagctg ctggagctgg acaagtgggc cagcctgtgg 1980
aactggttcg acatcagcaa gtggctgtgg tacatctaac tcgag 2025

```

<210> 43

<211> 1944

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
gp140.mut7.modSF162.delV2

<400> 43

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtccttcg tttcgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgctgct ccaccgacc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gcactgcacc aacctgaaga acgccaccaa caccaagagc 420
agcaactgga aggagatgga ccgcgggcag atcaagaact gcagcttcaa ggtgggcgcc 480
ggcaagtcta tcaactgcaa caccagcgtg atcaccagg cctgcccacaa ggtgagcttc 540
gagcccatcc ccatccacta ctgcgcccc gcggccttcg ccatacctgaa gtgcaacgac 600
aagaagttca acggcagcgg cccctgcacc aacgtgagca ccgtgcagtg caccacggc 660
atccgccccg tggtgagcac ccagctgctg ctgaacggca gcctggccga ggaggcgctg 720
gtgatccgca gcgagaactt caccgacaac gccaaagacca tcatcgtgca gctgaaggag 780
agcgtggaga tcaactgcac ccgccccaac aacaacacc gcaagagcat caccatcgcc 840
cccgcccgcg ccttctacgc caccggcgac atcatcgcg acatccgcca ggcccactgc 900
aacatcagcg gcgagaagtg gaacaacacc ctgaagcaga tcgtgaccaa gctgcaggcc 960
cagttcggca acaagaccat cgtgttcaag cagagcagcg gcggcgaccc cgagatcgtg 1020
atgcacagct tcaactgcgg cggcgagttc ttctactgca acagcacca gctgttcaac 1080
agcacctgga acaacacccat cggccccaac aacaccaacg gcaccatcac cctgccttgc 1140
cgcataaagc agatcatcaa ccgctggcag gagtggggca aggccatgta cgcccccccc 1200
atccgcggcc agatccgctg cagcagcaac atcaccggcc tgctgctgac ccgcgacggc 1260
ggcaaggaga tcagcaaac caccgagatc ttccgcccc gcggcgcgca catgcgcgac 1320
aactggcgca gcgagctgta caagtacaag gtggtgaaga tcgagccctt gggcgtggcc 1380
cccaccaagg ccatacagcag cgtggtgcag agcgagaaga gcgccgtgac cctgggcgcc 1440
atgttctctg gcttcctggg cgccgcccgc agcaccatgg gcgcccgag cctgaccctg 1500
accgtgcagg cccgccagct gctgagcggc atcgtgcagc agcagaacaa cctgctgcgc 1560
gccatcgagg ccagcagca cctgctgcag ctgaccgtgt ggggcatcaa gcagctgcag 1620
gcccgcgctg tggccgtgga gcgctacctg aaggaccagc agctgctggg catctggggc 1680
tgcagcggca agctgatctg caccaccgcc gtgccctgga acgccagctg gagcaacaag 1740
agcctggacc agatctgga caacatgacc tggatggagt gggagcgcg gatcgacaac 1800
tacaccaacc tgatctacac cctgatcgag gagagccaga accagcagg gaagaacgag 1860
caggagctgc tggagctgga caagtgggcc agcctgtgga actggttcga catcagcaag 1920
tggctgtggt acatctaact cgag 1944

```

<210> 44

<211> 1836

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
gp140.mut7.modSF162.delV1/V2

<400> 44

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtccttcg tttcgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgctgct ccaccgacc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgggcgc cggcaactgc cagaccagcg tgatcaccaa ggcctgcccc 420
aaggtagct tcgagcccat ccccatccac tactgcgccc ccggcgctt cgccatcctg 480
aagtgaacg acaagaagt caacggcagc ggcccctgca ccaacgtgag caccgtgcag 540
tgcaccacag gcatacggcc cgtggtgagc acccagctgc tgctgaacgg cagcctggcc 600
gaggagggcg tggatgacg cagcgagaac ttcaccgaca acgccaagac catcatcgtg 660

```

```

cagctgaagg agagcgtgga gatcaactgc acccgcccca acaacaacac ccgcaagagc 720
atcaccatcg gccccggcgg cgccttctac gccaccggcg acatcatcgg cgacatccgc 780
caggcccaact gcaacatcag cggcgagaag tggaaacaaca ccctgaagca gatcgtgacc 840
aagctgcagg cccagttcgg caacaagacc atcgtgttca agcagagcag cggcgggcgac 900
cccagatcg tgatgcacag cttcaactgc ggcggcgagt tcttctactg caacagcacc 960
cagctgttca acagcacctg gaacaacacc atcgcccca acaacaccaa cggcaccatc 1020
accctgcccct gccgcatcaa gcagatcatc aaccgctggc aggaggtggg caaggccatg 1080
tacgcccccc ccattccggc ccagatccgc tgcagcagca acatcacggg cctgctgctg 1140
accgcgcagc cgggcaagga gatcagcaac accaccgaga tcttccgccc cggcgggcggc 1200
gacatgcggc acaactggcg cagcgagctg tacaagtaca aggtggtgaa gatcgagccc 1260
ctgggctggt cccccaccaa ggccatcagc agcgtggtgc agagcgagaa gagcgccgtg 1320
accctggggc ccattgttct gggcttccct ggcgcggccg gcagcaccat gggcgccccg 1380
agcctgaccc tgaccgtgca ggccccccag ctgctgagcg gcacgtgca gcagcagaac 1440
aacctgctgc gcgccatcga ggcaccagc cactgctgc agctgaccgt gtggggcatc 1500
aagcagctgc agggcccgct gctggcggc tgcagcctacc tgaaggacca gcagctgctg 1560
ggcatctggg gctgcagcgg caagctgac tgaccaccg ccgtgcccct gaacgccagc 1620
tgagcaaca agagcctgga ccagatctgg aacaacatga cctggatgga gtgggagcgc 1680
gagatcgaca actacaccaa cctgatctac accctgatcg aggagagcca gaaccagcag 1740
gagaagaacg agcaggagct gctggagctg gacaagtggg ccagcctgtg gaactggttc 1800
gacatcagca agtggctgtg gtacatctaa ctcgag 1836

```

<210> 45

<211> 2025

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.mut8.modSF162

<400> 45

```

gaattcgcca ccattgatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgcgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccggtgtgga aggaggccac caccacctg ttctgcgcca gcgacgcaa ggccctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgctgct ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacctt gactgcacc aacctgaaga acgccaccaa caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtgaccacc 480
agcatccgca acaagatgca gaaggagtac gccctgttct acaagctgga cgtggtgccc 540
atcgacaacg acaacaccag ctacaagctg atcaactgca acaccagcgt gatcaccacg 600
gcctgcccc- aggtgagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 660
gccatcctga agtgcaacga caagaagttc aacggcagcg gccctgac caacgtgagc 720
accgtgcagt gcacccacgg catccgcccc gtggtgagca ccagctgct gctgaacggc 780
agcctggcgg aggaggcgt ggtgatccgc agcgagaact tcaccgacaa cgccaagacc 840
atcatcgtgc agctgaagga gagcgtggag atcaactgca cccgccccaa caacaacacc 900
cgcaagagca tcaccatcgg ccccgccgc gccttctacg ccaccggcga catcatcggc 960
gacatccgcc agggccactg caacatcagc ggcgagaagt ggaacaacac cctgaagcag 1020
atcgtgacca agctgcaggc ccagttcggc aacaagacca tcgtgttcaa gcagagcagc 1080
ggcggcgacc ccgagatcgt gatgcacagc ttcaactcgc gcggcgagtt cttctactgc 1140
aacagcacc agctgttcaa cagcacctgg aacaacacca tcggcccaa caacaccaac 1200
ggcaccatca cctgcccctg ccgcatcaag cagatcatca accgctggca ggaggtgggc 1260
aaggccatgt acgccccccc catccgcggc cagatccgct gcagcagcaa catcacgggc 1320
ctgctgctga cccgcgacgg cggcaaggag atcagcaaca ccaccgagat cttccgcccc 1380
ggcgggcggc acatgcgcgc caactggcgc agcgagctgt acaagtacaa ggtggtgaa 1440
atcgagcccc tgggcgtggc ccccaccatc gccatcagca gcgtggtgca gagcgagaag 1500
agcgccgtga cctggggcgc catgttccct ggccttccct gcgcgcggc cagcaccatg 1560
ggcgccccga gcctgaccct gaccgtgcag gcccgccagc tgctgagcgg catcgtgcag 1620
cagcagaaca acctgctgcg cgccatcgag gcccgagcgc acctgctgca gctgaccgtg 1680

```

```

tggggcatca agcagctgca ggcccgcgtg ctggccgtgg agcgcctacct gaaggaccag 1740
cagctgctgg gcatctgggg ctgcagcggc aagctgatct gcaccaccgc cgtgccctgg 1800
aacgccagct ggagcaacaa gagcctggac cagatctgga acaacatgac ctggatggag 1860
tgggagcgcg agatcgacaa ctacaccaac ctgatctaca ccctgatcga ggagagccag 1920
aaccagcagg agaagaacga gcaggagctg ctggagctgg acaagtgggc cagcctgtgg 1980
aactggttcg acatcagcaa gtggctgtgg tacatctaac tcgag 2025

```

<210> 46
 <211> 1944
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:
 gp140.mut8.modSF162.delV2

```

<400> 46
gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgccag cgcctgtggg aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaactgtgt ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gagatcgtgc tggagaactg gaccgagaac ttcaacatgt ggaagaacaa catggttgga 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gactgcacc aacctgaaga acgccacca caccaagagc 420
agcaactgga aggagatgga ccgcgccgag atcaagaact gcagcttcaa ggtgggcgcc 480
ggcaagctga tcaactgcaa caccagcgtg atcaccagg cctgccccaa ggtgagcttc 540
gagcccatcc ccatccacta ctgcgcccc ccggtcttcg ccctcctgaa gtgcaacgac 600
aagaagttca acggcagcgg cccctgcacc aacgtgagca ccgtgcagt caccacggc 660
atccgccccg tggtgagcac ccagctgtg ctgaacggca gcctggccga ggagggcgtg 720
gtgatccgca gcgagaactt caccgacaac gccaaagacca tcatcgtgca gctgaaggag 780
agcgtggaga tcaactgcac ccgccccaac acaaacacc gcaagagcat caccatcggc 840
cccggccgcg ccttctacgc caccggcgac atcatcggcg acatccgcca ggcccactgc 900
aacatcagcg gcgagaagtg gaacaacacc ctgaagcaga tcgtgaccaa gctgcaggcc 960
cagttcggca acaagaccat cgtgttcaag cagagcagcg gcggcgacc cgagatcgtg 1020
atgcacagct tcaactgcgg cggcgagttc ttctactgca acagcaccca gctgttcaac 1080
agcacctgga acaacaccat cggccccaac aacaccaacg gcaccatcac cctgccctgc 1140
cgcatcaagc agatcatcaa ccgctggcag gaggtgggca aggccatgta cgcccccccc 1200
atccgcggcc agatccgctg cagcagcaac atcaccggcc tgtgtgtgac ccgcgacggc 1260
ggcaaggaga tcagcaaac caccgagatc ttccgcccc gcggcgggca catgcgcgac 1320
aactggcgca gcgagctgta caagtacaag gtggtgaaga tcgagcccct gggcgtggcc 1380
cccaccatcg ccatcagcag cgtggtgcag agcgaaga gcgccgtgac cctgggcgcc 1440
atgttctctg gcttctctgg cgccgcggc agcaccatgg gcgccgcag cctgaccctg 1500
accgtgcagg ccgcccagct gctgagcggc atcgtgcagc agcagaacaa cctgctgcgc 1560
gccatcgagg cccagcagca cctgctgcag ctgaccgtgt ggggcatcaa gcagctgcag 1620
gcccgcgtgc tggccgtgga gcgtacctg aaggaccagc agctgtctgg catctggggc 1680
tgcagcgcca agctgatctg caccaccgcc gtgccctgga acgccagctg gagcaacaag 1740
agcctggacc agatctggaa caacatgacc tggatggagt gggagcgcga gatcgacaac 1800
tacaccaacc tgatctacac cctgatcgag gagagccaga accagcagga gaagaacgag 1860
caggagctgc tggagctgga caagtgggc agcctgtgga actggttcga catcagcaag 1920
tggctgtggt acatctaact cgag 1944

```

<210> 47
 <211> 1836
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:
 gp140.mut8.modSF162.delV1/V2

<400> 47

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgcccag cgcgtgggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccacctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccacccac gcctgcgtgc ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgttg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgggcgc cggcaactgc cagaccagcg tgatcaccca ggcctgcccc 420
aaggtgagct tgcagcccat ccccatccac tactgcgccc ccgcccggctt cgccatcctg 480
aagtgcacg acaagaagtt caacggcagc ggcccctgca ccaacgtgag caccgtgcag 540
tgcacccacg gcatccgccc cgtggtgagc acccagctgc tgctgaacgg cagcctggcc 600
gaggaggcg tggatgacg cagcgagaac ttaccgaca acgccaagac catcatcgtg 660
cagctgaagg agagcgtgga gatcaactgc acccgcccca acaacaacac ccgcaagagc 720
atcaccatcg gccccggcgc cgccttctac gccaccggcg acatcatcgg cgacatccgc 780
caggcccaact gcaacatcag cggcgagaag tggacaacaa cctgaagca gatcgtgacc 840
aagctgcagg cccagttcgg caacaagacc atcgtgttca agcagagcag cggcgggcagc 900
cccagatcg tgatgcacag cttcaactgc ggcggcgagt tcttctactg caacagcacc 960
cagctgttca acagcacctg gaacaacacc atcgcccca acaacaccaa cggcaccatc 1020
acctgcccct gccgcatcaa gcagatcatc aaccgctggc aggaggtggg caaggccatg 1080
tacgccccct ccaccgcgcg ccagatccgc tcgagcagca acatcacccg cctgctgctg 1140
accgcgcagc gcggcaagga gatcagcaac accaccgaga tcttcgccc cggcgggcggc 1200
gacatgcgcg acaactggcg cagcgagctg tacaagtaca agtggtgaa gatcgagccc 1260
ctgggcgtgg cccccaccat cgccatcagc agcgtgtgca agagcgagaa gagcgccgtg 1320
acctgggcg ccatgttcct gggcttctct ggcgcgcgcg gcagcaccat gggcgcccgc 1380
agcctgaccc tgaccgtgca ggcgcgcagc ctgctgagcg gcacgtgca gcagcagaac 1440
aacctgctgc gcgcacatga ggcgcagcag cactgctgc agctgaccgt gtggggcatc 1500
aagcagctgc aggcgcgcg gctggccgtg gagcgctacc tgaaggacca gcagctgctg 1560
ggcatctggg gctgcagcgg caagctgac tgcaccaccg ccgtgccctg gaacgcagc 1620
tggagcaaca agagcctgga ccagatctgg aacaacatga cctggatgga gtgggagcgc 1680
gagatcgaca actacaccaa cctgatctac accctgatcg aggagagcca gaaccagcag 1740
gagaagaacg agcaggagct gctggagctg gacaagtggg ccagcctgtg gaactggttc 1800
gacatcagca agtggctgtg gtacatctaa ctcgag 1836

```

<210> 48

<211> 2547

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: gp160.modSF162

<400> 48

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgcccag cgcgtgggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccacctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccacccac gcctgcgtgc ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgttg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacctc gactgcacc aacctgaaga acgccaacaa caccaagagc 420
agcaactgga aggagatgga ccgcgcgag atcaagaact gcagcttcaa ggtgaccacc 480
agcatccgca acaagatgca gaaggagtac gccctgttct acaagctgga cgtggtgccc 540
atcgacaacg acaacaccag ctacaagctg atcaactgca acaccagcgt gatcacccag 600
gcctgcccc aagtgagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 660
gccatcctga agtgaacga caagaagttc aacggcagcg gccctgcac caacgtgagc 720
accgtgcagt gcacccacgg catccgccc gtggtgagca cccagctgct gctgaacggc 780
agcctggcgc agggggcggt ggtgatccgc agcgagaact tcaccgacaa gcgcaagacc 840
atcatcgtgc agctgaagga gagcgtggag atcaactgca cccgccccaa caacaacacc 900
cgcaagagca tcaccatcgg ccccgccgc gccttctacg ccaccggcga catcatcggc 960
gacatccgcc agggccactg caacatcagc ggcgagaagt ggaacaacac cctgaagcag 1020

```

```

atcgtgacca agctgcaggc ccagttcggc aacaagacca tcgtgttcaa gcagagcagc 1080
ggcggcgacc ccgagatcgt gatgcacagc ttcaactgcg gcggcgagtt cttctactgc 1140
aacagcaccc agctgttcaa cagcacctgg aacaacacca tcggcccca caacaccaac 1200
ggcaccatca ccctgccctg ccgcatcaag cagatcatca accgctggca ggaggtgggc 1260
aaggccatgt acgccccccc catccgcggc cagatccgct gcagcagcaa catcaccggc 1320
ctgctgctga cccgcgacgg cggcaaggag atcagcaaca ccaccgagat cttccgcccc 1380
ggcggcgggc acatgcgcga caactggcgc agcagagctgt acaagtacaa ggtggtgaag 1440
atcgagcccc tgggctgggc ccccaaccaag gccaaagcgc gcgtggtgca gcgcgagaag 1500
cgcgccgtga ccctggggcg catgttctcg ggcttcctgg gcgcgcggc cagcaccatg 1560
ggcggccgca gcctgacctg gaccgtgcag gcccgcagc tgctgagcgg catcgtgcag 1620
cagcagaaca acctgctgcg cgccatcgag gcccgagcgc acctgctgca gctgaccgtg 1680
tggggcatca agcagctgca ggcccgcgtg ctggccgtgg agcgtacct gaaggaccag 1740
cagctgctgg gcatctgggg ctgcagcggc aagctgatct gcaccaccgc cgtgccctgg 1800
aacgccagct ggagcaacaa gagcctggac cagatctgga acaacatgac ctggatggag 1860
tgggagcgcg agatcgacaa ctacaccaac ctgatctaca ccctgatcga ggagagccag 1920
aaccagcagg agaagaacga gcaggagctg ctggagctgg acaagtgggc cagcctgtgg 1980
aactggttcg acatcagcaa gtggctgtgg tacatcaaga tcttcatcat gatcgtgggc 2040
ggcctggtgg gcctgcgcgt cgtgttcacc gtgtgagca tcgtgaaccg cgtgcgccag 2100
ggctacagcc ccctgagctt ccagaccgcg tccccgcgcc cccgcggccc cgaccgcccc 2160
gagggcatcg aggaggagg cggcgagcgc gaccgcgacc gcagcagccc cctggtgcac 2220
ggcctgctgg ccctgatctg ggacgacctg cgcagcctgt gcctgttcag ctaccaccgc 2280
ctgcgcgacc tgatcctgat cgcgcggcgc atcgtggagc tgctgggccc ccgcggctgg 2340
gaggccctga agtactgggg caacctgctg cagtactgga tccaggagct gaagaacagc 2400
gccgtgagcc tggtcgacgc catcgccatc gccgtggccg agggcaccga ccgcatcacc 2460
gaggtggccc agcgcacatc cgcgccttc ctgcacatcc cccgcgcgat ccgccagggc 2520
ttcgagcgcg ccctgctgta actcgag 2547

```

<210> 49

<211> 2466

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp160.modSF162.delV2

<400> 49

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtccttcg ttctgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggccctacgac 180
accgaggtgc acaacgtgtg ggccaccacc gcctgcgtgc ccaccgaccc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gcaactgcac aacctgaaga acgccacca caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtgggcgcc 480
ggcaagctga tcaactgcaa caccagcgtg atcaccagg cctgccccaa ggtgagcttc 540
gagcccatcc ccatacacta ctgcgccccg gccggcttcg ccatacctgaa gtgcaacgac 600
aagaagtcca acggcagcgg cccctgcacc aacgtgagca ccgtgcagtg caccacggc 660
atccgccccg tggtagcac ccagctgctg ctgaacggca gcctggccga ggaggcgctg 720
gtgatccgca gcgagaactt caccgacaac gccaaagcca tcatcgtgca gctgaaggag 780
agcgtggaga tcaactgcac ccgccccaac aacaacacc ccaagagcat caccatcggc 840
cccggccgcg ccttctacgc caccggcgac atcatcggcg acatccgcca ggcccactgc 900
aacatcagcg gcgagaagtg gaacaacacc ctgaagcaga tcgtgaccaa gctgcaggcc 960
cagttcggca acaagaccat cgtgttcaag cagagcagcg gcggcgaccc cgagatcgtg 1020
atgcacagct tcaactgcgg cggcgagttc ttctactgca acagcaccga gctgttcaac 1080
agcacctgga acaacacat cggccccaac aacaccaac gcaccatcac cctgccctgc 1140
cgcacatcagc agatcatcaa ccgctggcag gaggtgggca aggccatgta cgcgcgcgcc 1200
atccgcggcc agatccgctg cagcagcaac atcaccggcg tgctgctgac ccgcgacggc 1260
ggcaaggaga tcagcaaacac caccgagatc ttccgccccg gcggcgcgca catgcgcgac 1320

```

```

aactggcgca gcgagctgta caagtacaag gtggtgaaga tcgagccctt gggcggtggc 1380
cccaccaagg ccaagcgccg cgtggtgcag cgcgagaagc gcgccgtgac cctgggccc 1440
atgttccttg gcttcctggg cgcgcggcgc agcaccatgg gcgccgcag cctgaccctg 1500
accgtgcagg cccgccagct gctgagcggc atcgtgcagc agcagaacaa cctgctgcgc 1560
gccatcgagg ccagcagca cctgctgcag ctgaccgtgt ggggcatcaa gcagctgcag 1620
gcccgcgtgc tggccgtgga gcgtacctg aaggaccagc agctgctggg catctggggc 1680
tgcagcgga agctgatctg caccaccgcc gtgccctgga acgccagctg gagcaacaag 1740
agcctggacc agatctggaa caacatgacc tggatggagt gggagcgga gatcgacaac 1800
tacaccaacc tgatctacac cctgatcgag gagagccaga accagcagga gaagaacgag 1860
caggagctgc tggagctgga caagtgggccc agcctgtgga actggttcga catcagcaag 1920
tggtgtggtt acatcaagat cttcatcatg atcgtgggcg gcctggtggg cctgcgcctc 1980
gtgttcaccg tgctgagcat cgtgaaccgc gtgcgccagg gctacagccc cctgagcttc 2040
cagaccgcct tccccgcccc cgcgcggccc gaccgccccg agggcatcga ggaggagggc 2100
ggcgagcgcg accgcgaccg cagcagcccc ctggtgcacg gcctgctggc cctgatcttg 2160
gacgacctgc gcagcctgtg cctgttcagc taccaccgcc tgcgcgacct gatcctgatc 2220
gcccggcgca tcgtggagct gctgggcccgc cgcggctggg agggcctgaa gtactggggc 2280
aacctgctgc agtactggat ccaggagctg aagaacagcg ccgtgagcct gttcgacgcc 2340
atcgccatcg ccgtggccga gggcaccgac cgcctcatcg aggtggccca gcgcctcggc 2400
cgcgccttcc tgcacatccc ccgcccgcac cgcaggggct tcgagcgcgc cctgctgtaa 2460
ctcgag

```

<210> 50

<211> 2358

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp160.modSF162.delV1/V2

<400> 50

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgcccag cgcgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gagatcgctg tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgttg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgggccc cggcaactgc cagaccagcg tgatcaccca ggcctgcccc 420
aaggtgagct tcgagcccat ccccatccac tactgcgccc ccgcccgtt cgccatcctg 480
aagtgaacg acaagaagtt caacggcagc ggcccctgca ccaacgtgag caccgtgcag 540
tgaacccacg gcatccgccc cgtggtgagc acccagctgc tgctgaacgg cagcctggcc 600
gaggagggcg_tggtgatccg_cagcgagaac_ttcaaccgaca_acgccaagac_catcatcgtg 660
cagctgaagg agagcgtgga gatcaactgc acccgcccc acaacaacac ccgcaagagc 720
atcaccatcg gccccggcgc cgccttctac gccaccggcg acatcatcgg cgacatccgc 780
caggccccact gcaacatcag cggcgagaag tggaaacaaca ccctgaagca gatcgtgacc 840
aagctgcagg cccagttcgg caacaagacc atcgtgttca agcagagcag cggcggcgac 900
cccagatcgc tgatgcacag cttcaactgc ggcggcgagt tcttctactg caacagcacc 960
cagctgttca acagcacctg gaacaacacc atcgccccca acaacaccaa cggcaccatc 1020
accctgcccc gccgcatcaa gcagatcatc aaccgctggc aggaggtggg caaggccatg 1080
tacgcccccc ccattccgcg ccagatccgc tgcagcagca acatcacgg cctgctgctg 1140
accgcgcagc gcggcaagga gatcagcaac accaccgaga tcttccgccc cggcggcggc 1200
gacatgcgcg acaactggcg cagcagctg tacaagtaca aggtggtgaa gatcgagccc 1260
ctgggctggt cccccaccaa ggccaagcgc cgcgtggtgc agcgcgagaa gcgcgcctg 1320
accctgggcg ccatgttcct gggcttccct ggcgcgcgcg gcagcaccat gggcggccgc 1380
agcctgacct tgacctgca ggcgcgcag ctgctgagcg gcacgtgca gcagcagaac 1440
aacctgctgc gcgcctcga ggccagcag cacctgctgc agctgaccgt gtggggcatc 1500
aagcagctgc agggccgcgt gctggccgtg gagcgtacc tgaaggacca gcagctgctg 1560
ggcatctggg gctgcagcgg caagctgatc tgcaccaccg ccgtgccctg gaacgcccagc 1620
tgaggaacaa agagcctgga ccagatctgg aacaacatga cctggatgga gtgggagcgc 1680

```

```

gagatcgaca actacaccaa cctgatctac accctgatcg aggagagcca gaaccagcag 1740
gagaagaacg agcaggagct gctggagctg gacaagtggg ccagcctgtg gaactgggtc 1800
gacatcagca agtggctgtg gtacatcaag atcttcatca tgatcgtggg cggcctgggt 1860
ggcctgcgca tcgtgttcac cgtgtgagc atcgtgaacc gcgtgcgcca gggctacagc 1920
cccctgagct tccagacccg cttccccgcc ccccgcggcc ccgaccgcc cgagggcatc 1980
gaggaggagg gcggcgagcg cgaccgcgac cgcagcagcc ccctggtgca cggcctgctg 2040
gccctgatct gggacgacct gcgcagcctg tgctgttca gctaccaccg cctgcgcgac 2100
ctgatcctga tcgcccgcgc catcgtggag ctgctgggcc gccgcggctg ggaggccctg 2160
aagtactggg gcaacctgct gcagtactgg atccaggagc tgaagaacag cgccgtgagc 2220
ctgttcgacg ccacgcgcat cgccgtggcc gagggcaccg accgcatcat cgaggtggcc 2280
cagcgcacg gccgcgcctt cctgcacatc ccccgccgca tccgccaggg cttcgagcgc 2340
gccctgctgt aactcgag 2358

```

<210> 51

<211> 1494

<212> DNA

<213> Human immunodeficiency virus

<400> 51

```

acaacagtct tgtgggtcac agtctattat ggggtacctg tgtggaaaga agcaaccacc 60
actctgtttt gtgcatcaga tgctaaagca tacaagcagc aggcacataa cgtctgggct 120
acacatgcct gtgtaccac agaccccaac ccacaggaag taaatttaac aaatgtgaca 180
gaaaatttta acatgtggaa aaataacatg gtggaacaga tgcattgagga tataatcagt 240
ttatgggacg aaagcctaaa gccatgtgta aaattaaccc cactctgtgt tactttaaat 300
tgtactgata agttgacagg tagtactaat ggcacaaata gtactagtgg cactaatagt 360
actagtggca ctaatagtag tagtactaat agtactgata gttgggaaaa gatgccagaa 420
ggagaaataa aaaactgctc tttcaatatc accacaagtg taagagataa agtgcagaaa 480
gaatattctc tcttctataa acttgatgta gtaccaatag ataatgataa tgctagctat 540
agattgataa attgtaatac ctacgtcatt acacaagcct gtccaaaggc atcttttgaa 600
ccaattccca tacattattg tgcccccgct ggttttgcca ttctaaagtg taaagataag 660
aagttcaatg gaacaggacc atgtaaaaat gtcagcacag tacaatgcac acatggaatt 720
agaccagtag tatcaactca actgctgtta aatggcagtc tagcagaaga agagatagta 780
cttagatctg aaaatttcac agacaatgct aaaaccataa tagtacagct gaatgaatct 840
gtagaaatta attgtataag acccaacaat aatacaagaa aaagtataca tataggacca 900
gggagagcat tttatgcaac aggtgatata ataggagaca taagacaagc acattgtaac 960
attagtaaaag caaactggac taacacttta gaacagatag ttgaaaaatt aagagaacaa 1020
tttgggaata ataaaaacaat aatctttaat tcactctcag gaggggaccc agaaattgta 1080
tttcacagtt ttaattgtgg aggggaattt ttctattgta atacatcaca actatttaat 1140
agtacctgga atattactga agaggtaaat aagactaaag aaaatgacac tatcactc 1200
ccatgcagaa taagacaaat tataaacatg tggcaagaag taggaaaagc aatgtatgcc 1260
cctcccatca gaggacaaat taaatgttca tcaaatatta cagggctgct attaactaga 1320
gatggtggta ctaacaataa taggacgaac gacaccgaga ctttcagacc tgggggagga 1380
aacatgaagg acaattggag aagtgaatta tataaatata aagtagtaag aattgaacca 1440
ttaggagtag caccacccca ggcaaagaga agagtgggtc aaagagagaa aaga 1494

```

<210> 52

<211> 2007

<212> DNA

<213> Human immunodeficiency virus

<400> 52

```

acaacagtct tgtgggtcac agtctattat ggggtacctg tgtggaaaga agcaaccacc 60
actctgtttt gtgcatcaga tgctaaagca tacaagcagc aggcacataa cgtctgggct 120
acacatgcct gtgtaccac agaccccaac ccacaggaag taaatttaac aaatgtgaca 180
gaaaatttta acatgtggaa aaataacatg gtggaacaga tgcattgagga tataatcagt 240
ttatgggacg aaagcctaaa gccatgtgta aaattaaccc cactctgtgt tactttaaat 300
tgtactgata agttgacagg tagtactaat ggcacaaata gtactagtgg cactaatagt 360
actagtggca ctaatagtag tagtactaat agtactgata gttgggaaaa gatgccagaa 420
ggagaaataa aaaactgctc tttcaatatc accacaagtg taagagataa agtgcagaaa 480

```

```

gaatattctc tcttctataa acttgatgta gtaccaatag ataatgataa tgctagctat 540
agattgataa attgtaatac ctcagtcatt acacaagcct gtccaaagggt atcttttgaa 600
ccaattccca tacattattg tgccccggct ggttttgcca ttctaaagtg taaagataag 660
aagttcaatg gaacaggacc atgtaaaaat gtcagcacag tacaatgcac acatggaatt 720
agaccagtag tatcaactca actgctgtta aatggcagtc tagcagaaga agagatagta 780
cttagatctg aaaatttcac agacaatgct aaaaccataa tagtacagct gaatgaatct 840
gtagaaatta attgtataag acccaacaat aatacaagaa aaagtataca tataggacca 900
gggagagcat tttatgcaac aggtgatata ataggagaca taagacaagc acattgtaac 960
attagtaaaag caaactggac taacacttta gaacagatag ttgaaaaatt aagagaacaa 1020
tttgggaata ataaaacaat aatctttaat tcatcctcag gaggggaccc agaaattgta 1080
tttcacagtt ttaattgtgg aggggaattt ttctattgta atacatcaca actatttaat 1140
agtacctgga atattactga agaggtaaatt aagactaaag aaaatgacac tatcatactc 1200
ccatgcagaa taagacaaat tataaacatg tggcaagaag taggaaaagc aatgtatgcc 1260
cctcccatca gaggacaaat taaatgttca tcaaataa cagggctgct attaactaga 1320
gatggtggta ctaacaataa taggacgaac gacaccgaga ccttcagacc tgggggagga 1380
aacatgaagg acaattggag aagtgaatta tataaatata aagtagtaag aattgaacca 1440
ttaggagtag caccaccca ggcaagaga agagtgtgc aaagagagaa aagagcagtg 1500
ggactaggag ctttgttcat tgggttcttg ggagcagcag gaagcactat gggcgagcag 1560
tcagtgcgc tgacggtaca ggccagacaa ttattgtctg gtatagtga acagcagaac 1620
aatttgctga gagctattga ggcgaacag catctgttgc aactcacggc ctggggcagc 1680
aaacagctcc aggcagaat cctggctgtg gaaagatacc taaaggatca acagctccta 1740
gggatttggg gttgctctgg aaaactcatt tgcaccacta ctgtgccttg gaactctagt 1800
tggagtaata aatctctgac tgagatttgg gataatatga cctggatgga gtgggaaaga 1860
gaaattggca attatacagg cttaatatat aatttaattg aaatagcaca aaaccagcaa 1920
gaaaagaatg aacaagaatt attggaatta gacaagtggg caagtttgtg gaattgggtt 1980
gatataacaa actggctgtg gtatata 2007

```

<210> 53

<211> 2532

<212> DNA

<213> Human immunodeficiency virus

<400> 53

```

acaacagctc tgtgggtcac agtctattat ggggtacctg tgtggaaaga agcaaccacc 60
actctgtttt gtgcatcaga tgctaaagca tacaaagcag aggcacataa cgtctgggct 120
acacatgcct gtgtaccac agacccaac ccacaggaag taaatttaac aaatgtgaca 180
gaaaatttta acatgtggaa aaataacatg gtggaacaga tgcattgaga tataatcagt 240
ttatgggac aaagcctaaa gccatgtgta aaattaaccc cactctgtgt tactttaaat 300
tgtactgata agttgacagg tagtactaat ggcacaaata gtactagtgg cactaatagt 360
actagtggca ctaatagtac tagtactaat agtactgata gttgggaaaa gatgccagaa 420
ggagaaataa aaaactgctc tttcaatatc accacaagtg taagagataa agtgcagaaa 480
gaatattctc tcttctataa acttgatgta gtaccaatag ataatgataa tgctagctat 540
agattgataa attgtaatac ctcagtcatt acacaagcct gtccaaagggt atcttttgaa 600
ccaattccca tacattattg tgccccggct ggttttgcca ttctaaagtg taaagataag 660
aagttcaatg gaacaggacc atgtaaaaat gtcagcacag tacaatgcac acatggaatt 720
agaccagtag tatcaactca actgctgtta aatggcagtc tagcagaaga agagatagta 780
cttagatctg aaaatttcac agacaatgct aaaaccataa tagtacagct gaatgaatct 840
gtagaaatta attgtataag acccaacaat aatacaagaa aaagtataca tataggacca 900
gggagagcat tttatgcaac aggtgatata ataggagaca taagacaagc acattgtaac 960
attagtaaaag caaactggac taacacttta gaacagatag ttgaaaaatt aagagaacaa 1020
tttgggaata ataaaacaat aatctttaat tcatcctcag gaggggaccc agaaattgta 1080
tttcacagtt ttaattgtgg aggggaattt ttctattgta atacatcaca actatttaat 1140
agtacctgga atattactga agaggtaaatt aagactaaag aaaatgacac tatcatactc 1200
ccatgcagaa taagacaaat tataaacatg tggcaagaag taggaaaagc aatgtatgcc 1260
cctcccatca gaggacaaat taaatgttca tcaaataa cagggctgct attaactaga 1320
gatggtggta ctaacaataa taggacgaac gacaccgaga ccttcagacc tgggggagga 1380
aacatgaagg acaattggag aagtgaatta tataaatata aagtagtaag aattgaacca 1440
ttaggagtag caccaccca ggcaagaga agagtgtgc aaagagagaa aagagcagtg 1500
ggactaggag ctttgttcat tgggttcttg ggagcagcag gaagcactat gggcgagcag 1560

```



```

tcagtgcgc tgacgggtaca ggccagacaa ttattgtctg gtatagtgc acagcagaac 1620
aatttgctga gagctattga ggcgcaacag catctgttgc aactcacggt ctggggcatc 1680
aaacagctcc aggcaagaat cctggctgtg gaaagatacc taaaggatca acagctccta 1740
gggatttggg gttgctctgg aaaactcatt tgcaccacta ctgtgccttg gaactcctag 1800
tggagtaata aatctctgac tgagatttgg gataatatga cctggatgga gtgggaaaga 1860
gaaattggca attatacagg cttaatatac aatttaattg aaatagcaca aaaccagcaa 1920
gaaaagaatg aacaagaatt attggaatta gacaagtggg caagtttgtg gaattgggtt 1980
gatataacaa actgggtgtg gtatataaga atattcataa tgatagtagg aggcttgata 2040
ggtttaagaa tagtttttgc tgtactttct atagtgaata gagttaggca gggatactca 2100
ccaatatcat tgcagaccgg cctcccagct cagaggggac cegacaggcc cgaagggaatc 2160
gaagaagaag gtggagagag agacagagac agatccaatc gattagtgc tggattattg 2220
gcactcatct gggacgatct gcggagcctg tgcctcttca gctaccaccg cttgagagac 2280
ttactcttga ttgtagcgag gattgtggaa cttctgggac gcagggggtg ggaagccctc 2340
aagtattggt ggaatctcct gcagtattgg agtcaggagc taaagagtag tgcgtgtagt 2400
ttgtttaatg ccacagcaat agcagttagc gaagggacag ataggattat agaaatagta 2460
caaagaatgt ttgagctgt aattcacata cctagaagaa taagacaggg cttggagagg 2520
gctttactat aa 2532

```

<210> 54

<211> 1599

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: gp120.modUS4

<400> 54

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgctg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccac gcctgctgtc ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacct gaactgcacc gacaagctga ccggcagcac caacggcacc 420
aacagcacca gcggcaccaa cagcaccagc ggcaccaaca gcaccagcac caacagcacc 480
gacagctggg agaagatgcc cgagggcgag atcaagaact gcagcttcaa catcaccacc 540
agcgtgcgag acaaggtgca gaaggagtac agcctgttct acaagctgga cgtggtgccc 600
atcgacaacg acaacgcccag ctaccgcctg atcaactgca acaccagcgt gatcaccag 660
gcctgcccga aggtgagctt cgagcccact cccatccact actgcgcccc cgccggcttc 720
gccatcctga agtgcaagga caagaagttc aacggcaccg gccctgcaa gaacgtgagc 780
accgtgcagt gcacccacgg catccgcccc gtggtgagca ccagctgct gctgaacggc 840
agcctggccg aggaggagat cgtgctgctg tccgagaact tcaccgacaa cgccaagacc 900
atcatcgtgc agctgaacga gtccgtggag atcaactgca tccgcccacaa caacaacacg 960
cgtaagagca tccacatcgg ccccggccgc gccttctacg ccaccggcga catcatcggc 1020
gacatccgac aggccactg caacatcagc aaggccaact ggaccaacac cctcgagcag 1080
atcgtggaga agctgcgcga gcagttcggc aacaacaaga ccatcatctt caacagcagc 1140
agcggcgggc accccgagat cgtgttccac agcttcaact gcggcgggca gttcttctac 1200
tgcaacacca gccagctggt caacagcacc tggaacatca ccgaggaggt gaacaagacc 1260
aaggagaacg acaccatcat cctgccctgc cgcattccgc agatcatcaa catgtggcag 1320
gaggtgggca aggccatgta cgcccccccc atccgcggcc agatcaagtg cagcagcaat 1380
attaccggcc tgctgtgac ccgcgacggc ggcaccaaca acaaccgcac caacgacacc 1440
gagaccttcc gccccggcgg cggaacatg aaggacaact ggcgagcga gctgtacaag 1500
tacaaggtgg tgcgcatcga gcccttgggc gtggccccc cccaggccaa gcgccgcgtg 1560
gtgcagcgcg agaagcgcta agatatcgga tcctctaga 1599

```

<210> 55

<211> 1350

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp120.modUS4.del 128-194

<400> 55

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcggtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccac gcctgctgct ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgttg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgggggc agggaaactg gagaccagcg tgatcaccca ggccctgcccc 420
aaggtgagct tcgagcccat ccccatccac tactgcgccc ccgcccgtt cgccatcctg 480
aagtgaagg acaagaagtt caacggcacc ggcccctgca agaacgtgag caccgtgcag 540
tgcaccacg gcatccgccc cgtggtgagc acccagctgc tgctgaacgg cagcctggcc 600
gaggaggaga tcgtgctgct ctccgagaac ttaccgaca acgccaagac catcatcgtg 660
cagctgaacg agtccgtgga gatcaactgc atccgcccc acaacaacac gcgtaagagc 720
atccacatcg gccccggccg cgccttctac gccaccggcg acatcatcgg cgacatccgc 780
caggcccaact gcaacatcag caaggccaac tggaccaaca ccttcgagca gatcgtggag 840
aagctgcgcg agcagttcgg caacaacaag accatcatct tcaacagcag cagcggcgcc 900
gaccocgaga tcgtgttcca cagcttcaac tgcggcgccg agttcttcta ctgcaacacc 960
agccagctgt tcaacagcac ctggaacatc accgaggagg tgaacaagac caaggagaac 1020
gacaccatca tcctgcccgt ccgcatccgc cagatcatca acatgtggca ggaggtgggc 1080
aaggccatgt acgccccccc catccgcggc cagatcaagt gcagcagcaa tattaccggc 1140
ctgctgctga cccgcgacgg cggcaccac aacaaccgca ccaacgacac cgagaccttc 1200
cgccccggcg gcggcaacat gaaggacaac tggcgacgag agctgtacaa gtacaaggtg 1260
gtgcgcacg agccctggg cgtggcccc acccaggcca agcgcgcgt ggtgcagcgc 1320
gagaagcgct aagatatcgg atcctctaga                                     1350

```

<210> 56

<211> 2112

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: gp140.modUS4

<400> 56

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcggtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccac gcctgctgct ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgttg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gaactgcacc gacaagctga ccggcagcac caacggcacc 420
aacagcacca gcggcaccaa cagcaccagc ggcaccaaca gcaccagcac caacagcacc 480
gacagctggg agaagatgcc cgaggcgag atcaagaact gcagcttcaa catcaccacc 540
agcgtgcgcg acaaggtgca gaaggagtac agcctgttct acaagctgga cgtggtgccc 600
atcgacaacg acaacgccag ctaccgctg atcaactgca acaccagcg gatcacccag 660
gcttgcccc aagtgagctt cgagcccat cccatccact actgcgcccc cgccggcttc 720
gcatcctga agtgcaagga caagaagttc aacggcaccg gcccctgcaa gaacgtgagc 780
accgtgcagt gcacccacgg catccgcccc gtggtgagca ccagctgct gctgaacggc 840
agcctggccg aggaggagat cgtgctgctg tccgagaact tcaccgacaa cgccaagacc 900
atcatcgtgc agtgaaacga gtccgtggag atcaactgca tccgccccaa caacaacacg 960
cgtaagagca tccacatcgg ccccgccgcg gccttctacg ccaccggcga catcatcggc 1020
gacatccgcc agggccactg caacatcagc aaggccaact ggaccaacac cctcgagcag 1080
atcgtggaga agctgcgcga gcagttcggc aacaacaaga ccatcatctt caacagcagc 1140
agcggcgccg accccgagat cgtgttccac agcttcaact gcggcgccga gttcttctac 1200
tgcaacacca gccagctggt caacagcacc tggaaacatca ccgaggaggt gaacaagacc 1260

```

```

aaggagaacg acaccatcat cctgccctgc cgcateccgc agatcatcaa catgtggcag 1320
gaggtgggca aggccatgta cggccccccc atccgcggcc agatcaagtg cagcagcaat 1380
attaccggcc tgctgctgac ccgcgacggc ggcaccaaca acaaccgcac caacgacacc 1440
gagaccttcc gccccggcgg cggcaacatg aaggacaact ggcgcagcga gctgtacaag 1500
tacaaggtgg tgcgcacgca gcccctgggc gtggccccca cccaggccaa gcgccgcgtg 1560
gtgcagcgcg agaagcgcg cgtgggcctg ggcgcctgt tcatcggtt cctggggcgc 1620
gccgggagca ccatggggcg cgctccctg accctgaccg tgcaggcccg ccagctgctg 1680
agcggcatcg tgcagcagca gaacaacctg ctgcgcgcca tcgaggccca gcagcacctg 1740
ctgcagctga ccgtgtgggg catcaagcag ctgcaggccc gcatcctggc cgtggagcgc 1800
tacctgaagg accagcagct gctgggcac tggggctgca gcggcaagct gatctgcacc 1860
accaccgtgc cctggaacag cagctggagc aacaagagcc tgaccgagat ctgggacaac 1920
atgacctgga tggagtggga gcgcgagatc ggcaactaca ccggcctgat ctacaacctg 1980
atcgagatcg cccagaacca gcaggagaag aacgagcagg agctgctgga gctggacaag 2040
tggggccagcc tgtggaactg gttcgacatc accaactggc tgtggtacat ctaagatata 2100
ggatcctcta ga 2112

```

<210> 57

<211> 2112

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.mut.modUS4

<400> 57

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccacc gcctgcgtgc ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggga 300
cagatgcctg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacct gaactgcacc gacaagctga ccggcagcac caacggcacc 420
aacagcacca gcggcaccaa cagcaccagc ggcaccaaca gcaccagcac caacagcacc 480
gacagctggg agaagatgcc cgaggcgag atcaagaact gcagcttcaa catcaccacc 540
agcgtgcgcg acaaggtgca gaaggagtac agcctgttct acaagctgga cgtggtgccc 600
atcgacaacg acaacgccag ctaccgcctg atcaactgca acaccagcgt gatcaccag 660
gcctgccccg aggtgagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 720
gccatcctga agtgcaagga caagaagttc aacggcaccc gccctgcaa gaacgtgagc 780
accgtgcagt gcaccacagg catccgcccc gtggtgagca cccagctgct gctgaacggc 840
agcctggcgg aggaggagat cgtgctgcgc tccgagaact tcaccgacaa cgccaagacc 900
atcatcgtgc agctgaacga gtccgtggag atcaactgca tccgccccaa caacaacacg 960
cgtaagagca tccacatcgg ccccgccgc gccttctac ccaccggcga catcatcggc 1020
gacatccgcc agggccactg caacatcagc aaggccaact ggaccaacac cctcgagcag 1080
atcgtggaga agctgcgcga gcagttcggc aacaacaaga ccatcatctt caacagcagc 1140
agcggcggcg accccgagat cgtgttccac agcttcaact gcggcggcga gttcttctac 1200
tgcaaacacca gccagctgtt caacagcacc tggaaacatca ccgaggaggt gaacaagacc 1260
aaggagaacg acaccatcat cctgccctgc cgcateccgc agatcatcaa catgtggcag 1320
gaggtgggca aggccatgta cggccccccc atccgcggcc agatcaagtg cagcagcaat 1380
attaccggcc tgctgctgac ccgcgacggc ggcaccaaca acaaccgcac caacgacacc 1440
gagaccttcc gccccggcgg cggcaacatg aaggacaact ggcgcagcga gctgtacaag 1500
tacaaggtgg tgcgcacgca gcccctgggc gtggccccca cccaggccaa gcgccgcgtg 1560
gtgcagcgcg agaagagcgc cgtgggcctg ggcgcctgt tcatcggtt cctggggcgc 1620
gccgggagca ccatggggcg cgctccctg accctgaccg tgcaggcccg ccagctgctg 1680
agcggcatcg tgcagcagca gaacaacctg ctgcgcgcca tcgaggccca gcagcacctg 1740
ctgcagctga ccgtgtgggg catcaagcag ctgcaggccc gcatcctggc cgtggagcgc 1800
tacctgaagg accagcagct gctgggcac tggggctgca gcggcaagct gatctgcacc 1860
accaccgtgc cctggaacag cagctggagc aacaagagcc tgaccgagat ctgggacaac 1920
atgacctgga tggagtggga gcgcgagatc ggcaactaca ccggcctgat ctacaacctg 1980

```

atcgagatcg cccagaacca gcaggagaag aacgagcagg agctgctgga gctggacaag 2040
 tgggccagcc tgtggaactg gttcgacatc accaactggc tgtggtacat ctaagatc 2100
 ggatcctcta ga 2112

<210> 58

<211> 2181

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: gp140TM.modUS4

<400> 58

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
 gcagtcttcc tttcgccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgtg 120
 cccgtgtgga aggaggccac caccacctg ttctgcgcca ggcagccaa ggcttacaag 180
 gccgagggccc acaacgtgtg ggccaccacc gcctgcgtgc ccaccgaccc caacccccag 240
 gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
 cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
 accccctgt gcgtgaccct gaactgcacc gacaagctga ccggcagcac caacggcacc 420
 aacagcacca gcggcaccaa cagcaccagc ggcaccaaca gcaccagcac caacagcacc 480
 gacagctggg agaagatgcc cgaggcgag atcaagaact gcagcttcaa catcaccacc 540
 agcgtgctgc acaaggtgca gaaggagtac agcctgttct acaagctgga cgtggtgccc 600
 atcgacaacg acaacgccag ctaccgcctg atcaactgca acaccagcgt gatcaccag 660
 gcctgcccc aagtgagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 720
 gccatcttga agtgcaagga caagaagttc aacggcaccg gccctgcaa gaacgtgagc 780
 accgtgcagt gcaaccacgg catccgcccc gtggtgagca cccagctgct gctgaacggc 840
 agcctggcgg aggaggagat cgtgctgcgc tccgagaact tcaccgacaa cgccaagacc 900
 atcatcgtgc agctgaacga gtccgtggag atcaactgca tccgccccaa caacaacacg 960
 cgtaagagca tccacatcgg ccccgccgc gccttctacg ccaccggcga catcatcggc 1020
 gacatccgcc aggccactg caacatcagc aaggccaact ggaccaacac cctogagcag 1080
 atcgtggaga atcgtgcgga gcagttcggc aacaacaaga ccatcatctt caacagcagc 1140
 agcggcgggc accccgagat cgtgttccac agcttcaact gcggcgggcga gttcttctac 1200
 tgcaacacca gccagctgtt caacagcacc tggaaacatca ccgaggaggt gaacaagacc 1260
 aaggagaacg acaccatcat cctgccctgc cgcacccgcc agatcatcaa catgtggcag 1320
 gaggtgggca aggecatgta cgcccccccc atccgcggcc agatcaagtg cagcagcaat 1380
 attaccggcc tgctgtgac ccgcgacggc ggcaccaaca acaaccgcac caacgacacc 1440
 gagaccttcc gccccggcgg cggaacatg aaggacaact ggcgcagcga gctgtacaag 1500
 tacaaggtgg tgcgcatcga gccctgggc gtggccccc cccaggccaa gcgccgctg 1560
 gtgcagcgcg agaagcgcgc cgtgggcctg ggcgcctgt tcatcggctt cctgggcgc 1620
 gccgggagca ccatgggcgc cgcctcctg accctgaccg tgcaggcccc ccagctgctg 1680
 agcggcatcg tgcagcagca gaacaacctg ctgcgcgcca tcgaggccca gcagcacctg 1740
 ctgcagctga ccgtgtgggg catcaagcag ctgcaggccc gcatcctggc cgtggagcgc 1800
 tacctgaagg accagcagct gctgggcac tggggctgca gcggcaagct gatctgcacc 1860
 accaccgtgc cctggaacag cagctggagc aacaagagcc tgaccgagat ctgggacaac 1920
 atgacctgga tggagtggga gcgcgagatc ggcaactaca ccggcctgat ctacaacctg 1980
 atcgagatcg cccagaacca gcaggagaag aacgagcagg agctgctgga gctggacaag 2040
 tgggccagcc tgtggaactg gttcgacatc accaactggc tgtggtacat ccgcatcttc 2100
 atcatgatcg tggcggcct gatcggcctg cgcacgtgt tgcgcgtgct gagcatcgtg 2160
 taagatatcg gatcctctag a 2181

<210> 59

<211> 1818

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.modUS4.delV1/V2

<400> 59

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgccag cgccaccacc gtgtgtggg tgaccgtgta ctacggcgtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgggcgcc 360
ggccaggcct gccccaaggt gagcttcgag cccatcccca tccactactg cgcccccgcc 420
ggcttcgcca tcctgaagtg caaggacaag aagttcaacg gcaccggccc ctgcaagaac 480
gtgagcacog tgcagtgcac ccacggcatc cgccccgtgg tgagcaccga gctgtgtgct 540
aacggcagcc tggccgagga ggagatcgtg ctgcgtccg agaacttcac cgacaacgcc 600
aagaccatca tcgtgcagct gaacgagtcc gtggagatca actgcatccg ccccaacaac 660
aacacgcgta agagcatcca catcgccccc ggccgcgcct tctacgccac cggcgacatc 720
atcgccgaca tccgccaggc ccactgcaac atcagcaagg ccaactggac caacaccctc 780
gagcagatcg tggagaagt ggcgagcag ttccgcaaca acaagaccat catcttcaac 840
agcagcagcg gcggcgaccc cgagatcgtg ttccacagct tcaactgcgg cggcgagtcc 900
ttctactgca acaccagcca gctgttcaac agcacctgga acatcaccga ggaggtgaac 960
aagaccaagg agaacgacac catcatcctg ccctgccgca tccgccagat catcaacatg 1020
tggcaggagg tgggcaaggc catgtacgcc cccccatcc gcggccagat caagtgcagc 1080
agcaatatta ccggcctgct gctgaccgcg gacggcgcca ccaacaacaa ccgcaccaac 1140
gacaccgaga ccttccgccc cgggcgccgc aacatgaagg acaactggcg cagcgagctg 1200
tacaagtaca aggtggtgct catcgagccc ctgggcgtgg cccccacca ggccaagcgc 1260
cgcggtgtgc agcgcgagaa gcgcgcgtg ggccctggcg ccctgttcat cggcttccctg 1320
ggcgcccgcc ggagcaccat gggcgccgcc tccgtgaccc tgaccgtgca ggcccgcag 1380
ctgctgagcg gcatcgtgca gcagcagaac aacctgctgc gcgccatcga ggcccagcag 1440
cacctgctgc atgtgaccgt gtggggcatc aagcagctgc agggccgcat cctggccgtg 1500
gagcgctacc tgaaggacca gcagctgtg ggcatctggg gctgcagcgg caagtgtatc 1560
tgcaccacca ccgtgccctg gaacagcagc tggagcaaca agagcctgac cgagatctgg 1620
gacaacatga cctggatgga gtgggagcgc gagatcggca actacaccgg cctgatctac 1680
aacctgatcg agatcgccca gaaccagcag gagaagaacg agcaggagct gctggagctg 1740
gacaagtggg ccagcctgtg gaactggttc gacatcacca actggctgtg gtacatctaa 1800
gatatcgcat cctctaga 1818

```

<210> 60

<211> 2031

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.modUS4.delV2

<400> 60

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgccag cgccaccacc gtgtgtggg tgaccgtgta ctacggcgtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcca ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacct gaactgcacc gacaagctga ccggcagcac caacggcacc 420
aacagcacca gcggcaccaa cagcaccagc ggcaccaaca gcaccagcac caacagcacc 480
gacagctggg agaagatgcc cgaggcgag atcaagaact gcagcttcaa catcggcgcc 540
ggccgcctga tcaactgcaa caccagcgtg atcaccagg cctgccccaa ggtgagcttc 600
gagcccatcc ccattccacta ctgcgcccc ggccggttcg ccattcctgaa gtgcaaggac 660
aagaagttaa acggcaccgg cccctgcaag aacgtgagca ccgtgagtg caccacggc 720
atccgccccg tggtgagcac ccagctgctg ctgaacggca gcctggccga ggaggagatc 780
gtgctgcgct ccggaactt caccgacaac gccaaagcca tcatcgtgca gctgaacgag 840
tccgtggaga tcaactgcat ccgccccaac aacaacacgc gtaagagcat ccacatcggc 900
cccgcccgcg ccttctacgc caccggcgac atcatcggcg acatccgcca ggcccactgc 960

```

```

aacatcagca aggccaaactg gaccaaacacc ctcgagcaga tcgtggagaa gctgcgcgag 1020
cagttcggga acaacaagac catcatcttc aacagcagca gcggcggcga ccccgagatc 1080
gtgttccaca gtttcaactg cggcggcgag ttcttctact gcaacaccag ccagctgttc 1140
aacagcacct ggaacatcac cgaggagggtg aacaagacca aggagaacga caccatcatc 1200
ctgccctgcc gcatccgcca gatcatcaac atgtggcagg aggtgggcaa ggccatgtac 1260
gcccccccca tccgcggcca gatcaagtgc agcagcaata ttaccggcct gctgctgacc 1320
cgcgacggcg gcaccaacaa caaccgcacc aacgacaccg agaccttccg ccccggcggc 1380
ggcaacatga aggacaactg gcgcagcgag ctgtacaagt acaagggtggt gcgcatcgag 1440
ccccctggcg tggccccac ccaggccaag cgccgcgtgg tgacgcgca gaagcgcgcc 1500
gtgggcctgg gcgcctgtt catcggttc ctgggcgcg ccgggagcac catgggcgcc 1560
gcctccgtga ccctgaccgt gcaggcccg cagctgtga gcggcatcgt gcagcagcag 1620
aacaacctgc tgcgcgccat cgaggcccag cagcacctgc tgacgctgac cgtgtggggc 1680
atcaagcagc tgcaggcccg catcctggcc gtggagcgct acctgaagga ccagcagctg 1740
ctgggcatct ggggctgcag cggaagctg atctgcacca ccaccgtgcc ctggaacagc 1800
agctggagca acaagagct gaccgagatc tgggacaaca tgacctggat ggagtgggag 1860
cgcgagatcg gcaactacac cggcctgatc tacaacctga tcgagatcgc ccagaaccag 1920
caggagaaga acgagcagga gctgctggag ctggacaagt gggccagcct gtggaactgg 1980
ttcgacatca ccaactggct gtggtacatc taagatatcg gatcctctag a 2031

```

<210> 61

<211> 1818

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.mut.modUS4.delV1/V2

<400> 61

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg tttcgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcttacaag 180
ggcgaggccc acaacgtgtg ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgggcgcc 360
ggccaggcct gcccgaaggt gagcttcgag cccatcccca tccactactg cgccccgcc 420
ggcttcgcca tcctgaagtg caaggacaag aagttcaacg gcaccggccc ctgcaagaac 480
gtgagcaccg tgcagtgcac ccacggcatc cgccccgtgg tgagcaccga gctgctgtg 540
aacggcgacc tggccgagga ggagatcgtg ctgcgctccg agaacttcac cgacaacgcc 600
aagaccatca tcgtgcagct gaacgagtc gtggagatca actgcatccg cccaacaac 660
aacacgcgta agagcatcca catcgcccc ggccgcgcct tctacgccac cggcgacatc 720
atcggcgaca tccgccaggc cactgcaac atcagcaagg ccaactggac caacaccctc 780
gagcagatcg tggagaagct gcgcgagcag ttcggaaca acaagaccat catcttcaac 840
agcagcagcg gcggcgaccc cgagatcgtg ttccacagct tcaactgcgg cggcgagttc 900
ttctactgca acaccagcca gctgttcaac agcacctgga acatcacga ggaggtgaac 960
aagaccaagg agaacgacac catcatcctg ccctgccgca tccgccagat catcaacatg 1020
tggcaggagg tgggcaaggc catgtacgcc ccccccattc gcggccagat caagtgcagc 1080
agcaatatata ccggcctgct gctgacccgc gacggcgcca ccaacaacaa ccgcaccaac 1140
gacaccgaga ccttcgcgcc cggcggcgcc aacatgaagg acaactggcg cagcgagctg 1200
tacaagtaca aggtggtgcg catcgagccc ctgggcgtgg cccccacca ggccaagcgc 1260
cgcggtggtg agcgcgagaa gagcgccgtg ggcctggcg ccctgttcat cggttctctg 1320
ggcgccgccc ggagcaccat gggcgccgcc tccgtgaccc tgaccgtgca ggcccgcag 1380
ctgctgagcg gcatcgtgca gcagcagaac aaactgctgc gcgccatcga ggcccagcag 1440
cacctgctgc agctgaccgt gtggggcatc aagcagctgc aggcccgcat cctggccgtg 1500
gagcgctacc tgaaggacca gcagctgctg ggcactctgg gctgcagcgg caagctgatc 1560
tgcaccacca ccgtgcccctg gaacagcagc tggagcaaca agagcctgac cgagatctgg 1620
gacaacatga cctggatgga gtgggagcgc gagatcgga actacaccgg cctgatctac 1680
aacctgatcg agatcgcccc gaaccagcag gagaagaac agcaggagct gctggagctg 1740
gacaagtggg ccagcctgtg gaactggttc gacatcacca actggctgtg gtacatctaa 1800

```

gatatcggat cctctaga

1818

<210> 62

<211> 1818

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.modUS4.del 128-194

<400> 62

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgctg 120
cccggtgtgga aggaggccac caccaccctg ttctgcccag ggcagccaa ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccac gcctgctgct ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catgggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgggagcc 360
ggccaggcct gcccgaaggt gagcttcgag cccatcccca tccactactg cgcccccgcc 420
ggcttcgcca tcttgaagtg caaggacaag aagttcaacg gcaccggccc ctgcaagaac 480
gtgagcaccg tgcagtgcac ccacggcatc cgccccgtgg tgagcaccga gctgctgctg 540
aacggcagcc tggccgagga ggagatcgtg ctgcgctccg agaacttcac cgacaacgcc 600
aagaccatca tcgtgcagct gaacgagtcg gtggagatca actgcatccg ccccaacaac 660
aacacgcgta agagcatcca catcgccccc ggccgcccct tctacgccac cggcgacatc 720
atcgccgaca tccgccaggc ccactgcaac atcagcaagg ccaactggac caacaccctc 780
gagcagatcg tggagaagct gcgcgagcag ttccggcaaca acaagaccat catcttcaac 840
agcagcagcg gcggcgaccc cgagatcgtg ttccacagct tcaactgcgg cggcgagttc 900
ttctactgca acaccagcca gctgttcaac agcacctgga acatcaccga ggaggtgaac 960
aagaccaagg agaacgacac catcatcctg ccctgccgca tccgccagat catcaacatg 1020
tggcaggagg tgggcaaggc catgtacgcc ccccccaccc gcggccagat caagtgcagc 1080
agcaatatta ccggcctgct gctgaccgcg gacggcggca ccaacaacaa ccgcaccaac 1140
gacaccgaga ccttccgccc cggcgccggc aacatgaagg acaactggcg cagcgagctg 1200
tacaagtaca aggtggtgcg catcgagccc ctgggctgtg ccccccacca ggccaagcgc 1260
cgcggtgtgc agcgcgagaa gagcgccgtg ggcctgggcg cctgttcat cggttcctg 1320
ggcgccgccc ggagcaccat gggcgccgcc tccgtgacct tgaccgtgca ggcccgccag 1380
ctgctgagcg gcatcgtgca gcagcagaac aacctgctgc gcgccatcga ggcccagcag 1440
cacctgctgc agctgaccgt gtggggcatc aagcagctgc agggccgcat cctggccgtg 1500
gagcgctacc tgaaggacca gcagctgctg ggcattctgg gctgcagcgg caagctgatc 1560
tgcaccacca ccgtgccctg gaacagcagc tggagcaaca agagcctgac cgagatctgg 1620
gacaacatga cctggatgga gtgggagcgc gagatcggca actacaccgg cctgatctac 1680
aacctgatcg agatcggcca gaaccagcag gagaagaacg agcaggagct gctggagctg 1740
gacaagtggg ccagcctgtg gaactgggtc gacatcacca actggctgtg gtacatctaa 1800
gatatcggat cctctaga 1818

```

<210> 63

<211> 1863

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp140.mut.modUS4.del 128-194

<400> 63

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgctg 120
cccggtgtgga aggaggccac caccaccctg ttctgcccag ggcagccaa ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccac gcctgctgct ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catgggtggag 300

```

```

cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgggggc agggaaactgc gagaccagcg tgatcaccca ggcctgcccc 420
aaggtgagct tgcagcccat ccccatccac tactgcgccc ccgcccgtt cgcctcctg 480
aagtgaagg acaagaagtt caacggcacc ggcccctgca agaacgtgag caccgtgcag 540
tgcacccacg gcatccgccc cgtggtgagc acccagctgc tgcgaacgg cagcctggcc 600
gaggaggaga tcgtgctgcg ctccgagaac ttcaccgaca acgccaagac catcatcgtg 660
cagctgaacg agtccgtgga gatcaactgc atccgcccc acaacaacac gcgtaagagc 720
atccacatcg gccccggccg cgcttctac gccaccggcg acatcatcgg cgacatccgc 780
caggcccact gcaacatcag caaggccaac tggaccaaca cctcagagca gatcgtggag 840
aagctgcgcg agcagttcgg caacaacaag accatcatct tcaacagcag cagcggcggc 900
gaccccgaga tcgtgttcca cagcttcaac tgcggcgggc agttcttcta ctgcaacacc 960
agccagctgt tcaacagcac ctggaacatc accgaggagg tgaacaagac caaggagaac 1020
gacacatca tcctgcccctg ccgcatccgc cagatcatca acatgtggca ggaggtgggc 1080
aaggccatgt acgccccccc catccgcggc cagatcaagt gcagcagcaa tattaccggc 1140
ctgctgctga cccgcgacgg cggcaccaac aacaaccgca ccaacgacac cgagaccttc 1200
cgccccggcg gcggcaacat gaaggacaac tggcgagcg agctgtacaa gtacaagggtg 1260
gtgcgcatcg agcccctggg cgtggcccc acccaggcca agcgcgcgt ggtgcagcgc 1320
gagaagagcg ccgtgggccc gggcgcccctg ttcacgggt tcctggggcg cgccgggagc 1380
accatgggcg ccgcctccgt gaccctgacc gtgcaggccc gccagctgct gaggcgcatc 1440
gtgcagcagc agaacaacct gctgcgcgcc atcgaggccc agcagcacct gctgcagctg 1500
accgtgtggg gcataagca gctgcaggcc cgcatectgg ccgtggagcg ctacctgaag 1560
gaccagcagc tgctgggcat ctggggctgc agcggcaagc tgatctgcac caccaccctg 1620
ccctggaaca gcagctggag caacaagagc ctgaccgaga tctgggacaa catgacctgg 1680
atggagtggt agcgcgagat cggcaactac accggcctga tctacaacct gatcgagatc 1740
gcccagaacc agcaggagaa gaacgagcag gagctgctgg agctggacaa gtggggcagc 1800
ctgtggaact ggttcgacat caccaactgg ctgtggtaca tctaagatat cggatcctct 1860
aga

```

<210> 64

<211> 2634

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: gp160.modUS4

<400> 64

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttgc ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccacc gcctgctgct ccaccgaccc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacctt gaactgcacc gacaagctga ccggcagcac caacggcacc 420
aacagcacca gcggcaccaa cagcaccagc ggcaccaaca gcaccagcac caacagcacc 480
gacagctggg agaagatgcc cgagggcgag atcaagaact gcagcttcaa catcaccacc 540
agcgtgcgcg acaaggtgca gaaggagtac agcctgttct acaagctgga cgtggtgccc 600
atcgacaacg acaacgccag ctaccgcctg atcaactgca acaccagcgt gatcaccag 660
gcctgcccc aagtgaagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 720
gccatcctga agtgcaagga caagaagttc aacggcaccg gcccctgcaa gaacgtgagc 780
accgtgcagt gcacccacgg catccgcccc gtggtgagca cccagctgct gctgaacggc 840
agcctggccg aggaggagat cgtgctgctg tccgagaact tcaccgacaa cgccaagacc 900
atcatcgtgc agctgaacga gtccgtggag atcaactgca tccgccccaa caacaacacg 960
cgtaagagca tccacatcgg ccccgccgcg gccttctacg ccaccggcga catcatcggc 1020
gacatccgcc aggccactg caacatcagc aaggccaact ggaccaacac cctcgagcag 1080
atcgtggaga agctgcgca gcagttcgga aacaacaaga ccatcatctt caacagcagc 1140
agcggcgggc accccgagat cgtgttccac agcttcaact gcggcgcgga gttcttctac 1200
tgcaacacca gccagctgtt caacagcacc tggaaacatc ccgaggagggt gaacaagacc 1260
aaggagaacg acaccatcat cctgcctgct cgcatccgcc agatcatcaa catgtggcag 1320

```



```

gaggtgggca aggccatgta cccccccccc atccgcggcc agatcaagtg cagcagcaat 1380
attaccggcc tgtgtgtgac ccgcgacggc ggcaaccaaca acaaccgcac caacgacacc 1440
gagaccttcc gccccggcgg cggcaacatg aaggacaact ggcgacgca gctgtacaag 1500
tacaaggtgg tgcgcacgca gcccctgggc gtggccccc cccaggccaa gcgccgcgtg 1560
gtgcagcgcg agaagcgcg cgtgggcctg ggcccccctg tcatcggctt cctgggcggc 1620
gccgggagca ccatggggcg cgcctccgtg accctgacgg tgcaggcccc ccagctgctg 1680
agcggcatcg tgcagcagca gaacaacctg ctgcgcgcca tcgaggccca gcagcacctg 1740
ctgcagctga ccgtgtgggg catcaagcag ctgcaggccc gcatcctggc cgtggagcgc 1800
tacctgaagg accagcagct gctgggcatc tggggctgca gcggcaagct gatctgcacc 1860
accacgctgc cctggaacag cagctggagc aacaagagcc tgaccagat ctgggacaac 1920
atgacctgga tggagtggga gcgcgagatc ggcaactaca ccggcctgat ctacaacctg 1980
atcgagatcg ccagaacca gcaggagaag aacgagcagg agctgctgga gctggacaag 2040
tgggccagcc tgtggaactg gttcgacatc accaactggc tgtgtgtacat ccgcatcttc 2100
atcatgatcg tgggcggcct gatcggcctg cgcatcgtgt tcgccgtgct gagcatcgtg 2160
aaccgcgtgc gccagggcta cagcccatc agcctgcaga cccgcctgcc cggccagcgc 2220
ggccccgacc gccccgaggg catcgaggag gagggcgggc agcgcgaccg cgaccgcagc 2280
aaccgcctgg tgacggcct gctggcctg atctgggacg acctgcgcag cctgtgcctg 2340
ttcagctacc accgcctgcg cgacctgctg ctgacgtggt cccgcacgtg ggagctgctg 2400
ggccgcgcgc gctgggaggg cctgaagtac tgggtggaacc tgctgcagta ctggagccag 2460
gagctgaaga gcagcgccgt ggcctgttc aacgccaccg ccacgcgcgt ggccgagggc 2520
accgacgcga tcacgagat cgtgcagcgc atcttcgcgc ccgtgatcca catccccgcg 2580
cgcatccgcc agggcctgga gcgcgcctg ctgtaagata tcggatcctc taga 2634

```

<210> 65

<211> 2538

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp160.modUS4.delV1

<400> 65

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttccgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcggtg 120
cccggtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gaggtgaacc tgaccaacgt gaccagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgacct gaactgcacc gacaagctgg gcgcggcgcg cgagatcaag 420
aactgcagct tcaacatcac caccagcgtg cgcgacaagg tgcagaagga gtacagcctg 480
ttctacaagc tggacgtggt gcccacgcac aacgacaacg ccagctaccg cctgatcaac 540
tgcaacacca gcgtgatcac ccaggcctgc ccaaggtga gcttcgagcc catccccatc 600
cactactgcg cccccggcgg cttcgccatc ctgaagtga aggacaagaa gttcaacggc 660
accggccccct gcaagaacgt gagcacgctg cagtgcaccc acggcatccg ccccggtggg 720
agcaccagc tgctgtgtaa cggcagcctg gccgaggagg agatcgtgct gcgctccgag 780
aacttcaccg acaacgccaa gaccatcatc gtgcagctga acgagtcctg ggagatcaac 840
tgcatccgcc ccaacaacaa cacgcgtaag agcatccaca tcggcccccg ccgcgccttc 900
tacgcccacc gcgacatcat cggcgacatc cgccaggccc actgcaacat cagcaaggcc 960
aactggacca acaccctcga gcagatcgtg gagaagctgc gcgagcagtt cggcaacaac 1020
aagaccatca tcttcaacag cagcagcgcc ggccgacccc agatcgtgtt ccacagcttc 1080
aactgcggcg gcgagttctt ctactgcaac accagccagc tgttcaacag cacttggaac 1140
atcacogagg aggtgaacaa gaccaaggag aacgacacca tcatcctgcc ctgccgcac 1200
cgccagatca tcaacatgtg gcaggaggtg ggcaaggcca tgtacgcccc cccatccgc 1260
ggccagatca agtgagcag caatattacc ggccgtgctg tgaccgcga cggcggcacc 1320
aacaacaacc gcaccaacga caccgagacc ttccgccccg gcggcgcaa catgaaggac 1380
aactggcgca gcgagctgta caagtacaag gtggtgcgca tcgagccctt gggcggtggc 1440
cccacccagg ccaagcgccg cgtggtgcag cgcgagaagc gcgcctggg cctgggcggc 1500
ctgttcacgt gcttcctggg cgcgcgggg agcaccatgg gcgcgcctc cgtgaccctg 1560

```

```

accgtgcagg cccgccagct gctgagcggc atcgtgcagc agcagaacaa cctgctgcgc 1620
gccatcgagg cccagcagca cctgctgcag ctgaccgtgt ggggcatcaa gcagctgcag 1680
ggccgcatcc tggcctgga gcgtacctg aaggaccagc agctgctggg catctggggc 1740
tgcagcggca agctgatctg caccaccacc gtgccctgga acagcagctg gagcaacaag 1800
agcctgaccg agatctggga caacatgacc tggatggagt gggagcgcga gatcggcaac 1860
tacaccggcc tgatctacaa cctgatcgag atcgcccaga accagcagga gaagaacgag 1920
caggagctgc tggagctgga caagtgggccc agcctgtgga actggttcga catcaccaac 1980
tggctgtggt acatccgcat cttcatcatg atcgtgggag gcctgatcgg cctgcgcatac 2040
gtgttcgccc tgctgagcat cgtgaaccgc gtgcgccagg gctacagccc catcagcctg 2100
cagaccggcc tgcccggccc gcgcggcccc gaccgccccg agggcatcga ggaggagggc 2160
ggcgagcgcg accgcgaccg cagcaaccgc ctggtgcacg gcctgctggc cctgatctgg 2220
gacgacctgc gcagcctgtg cctgttcagc taccaccgcc tgcgcgacct gctgctgatac 2280
gtggcccgcga tcgtggagct gctgggcccgc cgcggctggg aggccctgaa gtactggtgg 2340
aacctgctgc agtactggag ccaggagctg aagagcagcg ccgtgagcct gttcaacgccc 2400
accgccatcg ccgtggcgcga gggcaccgac cgcatcatcg agatcgtgca gcgcattctc 2460
cgcgcctgta tccacatccc ccgccgcata cgccaggggc tggagcgcgc cctgctgtaa 2520
gatatcgcat cctctaga 2538

```

<210> 66

<211> 2553

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp160.modUS4.delV2

<400> 66

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcttacaag 180
ggcgaggccc acaactgtgt ggccaccacac gcctgcgtgc ccaccgacct caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gaactgcacc gacaagctga ccggcagcac caacggcacc 420
aacagcacca gcggcaccaa cagcaccagc ggcaccaaca gcaccagcac caacagcacc 480
gacagctggg agaagatgcc cgaggcgag atcaagaact gcagcttcaa catcggcgac 540
ggcgcctgta tcaactgcaa caccagcgtg atcaccagg cctgccccaa ggtgagcttc 600
gagcccatcc ccatccacta ctgcgccccc gccggcttcg ccatcctgaa gtgcaaggac 660
aagaagttca acggcaccgg ccctgcaag aacgtgagca ccgtgcagtg caccacggc 720
atccgccccg tgggtgagcac ccagctgtg ctgaacggca gcctggccga ggaggagatc 780
gtgctgcgct ccgagaactt caccgacaac gccaaagacca tcatcgtgca gctgaacgag 840
tccgtggaga tcaactgcat ccgcccdaac aacaacacgc gtaagagcat ccacatcgcc 900
cccgcccgcg cttcttaegc caccggcgac atcatcgggc acatccgcca ggcccactgc 960
aacatcagca aggccaactg gaccaacacc ctcgagcaga tcgtggagaa gctgcgcgag 1020
cagttcggca acaacaagac catcatcttc aacagcagca gcggcgggcga ccccgagatc 1080
gtgtccaca gcttcaactg cggcgggcag ttcttctact gcaacaccag ccagctgttc 1140
aacagcacct ggaacatcac cgaggaggtg aacaagacca aggagaacga caccatcatc 1200
tgccctgccc gcatcgcca gatcatcaac atgtggcagg aggtgggcaa ggccatgtac 1260
gcccccccca tccgcgggca gatcaagtgc agcagcaata ttaccggcct gctgctgacc 1320
cgcgacggcg gcaccaacaa caaccgcacc aacgacaccg agaccttcg ccccgggcgc 1380
ggcaacatga aggacaactg gcgcagcgag ctgtacaagt acaagggtgt gcgcatcgag 1440
ccccggggcg tggccccccac ccaggccaag cgccgctggg tgcagcgcga gaagcgcgcc 1500
gtgggccttg gcgcctgtt catcggttc ctggcgccc ccgggagcac catggcgccc 1560
gcctccgtga cctgaccgt gcaggcccgc cagctgctga gcggcatcgt gcagcagcag 1620
aacaacctgc tgcgcgccat cgaggcccag cagcacctgc tgcagctgac cgtgtggggc 1680
atcaagcagc tgcaggcccc catcctggcc gtggagcgct acctgaagga ccagcagctg 1740
ctgggcatct ggggctgcag cggcaagctg atctgcacca ccaccgtgcc ctggaacagc 1800
agctggagca acaagagcct gaccgagatc tgggacaaca tgacctgat ggagtgggag 1860

```

```

cgcgagatcg gcaactacac cggcctgac tacaacctga tcgagatcgc ccagaaccag 1920
caggagaaga acgagcagga gctgctggag ctggacaagt gggccagcct gtggaactgg 1980
ttcgacatca ccaactggct gtggtacatc cgcattctca tcatgatcgt gggcggcctg 2040
atcggcctgc gcacgtgtt cgcctgctg agcatcgtga accgctgctg ccagggttac 2100
agccccatca gctgcagac cgcctgccc gccagcgcg gcccgcactg ccccgagggc 2160
atcgaggagg agggcggcga gcgcgaccgc gaccgcagca accgcctggt gcacggcctg 2220
ctggccctga tctgggacga cctgcgcagc ctgtgcctgt tcagctacca ccgcctgcgc 2280
gacctgctgc tgatcgtggc cgcctcgtg gagctgctgg gccgcgcggt ctgggaggcc 2340
ctgaagtact ggtggaacct gctgcagtac tggagccagg agctgaagag cagcgccgtg 2400
agcctgttca acgccaccgc catcgccgtg gccgaggga cgcaccgat catcgagac 2460
gtgcagcgca tcttcgcgc cgtgatccac atccccgcc gcatccgcca gggcctggag 2520
cgcgccctgc tgtaagatat cggatcctct aga 2553

```

<210> 67

<211> 2340

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp160.modUS4.delV1/V2

<400> 67

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcttacaag 180
cccgaggccc acaacgtgtg ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gagggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgggcgcc 360
ggccaggcct gcccaaggt gagcttcgag cccatcccca tccactactg cgccccgcgc 420
ggcttcgcca tcctgaagt caaggacaag aagttcaacg gcaccggccc ctgcaagaac 480
gtgagcaccg tgcagtgcc ccccggtggt tgagcaccga gctgctgctg 540
aacggcagcc tggccgagga ggagatcgtg ctgcgtctcg agaacttcac cgacaacgcc 600
aagaccatca tcgtgcagct gaacgagtc gtggagatca actgcatccg ccccaacaac 660
aacacgcgta agagcatcca catcgcccc ggccgcgcct tctacgccac cggcgacatc 720
atcgcgaca tccgccaggc cactgcaac atcagcaagg ccaactggac caacaccctc 780
gagcagatcg tggagaagct gcgcgagcag ttcggaaca acaagaccat catcttcaac 840
agcagcgcg cgcgcgaccc cgagatcgtg ttccacagct tcaactgcgg cggcgagttc 900
ttctactgca acaccagcca gctgttcaac agcacctgga acatcaccga ggaggtgaac 960
aagaccaagg agaacgacac catcatcctg ccctgccgca tccgccagat catcaacatg 1020
tggcaggagg tgggcaaggc catgtacgcc ccccccattc gcggccagat caagtgcagc 1080
agcaatatta ccggcctgct gctgaccgcg gacggcgcca ccaacaacaa ccgcaccaac 1140
gacaccgaga ccttcgcgcc cggcggcggc aacatgaagg acaactggcg cagcgagctg 1200
tacaagtaca aggtggtgcg catcgagccc ctggcggtgg ccccccacca ggccaagcgc 1260
cgcgtggtgc agcgcgagaa gcgcgcgtg ggcctgggag cctgtttcat cggcttcctg 1320
ggcgccgccc ggagcaccat gggcgccgcc tccgtgacct tgaccgtgca ggcccgcag 1380
ctgctgagcg gcacgtgca gcagcagaac aacctgctgc gcgccatcga ggcccagcag 1440
cacctgctgc agctgaccgt gtggggcatc aagcagctgc agggccgcct cctggccgtg 1500
gagcgctacc tgaaggacca gcagctgctg ggcctctggg gctgcagcgg caagctgac 1560
tgcaccacca ccgtgccctg gaacagcagc tggagcaaca agagcctgac cgagatctg 1620
gacaacatga cctggatgga gtgggagcgc gagatcgcca actacaccgg cctgatctac 1680
aacctgatcg agatcgcccc gaaccagcag gagaagaacg agcaggagct gctggagctg 1740
gacaagtggg ccagcctgtg gaactggttc gacatcacca actggctgtg gtacatccgc 1800
atcttcatca tgatcgtggg cggcctgac gccctgcgca tcgtgttcgc cgtgctgagc 1860
atcgtgaacc cgtgcgcga gggctacag cccatcagcc tgcagaccgg cctgcccgcc 1920
cgcgcggccc ccgaccgccc cgagggcate gaggagagg gccgcgagcg cgaccgcgac 1980
cgagcaacc gcctggtgca cggcctgctg gccctgatct gggacgacct gcgcagcctg 2040
tgctgttca gctaccaccg cctgcgcgac ctgctgctga tcgtggcccg catcgtggag 2100
ctgctgggccc gcccgggctg ggaggccctg aagtactggt ggaacctgct gcagtactg 2160

```

agccaggagc tgaagagcag cgccgtgagc ctgttcaacg ccaccgccat cgccgtggcc 2220
 gagggcaccg accgcatcat cgagatcgtg cagcgcatct tccgcgccgt gatccacatc 2280
 ccccgccgca tccgccaggg cctggagcgc gccctgctgt aagatatcgg atcctctaga 2340

<210> 68
 <211> 2385
 <212> DNA
 <213> Artificial Sequence

<220> —
 <223> Description of Artificial Sequence:
 gp160.modUS4del 128-194

<400> 68
 gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
 gcagtcttcg tttcgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgtg 120
 cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcttacaag 180
 gccgaggccc acaacgtgtg ggccaccac gcctgctgct ccaccgaccc caacccccag 240
 gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
 cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
 acccccctgt gcgtgggggc agggaaactgc gagaccagcg tgatcaccca ggcctgcccc 420
 aaggtgagct tccagcccat ccccatccac tactgcgccc ccgcccgtt cgccatcctg 480
 aagtgaagg acaagaagtt caacggcacc ggcccctgca agaacgtgag caccgtgcag 540
 tgacccacg gcattccccc cgtggtgagc acccagctgc tgctgaacgg cagcctggcc 600
 gagggaggaga tcgtgctgcg ctccgagaac ttaccgaca acgccaagac catcatcgtg 660
 cagctgaacg agtccgtgga gatcaactgc atccgcccc acaacaacac cgtgaagagc 720
 atccacatcg gccccggccg cgccctctac gccaccggcg acatcatcgg cgacatccgc 780
 caggcccaact gcaacatcag caaggccaac tggaccaaca ccctcgagca gatcgtggag 840
 aagctgcgcg agcagttcgg caacaacaag accatcatct tcaacagcag cagcggcgcc 900
 gaccccgaga tcgtgttcca cagcttcaac tgccggcgcg agttcttcta ctgcaacacc 960
 agccagctgt tcaacagcac ctggaacatc accgaggagg tgaacaagac caaggagaac 1020
 gacacatca tccctggcctg ccgcatccgc cagatcatca acatgtggca ggaggtgggc 1080
 aaggccatgt acgccccccc catccgcggc cagatcaagt gcagcagcaa tattaccggc 1140
 ctgctgctga cccgcgacgg cggcaccaac aacaaccgca ccaacgacac cgagaccttc 1200
 cgccccggcg gcggcaacat gaaggacaac tggcgacgag agctgtacaa gtacaagggtg 1260
 gtgcgcatcg agccccctgg cgtggcccc acccaggcca agcggccgct ggtgcagcgc 1320
 gagaagcgcg ccgtgggcct gggcgccctg ttcatcggtt tectgggcgc cgccgggagc 1380
 accatgggcg ccgcctccgt gaccctgacc gtgcaggccc gccagctgct gagcggcatc 1440
 gtgcagcagc agaacaacct gctgcgcgcc atcaggggcc agcagcacct gctgcagctg 1500
 accgtgtggg gcattcaagca gctgcaggcc cgcattctgg ccgtggagcg ctacctgaag 1560
 gaccagcagc tgctgggcat ctggggctgc agcggcaagc tgattctgcac caccaccgtg 1620
 ccctggaaca gcagctggag caacaagagc ctgaaccgaga tctgggacaa catgacctgg 1680
 atggagtggt agcgcgagat cggcaactac accggcctga tctacaacct gatcgagatc 1740
 gcccagaacc agcaggagaa gaacgagcag gagctgctgg agctggacaa gtgggcccagc 1800
 ctgtggaact ggttcgacat caccaactgg ctgtgtgata tccgcatctt catcatgac 1860
 gtgggcccgc tgatcgccct gcgcatcgtg ttccgctgct tgagcatcgt gaaccgcgtg 1920
 cgccagggtt acagcccat cagcctgcag acccgccctg ccgcccagcg cggccccgac 1980
 cgccccgagg gcattcgagga ggaggcgggc gagcgcgacc gcgaccgag caaccgcctg 2040
 gtgcacggcc tgctggccct gatctgggac gacctgcgca gcctgtgctt gttcagctac 2100
 caccgcctgc gcgacctgct gctgatcgtg gcccgcatcg tggagctgct gggccgccc 2160
 ggctgggagg ccctgaagta ctggtggaac ctgctgcagt actggagcca ggagctgaag 2220
 agcagcgccg tgagcctgtt caacgccacc gccatcgccg tggccgaggg caccgaccgc 2280
 atcatcgaga tcgtgcagcg catcttccgc gccgtgatcc acatcccccg ccgcatccgc 2340
 cagggcctgg agcgcgcctt gctgtaagat atcggtacct ctaga 2385

<210> 69
 <211> 144
 <212> DNA
 <213> Human immunodeficiency virus

<400> 69
gacaccatca tcctgccctg ccgcatccgc cagatcatca acatgtggca ggaggtgggc 60
aaggccatgt acgccccccc catccgcggc cagatcaagt gcagcagcaa catcaccggc 120
ctgctgctga cccgcgacgg cggc 144

<210> 70
<211> 144
<212> DNA
<213> Human immunodeficiency virus

<400> 70
ggaactatca cactcccatg cagaataaaa caaattataa acaggtggca ggaagtagga 60
aaagcaatgt atgccccctc catcagagga caaattagat gctcatcaaa tattacagga 120
ctgctattaa caagagatgg tggc 144

<210> 71
<211> 144
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: synthetic Env
US4 common region

<400> 71
gacaccatca tcctgccctg ccgcatccgc cagatcatca acatgtggca ggaggtgggc 60
aaggccatgt acgccccccc catccgcggc cagatcaagt gcagcagcaa catcaccggc 120
ctgctgctga cccgcgacgg cggc 144

<210> 72
<211> 144
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: synthetic Env
SF162 common region

<400> 72
ggcaccatca ccctgccctg ccgcatcaag cagatcatca accgctggca ggaggtgggc 60
aaggccatgt acgccccccc catccgcggc cagatccgct gcagcagcaa catcaccggc 120
ctgctgctga cccgcgacgg cggc 144

<210> 73
<211> 4766
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
gpl60.modUS4.gag.modSF2

<400> 73
gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccaccacc gtgctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcttacaag 180
gccgaggccc acaacgtgtg ggccaccacc gcctgctgtc ccaccgaccc caacccccag 240
gaggtgaacc tgaccaacgt gaccgagaac ttcaacatgt ggaagaacaa catgggtggag 300
cagatgcatg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360

acccccctgt gcgtgacct gaactgcacc gacaagctga ccggcagcac caacggcacc 420
 aacagcacca gcggcaccaa cagcaccagc ggcaccaaca gcaccagcac caacagcacc 480
 gacagctggg agaagatgcc cgagggcgag atcaagaact gcagcttcaa catcaccacc 540
 agcgtgcgcg acaagggtga gaaggagtac agcctgttct acaagctgga cgtgggtgcc 600
 atcgacaacg acaacgccag ctaccgcctg atcaactgca acaccagcgt gatcaccacc 660
 gcctgccccca aggtgagctt cgagcccatc cccatccact actgcgcccc cgccggcttc 720
 gccatcctga agtgcaagga caagaagttc aacggcaccg gccctgcaa gaacgtgagc 780
 accgtgcagt gcacccacgg catccgcccc gtggtgagca cccagctgct gctgaacggc 840
 agcctggccg aggaggagat cgtgctgcgc tccgagaact tcaccgacaa cgccaagacc 900
 atcatcgtgc agctgaacga gtccgtggag atcaactgca tccgccccaa caacaacacg 960
 cgtaagagca tccacatcgg ccccgggcgc gccttctacg ccaccggcga catcatcgcc 1020
 gacatccgcc agggccactg caacatcagc aaggccaact ggaccaacac cctcgagcag 1080
 atcgtggaga agctgcgcga gcagttcgcc aacaacaaga ccatcatctt caacagcagc 1140
 agcggcgggc accccgagat cgtgttccac agcttcaact gcggcggcga gttcttctac 1200
 tgcaaacacca gccagctgtt caacagcacc tggaaatca ccgaggaggt gaacaagacc 1260
 aaggagaacg acaccatcat cctgccctgc cgcattccgc agatcatcaa catgtggcag 1320
 gaggtgggca agggcatgta cggccccccc atccgcggcc agatcaagt cagcagcaat 1380
 attaccggcc tgctgctgac ccgcgacggc ggcaccaaca acaaccgcac caacgacacc 1440
 gagaccttcc gcccggcgcg cggcaacatg aaggacaact ggcgcagcga gctgtacaag 1500
 tacaaggtgg tgcgcatcga gccctggggc gtggccccca cccaggccaa gcgcccgcgt 1560
 gtgcagcgcg agaagcgcg cgctccctg ggccgctgt tcatcggtt cctggggcgc 1620
 gccgggagca ccatggcgcg cgctccctg accctgaccg tgcaggcccc ccagctgctg 1680
 agcggcatcg tgcagcagca gaacaacct ctgcgcgcca tcgaggcccc gcagcacctg 1740
 ctgcagctga ccgtgtgggg catcaagcag ctgcaggccc gcattcctgg cgtggagcgc 1800
 tacttgaagg accagcagct gctgggcatc tggggctgca gcggcaagct gatctgcacc 1860
 accaccgtgc cctggaacag cagctggagc ggcaactaca ccggcctgat ctacaacctg 1920
 atgacctgga tggagtggga gcgcgagatc ggcaactaca ccggcctgat ctacaacctg 1980
 atcgagatcg cccagaacca gcaggagaag aacgagcagg agctgctgga gctggacaag 2040
 tgggcccagc tgtggaactg gttcgacatc accaactggc tgtggtacat ccgcatcttc 2100
 atcatgatcg tggggcgccct gatcgccctg cgcattcgtt tgcgctgct gagcatcgtg 2160
 aaccgcgtgc gccagggcta cagcccccac agcctgcaga cccgcctgcc cgcccagcgc 2220
 ggccccgacc gcccgcaggc catcgaggag gaggggcgcg agcgcgaccg cgaccgcagc 2280
 aaccgcctgg tgcacggcct gctggccctg atctgggacg acctgcgcag cctgtgctg 2340
 ttcagctacc accgcctgcg cgacctgctg ctgatcgtgg ccgcgcatcg ggagctgctg 2400
 ggccgcccgc gctgggaggc cctgaagtac tgggtggaacc tgctgcagta ctggagccag 2460
 gagctgaaga gcagcgccgt gagcctgttc aacgccaccg ccattcgccgt ggccgagggc 2520
 accgaccgca tcatcgagat cgtgcagcgc atcttcgcg ccgtgatcca catccccgc 2580
 cgcattccgc agggcctgga gcgcgcccct ctctccctcc ccccccccta acgttactgg ccgaagccgc 2640
 cgcccccccc cccccccccc gtttgcctat atgttatttt ccaccatatt gccgtctttt 2700
 ttggaataag gccggtgtgc gtttgcctat atgttatttt ccaccatatt gccgtctttt 2760
 ggcaatgtga gggcccgaa acctggccct gtctcttga cgagcattcc taggggtctt 2820
 tccccctctg ccaagggaat gcaaggctct tgaatgtcg tgaaggaaag agttcctctg 2880
 gaagcttctt gaagacaaac aacgtctgta gcgacccttt gcaggcagcg gaacccccca 2940
 cctggcgaca ggtgcctctg cggccaaaag ccacgtgtat aagatacacc tgcaaggcg 3000
 gcacaacccc agtgccacgt tgtgagttgg atagttgtgg aaagagtcaa atggctctcc 3060
 tcaagcgtat tcaacaaggg gctgaaggat gccagaagg taccctattg tatgggatct 3120
 gatctggggc ctcggtgcac atgctttaca tgtgtttagt cgaggttaaa aaaacgtcta 3180
 ggccccccga accacgggga cgtggttttc ctttgaaaaa cacgataata ccatgggccc 3240
 ccgcgccagc gtgctgagcg gcggcgagct ggacaagtgg gagaagatcc gcctgcgccc 3300
 cggcggaag aagaagtaca agctgaagca catcgtgtgg gccagccgcg agctggagcg 3360
 cttcgccgtg aacccccggc tgctggagac cagcgagggc tgccgcgaga tcctgggcca 3420
 gctgcagccc agcctgcaga ccggcagcga ggagctgcgc agcctgtaca acaccgtggc 3480
 caccctgtac tgcgtgcacc agcgcacatga cgtcaaggac accaaggagg ccctggagaa 3540
 gatcgaggag gaggagaaca agtccaagaa gaaggccag caggccgccc cgcccgccgg 3600
 caccggcaac agcagccagg tgagccagaa ctaccccatc gtgcagaacc tgaggggcca 3660
 gatggtgcac cagcccatca gccccgcac cctgaacgac tgggtgaagg tgggtggagg 3720
 gaaggccttc agccccgag tgatccccat gttcagcgcc ctgagcgagg gcgccacccc 3780
 ccaggacctg aacacgatgt tgaacaccgt gggcgccac caggccgcca tgagatgct 3840
 gaaggagacc atcaacgagg agggcgccga gtgggaccgc gtgcaccccg tgcacggcg 3900

```

ccccatcgcc cccggccaga tgcgcgagcc ccgcggcagc gacatcgccg gcaccaccag 3960
caccctgcag gagcagatcg gctggatgac caacaacccc cccatccccg tgggcgagat 4020
ctacaagcgg tggatcatcc tgggcctgaa caagatcgtg cggatgtaca gccccaccag 4080
catcctggac atccgccagg gccccaaaga gcccttccgc gactacgtgg accgcttcta 4140
caagaccctg cgcgctgagc agggccagcca ggacgtgaag aactggatga ccgagaccct 4200
gctggtgcag aacgccaacc ccgactgcaa gaccatcctg aaggctctcg gccccgcggc 4260
caccctggag gagatgatga ccgcctgcca gggcgtgggc gggccccggc acaaggcccc 4320
cgtgctggcc gaggcgatga gccaggtgac gaacccggcg accatcatga tgcagcgcg 4380
caacttccgc aaccagcggg agaccgtcaa gtgcttcaac tgcggcaagg agggccacac 4440
cgccaggaac tgcgcgcgcc cccgcaagaa gggctgctgg cgctgcggcc gcgagggcca 4500
ccagatgaag gactgcaccg agcgccaggc caacttctcg ggcaagatct ggcccagcta 4560
caagggccgc cccggcaact tctgcagag ccgccccgag cccaccgccc cccccgagga 4620
gagcttccgc ttcggcgagg agaagaccac cccagccag aagcaggagc ccacgcagaa 4680
ggagctgtac cccctgacca gcctgcgcag cctgttcggc aacgacccca gcagccagta 4740
agaattcaga ctcgagcaag tctaga 4766

```

<210> 74

<211> 4689

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp160.modSF162.gag.modSF2

<400> 74

```

gaattcgcca ccattgatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagtcttcg ttctgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcgtg 120
cccgtgtgga aggaggccac caccaccctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gcactgcacc aacctgaaga acgccaccaa caccaagagc 420
agcaactgga aggagatgga ccgcggcgag atcaagaact gcagcttcaa ggtgaccacc 480
agcatccgca acaagatgca gaaggagtac gccctgttct acaagctgga cgtggtgccc 540
atcgacaacg acaacaccag ctacaagctg atcaactgca acaccagcgt gatcaccag 600
gcctgcccc aaggtagcct cgagcccact cccatccact actgcgccc cgccggttc 660
gccatcctga agtgcaacga caagaagttc aacggcagcg gccctgcac caacgtgagc 720
accgtgcagt gcacccacgg catccgcccc gtggtgagca cccagctgct gctgaacggc 780
agcctggcgg agggggcggt ggtgatccgc agcgagaact tcaccgacaa cgccaagacc 840
atcatcgtgc agctgaagga gagcgtggag atcaactgca cccgccccaa caacaacacc 900
cgcaagagca tcaccatcgg ccccgccgcg gccttctacg ccaccggcga catcatcggc 960
gacatccgcc agggccactg caacatcagc ggcgagaagt ggaacaacac cctgaagcag 1020
atcgtgacca agctgcaggc ccagttcggc aacaagacca tcgtgttcaa gcagagcagc 1080
ggcggcgacc ccgagatcgt gatgcacagc ttcaactgcg gcggcgagtt cttctactgc 1140
aacagcacc agctgttcaa cagcacctgg aacaacacca tcggcccaa caacaccaac 1200
ggcaccatca ccttgccttg ccgcatcaag cagatcatca accgctggca ggaggtgggc 1260
aaggccatgt acgccccccc catccgcggc cagatccgct gcagcagcaa catcaccggc 1320
ctgctgctga cccgcgacgg cggcaaggag atcagcaaca ccaccgagat cttccgccc 1380
ggcggcgggc acatgcgcga caactggcg agcgagctgt acaagtacaa ggtgggtaag 1440
atcgagcccc tgggcgtggc ccccaacca gccaagcgcc gcgtgggtgca gcgcgagaag 1500
cgcgcgtga ccttggcgcc catgttcttg ggcttctctg gcgcgcggc cagcaccatg 1560
ggcgccccga gcctgacct gaccgtgcag gcccgccagc tgctgagcgg catcgtgcag 1620
cagcagaaca acctgctgcg cgccatcgag gcccgagcgc acctgctgca gctgaccgtg 1680
tggggcatca agcagctgca gggccgcgtg ctggccgtgg agcgctacct gaaggaccag 1740
cagctgctgg gcattctggg ctgcagcggc aagctgatct gacccaccgc cgtgccctgg 1800
aacgcagctt ggagcaacaa gagcctggag cagatctgga acaacatgac ctggatggag 1860
tgggagcgcg agatcgacaa ctacaccaac ctgatctaca ccctgatcga ggagagccag 1920
aaccagcagg agaagaacga gcaggagctg ctggagctgg acaagtgggc cagcctgtgg 1980

```

```

aactggttcg acatcagcaa gtggctgtgg tacatcaaga tcttcatcat gatcgtgggc 2040
ggcctgggtg gcctgcgcac cgtgttcacc gtgctgagca tctgaaccg cgtgcgccag 2100
ggctacagcc cctgagctt ccagaccgc tccccgcgc cccgcggccc cgaccgccc 2160
gagggcatcg aggaggagg cggcgagcgc gaccgcgacc gcagcagccc cctggtgcac 2220
ggcctgctgg ccctgatctg ggacgacctg cgcagcctgt gcctgttcag ctaccaccgc 2280
ctgcgcgacc tgatcctgat cgccgcccgc atcgtggagc tgcgtggccg ccgcggctgg 2340
gaggccctga agtactgggg caacctgctg cagtactgga tccaggagct gaagaacagc 2400
gccgtgagcc tgttcgacgc catcgccatc gccgtggccg agggcaccga ccgcacatc 2460
gaggtggccc agcgcacatc tttgcagcgc cgcgccttc ctgcacatcc cccgcggcat 2520
ttcgagcgcg ccctgctgta actcgagcaa gtctagagaa ttccgcccc ccccccccc 2580
ccccctctcc tcccccccc ctaacgttac tggccgaagc cgcttggaat aaggccggtg 2640
tgctgttctc tatatgttat tttccaccat attgccgtct tttggcaatg tgaggggccc 2700
gaaacctggc cctgtcttct tgacgagcat tcctaggggt ctttccctc tcgccaaagg 2760
aatgcaaggt ctgttgaaat tctgtgaagg agcagttcct ctggaagctt cttgaagaca 2820
aacaacgtct gtagcgaccc tttgcaggca ccggaacccc ccacctggcg acaggtgcct 2880
ctgcggccaa aagccacgtg tataagatac acctgcaaag gcggcacaac cccagtgcga 2940
cgttgtgagt tggatagttg tggaaagagt caaatggctc tcctcaagcg tattcaaca 3000
ggggctgaag gatgcccaga aggtacccca ttgtatggga tctgatctgg ggcctcggtg 3060
cacatgcttt acatgtgttt agtcgaggtt aaaaaaacgt ctaggccccc cgaaccacgg 3120
ggagctgggt ttcttttgaa aaacacgata ataccatggg cgcccgcgcc agcgtgctga 3180
gcggcgggca gctggacaag tgggagaaga tccgcctgcg ccccgggcgc aagaagaagt 3240
acaagctgaa gcacatcgtg tgggcccagc gcgagctgga gcgcttcgcc gtgaacccc 3300
gcctgctgga gaccagcgag ggctgcccgc agatcctggg ccagctgcag cccagcctgc 3360
agaccgcgag cgaggagctg cgcagcctgt acaacaccgt ggccacctg tactcgctgc 3420
accagcgcat cgacgtcaag gacaccaagg aggccttggg gaagatcgag gaggagcaga 3480
acaagtccaa gaagaaggcc cagcaggccg ccgcgcgcgc cggcaccggc aacagcagcc 3540
aggtgagcca gaactacccc atcgtgcaga acctgcaggg ccagatgggt caccaggcca 3600
tcagcccccg caccctgaac gcctgggtga aggtgggtgga ggagaaggcc tttagcccc 3660
aggtgatccc catgttcagc gccctgagcg agggcgccac ccccaggac ctgaacacga 3720
tgttgaacac cgtggggcgc caccaggccg ccatgcagat gctgaaggag accatcaacg 3780
aggaggccgc cgagtgggac cgcgtgcacc ccgtgcacgc cggcccatc gcccccgcc 3840
agatgcgcga gcccgcgcgc agcgacatcg ccggcaccac cagcaccctg caggagcaga 3900
tcggctggat gaccaacaac ccccccatc ccgtgggcga gatctacaag cgggtggatca 3960
tcctgggcct gaacaagatc gtgcggatgt acagccccac cagcatcctg gacatccgcc 4020
agggccccaa ggagcccttc cgcgactacg tggaccgctt ctacaagacc ctgcgcgctg 4080
agcaggccag ccaggacgtg aagaactgga tgaccgagac cctgctggtg cagaacgcca 4140
accccgactg caagaccatc ctgaaggctc tcggccccgc ggccacctg gaggagatga 4200
tgaccgcctg ccagggcgtg ggcgggcccc gccacaaggc ccgcgtgctg gccgagcgca 4260
tgagccaggt gacgaacccc gcgacctca tgatgcagcg cggcaacttc cgcaaccagc 4320
ggaagaccgt caagtgtctc aactgcggca aggaggggcca caccgccagg aactgccgcg 4380
ccccccgcaa gaagggtgc tggcgctgcg gccgcgaggg ccaccagatg aaggactgca 4440
ccgagcgcca ggccaacttc ctgggcaaga tctggcccag ctacaagggc cgccccggca 4500
acttctgca gagccgcccc gagcccaccg cccccccga ggagagcttc cgcttcggcg 4560
aggagaagac cccccacgc cagaagcagg agcccatcga caaggagctg taccctctga 4620
ccagcctgcg cagcctgttc ggcaacgacc ccagcagcca gtaagaattc agactcgagc 4680
aagtctaga 4689

```

<210> 75

<211> 4472

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp160.modUS4.delV1/V2.gag.modSF2

<400> 75

```

gaattcgcca ccattggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagctcttcg ttctgcccag cgccaccacc gtgtgtgtggg tgaccgtgta ctacggcgctg 120

```


cccgtgtgga	aggaggccac	caccaccctg	ttctgcgcca	ggagcgccaa	ggcttacaag	180
gcccaggccc	acaacgtgtg	ggccacccac	gcctgcgtgc	ccaccgaccc	caacccccag	240
gaggtgaacc	tgaccaacgt	gaccgagaac	ttcaacatgt	ggaagaacaa	catggtggag	300
cagatgcatg	aggacatcat	cagcctgtgg	gaccagagcc	tgaagccctg	cgtgggcgcc	360
ggccaggcct	gccccaaagt	gagcttcgag	cccatcccca	tccactactg	cgcccccgcc	420
ggcttcgcca	tcctgaagtg	caaggacaag	aagtccaacg	gcaccggccc	ctgcaagaac	480
gtgagcaccg	tgcagtgcac	ccacggcatc	cgccccgtgg	tgagcaccga	gctgctgctg	540
aacggcagcc	tggccgagga	ggagatcgtg	ctgcgtcccg	agaacttcac	cgacaacgcc	600
aagaccatca	tcgtgcagct	gaacgagtcg	gtggagatca	actgcatccg	ccccaacaac	660
aacacgcgta	agagcatcca	catcgccccc	ggcgcgcgct	tctacgccac	cggcgacatc	720
atcgccgaca	tcgcccaggc	ccactgcaac	atcagcaagg	ccaactggac	caacaccctc	780
gagcagatcg	tggagaagct	gcgcgagcag	ttcggcaaca	acaagaccat	catcttcaac	840
agcagcagcg	gcggcgaccc	cgagatcgtg	ttccacagct	tcaactgcgg	cggcgagttc	900
ttctactgca	acaccagcca	gctgttcaac	agcacctgga	acatcaccga	ggaggtgaac	960
aagaccaagg	agaacgacac	catcatcctg	ccctgccgca	tcgccagat	catcaacatg	1020
tggcaggagg	tgggcaaggc	catgtacgcc	ccccccatcc	gcggccagat	caagtgcagc	1080
agcaatatta	ccggcctgct	gctgaccgcg	gacggcggca	ccaacaacaa	ccgcaccaac	1140
gacaccgaga	ccttcgcgcc	cggcggcgcc	aacatgaagg	acaactggcg	cagcgagctg	1200
tacaagtaca	aggtggtgcg	catcgagccc	ctgggcgtgg	ccccaccca	ggccaagcgc	1260
cgcgtggtgc	agcgcgagaa	gcgcgcgctg	ggcctggggc	ccctgttcat	cggtctctct	1320
ggcgccgccc	ggagcaccat	gggcgcgcgc	tcctgtgacc	tgaccgtgca	ggcccgcag	1380
ctgctgagcg	gcatcgtgca	gcagcagaac	aacctgctgc	gcgccatcga	ggcccagcag	1440
cacctgctgc	agctgaccgt	gtggggcatc	aagcagctgc	aggcccgcac	cctggccgctg	1500
gagcgctacc	tgaaggacca	gcagctgctg	ggcatctggg	gctgcagcgg	caagctgac	1560
tgcaccacca	ccgtgcccctg	gaacagcagc	tggagcaaca	agagcctgac	cgagatctgg	1620
gacaacatga	cctggatgga	gtgggagcgc	gagatcgcca	actacaccgg	cctgatctac	1680
aacctgatcg	agatcgccca	gaaccagcag	gagaagaacg	agcaggagct	gctggagctg	1740
gacaagtggg	ccagcctgtg	gaactggttc	gacatcacca	actggctgtg	gtacatccgc	1800
atcttcatca	tgatcgtggg	cgccctgac	ggcctgcgca	tcgtgttcgc	cgtgctgagc	1860
atcgtgaacc	gcgtgcgcca	gggctacagc	cccatcagcc	tgcagacccg	cctgcccgc	1920
cagcgccggc	ccgaccgccc	cgagggcatc	gaggaggagg	gcggcgagcg	cgaccgcgac	1980
cgcagcaacc	gcctggtgca	cgccctgctg	gccctgatct	gggacgaact	gcgcagcctg	2040
tgctgttcca	gtaccaccgc	cctgcgcgac	ctgctgctga	tcgtggcccg	catcgtggag	2100
ctgctggggc	gccgcggctg	ggaggccctg	aagtactggt	ggaacctgct	gcagtactgg	2160
agccaggagc	tgaagagcag	cgccgtgagc	ctgttcaacg	ccaccgccat	cgccgtggcc	2220
gagggcaccg	accgcacatc	cgagatcgtg	cagcgcacat	tccgcgcgct	gatccacatc	2280
ccccgccgca	tcgcccaggg	cctggagcgc	gccctgctgt	aagatatcgg	atcctctaga	2340
gaattccgcc	cccccccccc	ccccccctct	ccctcccccc	cccctaactg	tactggccga	2400
agccgcttgg	aataaggccc	gtgtgcgttt	gtctatatgt	tattttccac	catattgccg	2460
tcttttggca	atgtgagggc	ccggaacact	ggccctgtct	tcttgacgag	cattcctagg	2520
ggtctttccc	ctctcgccaa	aggaatgcaa	ggtctgttga	atgtcgtgaa	ggaagcagtt	2580
cctctggaag	cttcttgaag	acaaacaacg	tctgtagcga	ccctttgcag	gcagcggaac	2640
ccccacactg	gcgacagggtg	cctctgcggc	caaaagccac	gtgtataaga	ta'cacctgca	2700
aaggcggcac	aacccacagt	ccacgttgtg	agttggatag	ttgtggaaag	agtcaaattg	2760
ctctcctcaa	gcgtattcaa	caaggggctg	aaggatgccc	agaaggtagc	ccattgtatg	2820
ggatctgac	tggggcctcg	gtgcacatgc	tttacatgtg	tttagtcgag	gttaaaaaaa	2880
cgtctaggcc	ccccgaacca	cggggacgtg	gttttccttt	gaaaaaacacg	ataataccat	2940
gggcgcccgc	gccagcgtgc	tgagcggcgg	cgagctggac	aagtgggaga	agatccgcct	3000
gcgccccggc	ggcaagaaga	agtacaagct	gaagcacatc	gtgtggggca	gccgcgagct	3060
ggagcgcttc	gcgctgaacc	ccggcctgct	ggagaccagc	gagggctgcc	gccagatcct	3120
gggcagcttg	cagcccagcc	tgacagccgg	cagcgaggag	ctgcgcagcc	tgtacaacac	3180
cgtggccacc	ctgtactgcg	tgaccacagc	catcgacgtc	aaggacacca	aggaggccct	3240
ggagaagatc	gaggaggagc	agaacaagtc	caagaagaag	gccagcagag	ccgccgcgcg	3300
cgccggcacc	ggcaacagca	gccaggtgag	ccagaactac	cccatcgtgc	agaacctgca	3360
gggcccagatg	gtgcaccagg	ccatcagccc	ccgcaccctg	aacgcctggg	tgaagggtgg	3420
ggaggagaag	gccttcagcc	ccgaggtgat	ccccatgttc	agcgccttga	gcgagggcgc	3480
cacccccag	cagctgaaca	cgatgttgaa	caccgtgggc	ggccaccagg	ccgccatgca	3540
gatgctgaag	gagaccatca	acgaggaggc	cgccgagtg	gaccgcgtgc	accccggtga	3600
cgccggcccc	atcgcccccg	gccagatgcg	cgagccccgc	ggcagcgaca	tcgcccggc	3660

```

caccagcacc ctgcaggagc agatcggtctg gatgaccaac aaccccccca tccccgtggg 3720
cgagatctac aagcgggtgga tcatcctggg cctgaacaag atcgtgcgga tgtacagccc 3780
caccagcatc ctggacatcc gccaggggccc caaggagccc ttccgcgact acgtggaccg 3840
cttctacaag acctgcgcg ctgagcaggc cagccaggac gtgaagaact ggatgaccga 3900
gaccctgctg gtgcagaacg ccaaccccga ctgcaagacc atcctgaagg ctctcggccc 3960
cgcgggccacc ctggaggaga tgatgaccgc ctgccagggc gtggggcgcc ccggccacaa 4020
ggcccgcgtg ctggccgagg cgatgagcca ggtgacgaac ccggcgacca tcatgatgca 4080
gcgcggcaac ttccgcaacc agcgggaagc cgtcaagtgc ttcaactgcg gcaaggaggg 4140
ccacaccgcc aggaactgcc gcgccccccg caagaagggc tgctggcgct gcggcccgca 4200
gggccaccag atgaaggact gcaccgagcg ccaggccaac ttccctgggca agatctggcc 4260
cagctacaag ggccgccccg gcaacttcct gcagagccgc cccgagccca ccgccccccc 4320
cgaggagagc ttccgcttcg gcgaggagaa gaccaccccc agccagaagc aggagcccat 4380
cgacaaggag ctgtaccccc tgaccagcct gcgcagcctg ttccggcaacg accccagcag 4440
ccagtaagaa ttcagactcg agcaagtcta ga 4472

```

<210> 76

<211> 4608

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

gp160.modSF162.delV2.gag.modSF2

<400> 76

```

gaattcgcca ccatggatgc aatgaagaga gggctctgct gtgtgctgct gctgtgtgga 60
gcagctcttcg ttccgcccag cgccgtggag aagctgtggg tgaccgtgta ctacggcggtg 120
cccgtgtgga aggaggccac caccacctg ttctgcgcca gcgacgcaa ggcctacgac 180
accgaggtgc acaacgtgtg ggccaccac gcctgcgtgc ccaccgacc caacccccag 240
gagatcgtgc tggagaacgt gaccgagaac ttcaacatgt ggaagaacaa catggtggag 300
cagatgcacg aggacatcat cagcctgtgg gaccagagcc tgaagccctg cgtgaagctg 360
acccccctgt gcgtgaccct gcactgcacc aacctgaaga acgcccacaa caccaagagc 420
agcaactgga aggagtgga ccgcggcgag atcaagaact gcagcttcaa ggtggggcgc 480
ggcaagctga tcaactgcaa caccagcgtg atcaccagg cctgccccaa ggtgagcttc 540
gagcccatcc ccatccacta ctgcgcccc gccggttcg ccatcctgaa gtgcaacgac 600
aagaagttca acggcagcgg cccctgcacc aacgtgagca ccgtgcagtg caccacggc 660
atccgccccg tggtagcac ccagctgctg ctgaacggca gcctggccga ggagggcggtg 720
gtgatccgca cggagaactt caccgacaac gccaaagacca tcatcgtgca gctgaaggag 780
agcgtggaga tcaactgcac ccgccccaac aacaacacc gcaagagcat caccatcggc 840
cccggcgcg ccttctacgc caccggcgac atcatcggcg acatccgcca ggcccactgc 900
aacatcagcg gcgagaagtg gaacaacacc ctgaagcaga tcgtgaccaa gctgcaggcc 960
cagttcggca acaagaccat cgtgttcaag cagagcagcg gcggcgaccc cgagatcgtg 1020
atgcacagct tcaactgcgg cggcgagttc ttctactgca acagcaccca gctgttcaac 1080
agcacctgga acaacaccat cggccccaac aacaccaacg gcaccatcac cctgccctgc 1140
cgcatcaagc agatcatcaa ccgctggcag gaggtgggca aggccatgta ccccccccc 1200
atccgcggcc agatccgctg cagcagcaac atcaccggc tgctgctgac ccgcgacggc 1260
ggcaaggaga tcagcaacac caccgagatc ttccgcccc gcggcgcgga catgcgcgac 1320
aactggcgca gcgagctgta caagtacaag gtggtgaaga tcgagccctt gggcgtggcc 1380
cccaccaagg ccaagcgccg cgtggtgcag cgcgagaagc gcgccgtgac cctggggcgc 1440
atgttccttg gcttcctggg cgccgcccgc agcaccatgg gcgcccgcag cctgaccctg 1500
accgtgcagg cccgccagct gctgagcggc atcgtgcagc agcagaacaa cctgctgcgc 1560
gccatcgagg ccagcagca cctgctgcag ctgaccgtgt ggggcaccaa gcagctgcag 1620
gcccgcgtgc tggccgtgga gcgctacctg aaggaccagc agctgctggg catctggggc 1680
tgacgcggca agctgatctg caccaccgcc gtgccctgga acgcccagct gagcaacaag 1740
agcctggacc agatctggaa caacatgacc tggatggagt gggagcgcca gatcgacaac 1800
tacaccaacc tgatctacac cctgatcgag gagagccaga accagcagga gaagaacgag 1860
caggagctgc tggagctgga agcctgtgga actgggttga catcagcaag 1920
tggctgtggt acatcaagat cttcatcatg atcgtggggc gcctgggtgg cctgcgcatac 1980
gtgttcaccg tgctgagcat cgtgaaccgc gtgcgccagg gctacagccc cctgagcttc 2040

```

```

cagacccgct tccccgcccc ccgcgcccc gaccgcccc agggcatcga ggaggagggc 2100
ggcgagcgcg accgcgaccg cagcagcccc ctggtgcacg gcctgctggc cctgatctgg 2160
gacgacctgc gcagcctgtg cctgttcagc taccaccgcc tgcgcgacct gatcctgac 2220
gccgcccga tcgtggagct gctgggcccgc cgcggtggg agggcctgaa gtactggggc 2280
aacctgctgc agtactggat ccaggagctg aagaacagcg ccgtgagcct gttcgacgcc 2340
atcgccatcg ccgtggccga gggcaccgac cgcacatcg aggtggccca gcgcacggc 2400
cgcgccttcc tgcacatccc ccgcgcacat cgcacgggct tcgagcgcg cctgctgtaa 2460
ctcgagcaag tctagagaat tccgcccccc ccccccccc cccctctccc ccccccccc 2520
taacgttact ggccgaagcc gcttgggaata aggcgggtgt gcgtttgtct atattgtatt 2580
ttccaccata ttgccgtctt ttggcaatgt gagggcccg aaacctggcc ctgtcttctt 2640
gacgagcatt cctaggggtc tttccctct cgcacaagga atgcaaggct tgttgaatgt 2700
cgtgaaggaa gcagttcttc tgggaagctt ttgaagacaa acaacgtctg tagcgacct 2760
ttcgaggcag cggaaccccc cacctggcga caggtgcctc tgcggccaaa agccacgtgt 2820
ataagataca cctgcaaaag cggcacaacc ccagtgcac gttgtgagtt ggatagttgt 2880
ggaaagctact aaatggctct cctcaagcgt attcaacaag gggctgaagg atgccagaa 2940
ggtaccccat tgtatgggat ctgatctggg gcctcggtgc acatgcttta catgtgttta 3000
gtcgaggtta aaaaaacgtc taggcccccc gaaccacggg gacgtggttt tcctttgaaa 3060
aacacgataa taccatgggc gcccgcgcca gcgtgctgag cggcgcgag ctggacaagt 3120
gggagaagat ccgcctgcgc cccggcgcca agaagaagta caagctgaag cacatcgtgt 3180
gggcccagcg cgagctggag cgcttcgccc tgaacccccg cctgctggag accagcgagg 3240
gctgcgcgca gatcctgggc cagctgcagc ccagcctgca gaccggcagc gaggagctgc 3300
gcagcctgta caacaccgtg gccaccctgt actgcgtgca ccagcgcatc gacgtcaagg 3360
acaccaagga ggccctggag aagatcgagg aggagcagaa caagtccaag aagaaggccc 3420
agcaggccgc cgccgcccgc ggcaccggca acagcagcca ggtgagccag aactacccca 3480
tcgtgcagaa cctgcagggc cagatgggtg accaggccat cagccccgc accctgaacg 3540
cctgggtgaa ggtggtggag gagaaggcct tcagccccga ggtgatcccc atgttcagcg 3600
ccctgagcga gggcgccacc ccccaggacc tgaacacgat gttgaacacc gtggcgggcc 3660
accaggccgc catgcagatg ctgaaggaga ccatcaacga ggaggccgc gagtgggacc 3720
gcgtgcaccc cgtgcacgcc ggccccatcg ccccgccca gatgcgcgag ccccgcgcca 3780
gcgacatcgc cggcaccacc agcacctgc aggagcagat cggtcgatg accaacaacc 3840
ccccatccc cgtgggcgag atctacaagc ggtggatcat cctgggcctg aacaagatcg 3900
tgccgatgta cagccccacc agcatcctgg acatccgcca gggccccaag gagcccttc 3960
gcgactacgt ggaccgcttc tacaagacct tgccgctga gcaggccagc caggacgtga 4020
agaactggat gaccgagacc ctgctggtgc agaagccaa ccccgactgc aagaccatcc 4080
tgaaggctct cggccccgcg gccaccctgg aggatgatg gaccgcctgc caggcggtg 4140
gcggcccccg ccacaaggcc cgcgtgctgg ccgaggcgat gagccaggtg acgaaccccg 4200
cgaccatcat gatgcagcgc ggcaacttcc gcaaccagcg gaagaccgtc aagtgttca 4260
actgcggcaa ggaggccac accgcccagga actgcccgc ccccgcaag aagggtgct 4320
ggcgctgcgc ccgcgagggc caccagatga aggactgcac cgagcgccag gccaaacttc 4380
tgggcaagat ctggcccagc tacaagggcc gccccggcaa cttctgcag agccgccccg 4440
agcccaccgc ccccccgag gagagcttc gcttcggcga ggagaagacc acccccagcc 4500
agaagcagga gcccatcgac aaggagctgt accccctgac cagcctgcgc agcctgttcg 4560
gcaacgaccc cagcagccag taagaattca gactcgagca agtctaga 4608

```

<210> 77

<211> 1680

<212> DNA

<213> Human immunodeficiency virus

<400> 77

```

ccattagtc ctattgaaac tgtaccagta aaattaaagc caggaatgga tggcccaaaa 60
gttaagcaat ggccattgac agaagaaaaa ataaaagcat tagtagagat atgtacagaa 120
atggaaaagg aagggaaaat ttcaaaaatt gggcctgaaa atccatacaa tactccagta 180
tttgctataa agaaaaaaga cagtactaaa tggagaaaaa tagtagattt cagagaactt 240
aataaaagaa ctcaagactt ctgggaagtt cagttaggaa taccacacc cgcagggtta 300
aaaaagaaaa aatcagtaac agtatggat gtgggtgatg catacttttc agttccctta 360
gataaagact ttagaaagta tactgcattt accataccta gtataaaca tgagacacca 420
gggattagat atcagtacaa tgtgctgcca cagggatgga aaggatcacc agcaatatc 480
caaagtagca tgacaaaaat cttagagcct tttagaaaac agaattcaga catagttatc 540

```

```

tatcaataca tggatgattt gtatgtagga tctgacttag aaatagggca gcatagaaca 600
aaaatagagg aactgagaca gcatctgttg aggtggggat ttaccacacc agacaaaaaa 660
catcagaaaag aacctccatt cctttggatg gggttatgaac tccatcctga taaatggaca 720
gtacagccta taatgctgcc agaaaaagac agctggactg tcaatgacat acagaagtta 780
gtgggaaaaat tgaattgggc aagtcagatt tatgcaggga ttaaagttaa gcagttatgt 840
aaactcctta gaggaaccaaa agcactaaca gaagtaatac cactaacaga agaagcagag 900
ctagaactgg cagaaaacag ggagattcta aaagaaccag tacatgaagt atattatgac 960
ccatcaaaaag acttagtagc agaaatacag aagcaggggc aaggccaatg gacatatcaa 1020
atztatcaag agccatttaa aaatctgaaa acaggaaaagt atgcaaggat gaggggtgcc 1080
cacactaatg atgtaaaaca gttaacagag gcagtgcata aagtatccac agaaagcata 1140
gtaatatggg gaaagattcc taaatttaaa ctaccatac aaaaggaaac atgggaagca 1200
tggtggatgg agtattggca agctacctgg attcctgagt gggagtttgt caatacccct 1260
cccttagtga aattatggta ccagtttagg aaagaaccca tagtaggagc agaaactttc 1320
tatgtagatg gggcagctaa tagggagact aaattaggaa aagcaggata tgttactgac 1380
agaggaagac aaaaagtgtg ctccatagct gacacaacaa atcagaagac tgaattacaa 1440
gcaattcatc tagcttttga ggattcggga ttagaagtaa acatagtaac agactcacia 1500
tatgcattag gaatcattca agcacaacca gataagagtg aatcagagtt agtcagtcaa 1560
ataatagagc agttaataaa aaaggaaaag gtctacctgg catgggtacc agcacacaaa 1620
ggaattggag gaaatgaaca agtagataaa ttagtcagtg ctggaatcag gaaagtacta 1680

```

<210> 78

<211> 1865

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: GP1

<400> 78

```

gtcgcagccca ccatggggcgc ccgcgccagc gtgctgagcg gggcgagct ggacaagtgg 60
gagaagatcc gcctgcgccc cggcggaag aagaagtaca agctgaagca catcgtgtgg 120
gccagccgcg agctggagcg ctctccgctg aaccccgccc tgctggagac cagcgagggc 180
tgccgcagca tccctgggcca gctgcagccc agcctgcaga ccggcagcga ggagctgcgc 240
agcctgtaca acaccgtggc caccctgtac tgcgtgcacc agcgcacga cgtcaaggac 300
accaaggagg ccctggagaa gatcgaggag gagcagaaca agtccaagaa gaaggccag 360
caggccgccc ccgcccgcgg caccggcaac agcagccagg tgagccagaa ctaccccatc 420
gtgcagaacc tgcagggcca gatggtgcac caggccatca gccccgcac cctgaacgcc 480
tggtgaagg tggtggagga gaaggccttc agcccgagg tgatcccat gttcagcgcc 540
ctgagcgagg gcgccacccc ccaggacctg aacacgatgt tgaacaccgt gggcgccac 600
caggccgcca tgcagatgct gaaggagacc atcaacgagg aggcgcgcca gtgggaccgc 660
gtgcaccccc tgcacgcccg ccccatcgcc cccggccaga tgcgcgagcc ccgcggcagc 720
gacatcgccc gcaccaaccg caccctgcag gagcagatcg gctggatgac caacaacccc 780
cccacccccg tgggcgagat ctacaagcgg tggatcatcc tgggcctgaa caagatcgtg 840
cggatgtaca cccccaccag catcctggac atccgccagg gcccgaagga gcccttccgc 900
gactacgtgg accgcttcta caagacctg cgcgctgagc aggcagcca ggacgtgaag 960
aactggatga ccgagacct gctggtgcag aacgccaacc ccgactgcaa gaccatcctg 1020
aaggctctcg gccccgcggc caccctggag gagatgatga ccgcctgcca gggcgtgggc 1080
ggccccggcc acaaggcccg cgtgctggcc gaggcgatga gccaggtgac gaaccggcg 1140
accatcatga tgcagcgccg caacttccgc aaccagcggg agaccgtcaa gtgcttcaac 1200
tgcggaagg agggccacac cgccaggaa tgccgcgccc cccgcaagaa gggctgtgtg 1260
cgctgcggcc ggaaggaca ccaaatgaaa gattgcactg agagacaggc taatttttta 1320
gggaagatct ggccttccca caagggaagg ccagggaatt ttcttcagag cagaccagag 1380
ccaacagccc caccagaaga gagcttcagg ttggggagg agaaaacaa tccctctcag 1440
aagcaggagc cgatagacaa ggaactgtat cctttaactt ccctcagatc actctttggc 1500
aacgacccct cgtcacagta aggatcggcg gccagctcaa ggaggcgtg ctgcacaccg 1560
gcccgcagca caccgtgctg gaggagatga acctgcccgg caagtggag cccaagatga 1620
tcggcgggat cgggggcttc atcaaggtgc ggcagtacga ccagatcccc gtggagatct 1680
gcccgcacaa ggccatcggc accgtgctgg tgggcccac cccgtgaac atcatcgccc 1740
gcaacctgct gaccacagatc ggctgcaccc tgaacttccc catcagcccc atcgagacgg 1800

```

tgcccgtgaa gctgaagccg gggatggacg gcccgaaggt caagcagtgg cccctgtaag 1860
aattc 1865

<210> 79
<211> 1865
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: GP2

<400> 79
gtcgacgccca ccatgggccc ccgcccagc gtgctgagcg gggcgagct ggacaagtgg 60
gagaagatcc gectgcgccc cggcggcaag aagaagtaca agctgaagca catcgtgtgg 120
gccagcccgcg agctggagcg cttcgccgtg aaccccggcc tgctggagac cagcgagggc 180
tgccgccaga tccctgggcca gctgcagccc agcctgcaga ccggcagcga ggagctgcgc 240
agcctgtaca acaccgtggc caccctgtac tgcgtgcacc agcgcacgca cgtcaaggac 300
accaaggagg ccctggagaa gatcgaggag gagcagaaca agtccaagaa gaaggcccag 360
caggcccgccg ccgcccggcg caccggcaac agcagccagg tgagccagaa ctaccccatc 420
gtgcagaacc tgcagggcca gatggtgcac caggccatca gcccgcgac cctgaacgcc 480
tgggtgaagg tgggtgagga gaaggccttc agcccggagg tgatcccat gttcagcgcc 540
ctgagcgagg gcgccacccc ccaggacctg aacacgatgt tgaacaccgt gggcgccac 600
caggccgccca tgcagatgct gaaggagacc atcaacgagg aggcgcgcca gtgggaccgc 660
gtgcaccccgc tgcacgcccgc ccccatcgcc cccggccaga tgcgcgagcc ccgcccagc 720
gacatcgccg gcaccaccag caccctgcag gagcagatcg gctggatgac caacaacccc 780
cccaccccgc tgggcgagat ctacaagcgg tggatcatcc tgggcctgaa caagatcgtg 840
cggatgtaca gcccaccag catcctggac atccgcccagg gcccgaagga gcccttccgc 900
gactacgtgg accgcttcta caagaccctg cgcgctgagc aggcagcca ggacgtgaag 960
aactggatga ccgagaccct gctggtgcag aacgccaacc ccgactgcaa gaccatccctg 1020
aaggctctcg gcccgcggc caccctggag gagatgatga ccgctgccca gggcgtgggc 1080
ggccccggcc acaaggcccgc cgtgctggcc gaggcgatga gccaggtgac gaacccggcg 1140
accatcatga tgcagcgcgg caacttccgc aaccagcgga agaccgtcaa gtgcttcaac 1200
tgccggcaagg agggccacac cgcaggaac tgcgcgccc cccgcaagaa gggctgctgg 1260
cgctgcggcc gcgaaggaca ccaaatgaaa gattgcactg agagacaggc taatttttta 1320
gggaagatct ggccttccca caagggaagg ccagggaatt ttcttcagag cagaccagag 1380
ccaacagccc caccagaaga gagcttcagg tttggggagg agaaaacaac tccctctcag 1440
aagcaggagc cgatagacaa ggaactgtat cctttaactt cctcagatc actctttggc 1500
aacgacccct cgtcacagta aggatcgggg ggcaactcaa ggaagcgctg ctcgatacag 1560
gagcagatga tacagtatta gaagaaatga atttgccagg aaaatggaaa ccaaaaatga 1620
taggggggat cgggggcttc atcaaggatga ggcagtacga ccagatacct gtagaaatct 1680
gtggacataa agctataggt acagtattag taggacctac acctgtcaac ataattggaa 1740
gaaatctgtt gaccagatc ggctgcacct tgaacttccc catcagccct attgagacgg 1800
tgcccgtgaa gttgaagccg gggatggacg gcccgaaggt caagcaatgg ccattgtaag 1860
aattc 1865

<210> 80
<211> 2305
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:
FS(+).proinact.RTopt.YM

<400> 80
gcggccgcga aggacaccaa atgaaagatt gcactgagag acaggctaatt tttttaggga 60
agatctggcc ttctacaag ggaaggccag ggaattttct tcagagcaga ccagagccaa 120
cagccccacc agaagagagc ttcaggtttg gggaggagaa aacaactccc tctcagaagc 180
aggagccgat agacaaggaa ctgtatcctt taacttccct cagatcactc tttggcaacg 240

```

acccctcgtc acaataagga tcgggggggca actcaaggaa gcgctgctcg atacaggagc 300
agatgatata gtattagaag aaatgaattt gccaggaaaa tggaaaccaa aaatgatagg 360
ggggatcggg ggcttcatca aggtgaggca gtacgaccag atacctgtag aaatctgtgg 420
acataaagct ataggtacag tattagtagg acctacacct gtcaacataa ttggaagaaa 480
tctgttgacc cagatcggct gcaccttgaa cttccccatc agccctattg agacggtgcc 540
cgtgaagttg aagccgggga tggacggccc caaggtcaag caatggccat tgaccgagga 600
gaagatcaag gccctggtgg agatctgcac cgagatggag aaggagggca agatcagcaa 660
gatcggcccc gagaaccctt acaacacccc cgtgttcgcc atcaagaaga aggacagcac 720
caagtggcgc aagctggtgg acttccgcga gctgaacaag cgcacccagg acttctggga 780
ggtgcagctg ggcattcccc accccgcccg cctgaagaag aagaagagcg tgaccgtgct 840
ggacgtgggc gacgcctact tcagcgtgcc cctggacaag gacttccgca agtacaccgc 900
cttcaccatc cccagcatca acaacgagac ccccgccatc cgctaccagt acaacgtgct 960
gccccagggc tggaaagggc gccccgccat cttccagagc agcatgacca agatcctgga 1020
gcccttccgc aagcagaacc ccgacatcgt gatctaccag gccccctgt acgtgggcag 1080
cgacctggag atcggccagc accgcaccaa gatcgaggag ctgcgccagc acctgctgct 1140
ctggggcttc accacccccg acaagaagca ccagaaggag ccccccttcc tgtggatggg 1200
ctacgagctg caccgccaca agtggaccgt gcagcccatc atgctgcccc agaaggacag 1260
ctggaccgtg aacgacatcc agaagctggt gggcaagctg aactgggcca gccagatcta 1320
cgccggcatc aaggtgaagc agctgtgcaa gctgtgcgc ggcaccaagg ccctgaccga 1380
ggtgatcccc ctgaccgagg agggcgagct ggagctggcc gagaaccgcg agatcctgaa 1440
ggagccccgt cagcaggtgt actacgaccc cgcaaggagc ctggtggccc agatccagaa 1500
gcagggccag ggccagtgga cctaccagat ctaccaggag cccttcaaga acctgaagac 1560
cggcaagtac gcccgcctgc gcggcgccca caccaacgac gtgaagcagc tgaccgaggc 1620
cgtgcagaag gtgagcaccg agagcatcgt gatctggggc aagatcccca agttcaagct 1680
gcccattccg aaggagacct gggaggcctg gtggatggag tactggcagg ccacctggat 1740
ccccgagtgg gagttcgtga acaccccccc cctggtgaag ctgtggtacc agctggagaa 1800
ggagccccatc gtgggcgcgc agaccttcta cgtggacggc gccgccaacc gcgagaccaa 1860
gctgggcaag gccggctacg tgaccgaccg gggccggcag aaggtggtga gcacgcccga 1920
caccaccaac cagaagaccg agctgcaggc catccacctg gccctgcagg acagcggcct 1980
ggaggtgaac atcgtgaccg acagccagta cgccctgggc atcatccagg cccagcccga 2040
caagagcgag agcgagctgg tgagccagat catcgagcag ctgatcaaga aggagaaggt 2100
gtacctggcc tgggtgcccg cccacaaggc catcgggcgc aacgagcagg tggacaagct 2160
ggtgagcgcc ggcattccgca aggtgctggt cctgaacggc atcgatggcg gcacgtgat 2220
ctaccagtac atggacgacc tgtacgtggg cagcggcggc cctaggatcg attaaaagct 2280
tcccggggct agcaccggtg aattc 2305

```

<210> 81

<211> 2299

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

FS(+).proinact.RTOpt.YMWM

<400> 81

```

gcggccgcga aggacaccaa atgaaagatt gcactgagag acaggctaatt tttttagggg 60
agatctggcc ttctacaag ggaaggccag ggaattttct tcagagcaga ccagagccaa 120
cagccccacc agaagagagc ttcaggtttg gggaggagaa aacaactccc tctcagaagc 180
aggagccgat agacaaggaa ctgtatcctt taacttccct cagatcactc tttggcaacg 240
acccctcgtc acaataagga tcgggggggca actcaaggaa gcgctgctcg atacaggagc 300
agatgatata gtattagaag aaatgaattt gccaggaaaa tggaaaccaa aaatgatagg 360
ggggatcggg ggcttcatca aggtgaggca gtacgaccag atacctgtag aaatctgtgg 420
acataaagct ataggtacag tattagtagg acctacacct gtcaacataa ttggaagaaa 480
tctgttgacc cagatcggct gcaccttgaa cttccccatc agccctattg agacggtgcc 540
cgtgaagttg aagccgggga tggacggccc caaggtcaag caatggccat tgaccgagga 600
gaagatcaag gccctggtgg agatctgcac cgagatggag aaggagggca agatcagcaa 660
gatcggcccc gagaaccctt acaacacccc cgtgttcgcc atcaagaaga aggacagcac 720
caagtggcgc aagctggtgg acttccgcga gctgaacaag cgcacccagg acttctggga 780

```

```

ggtgcagctg ggcaccccc accccgcccg cctgaagaag aagaagagcg tgaccgtgct 840
ggacgtgggc gacgcctact tcagcgtgcc cctggacaag gacttccgca agtacaccgc 900
cttcaccatc cccagcatca acaacgagac ccccgccatc cgctaccagt acaacgtgct 960
gccccagggc tggaagggca gcccgcctat cttccagagc agcatgacca agatcctgga 1020
gcccctccgc aagcagaacc ccgacatcgt gatctaccag gccccctgt acgtgggcag 1080
cgacctggag atcgcccgag accgcaccaa gatcgaggag ctgcgccagc acctgctgcg 1140
ctggggcttc accacccccg acaagaagca ccagaaggag ccccccttcc tgcccatcga 1200
gctgcacccc gacaagtggg ccgtgcagcc catcatgctg cccgagaagg acagctggac 1260
cgtgaacgac atccagaagc tgggtgggcaa gctgaactgg gccagccaga tctacgccgg 1320
catcaaggtg aagcagctgt gcaagctgct ggcgcggcacc aaggccctga ccgaggtgat 1380
ccccctgacc gaggaggccg agctggagct ggccgagaac cgcgagatcc tgaaggagcc 1440
cgtgcacgag gtgtactacg accccagcaa ggacctggtg gccgagatcc agaagcaggg 1500
ccagggccag tggacctacc agatctacca ggagcccttc aagaacctga agaccggcaa 1560
gtacgcccgc atgcgcggcg ccacaccaa cgacgtgaag cagctgaccg aggccgtgca 1620
gaaggtgagc accgagagca tcgtgatctg gggcaagatc cccaagttca agctgccccat 1680
ccagaaggag acctgggagg cctggtggat ggagtactgg caggccacct ggatccccga 1740
gtgggagttc gtgaacaccc cccccctggt gaagctgtgg taccagctgg agaaggagcc 1800
catcgtgggc gccgagacct tctacgtgga cggcgccgcc aaccgcgaga ccaagctggg 1860
caaggccggc tacgtgaccg accggggccg gcagaagggt gtgagcatcg ccgacaccac 1920
caaccagaag accgagctgc aggccatcca cctggccctg caggacagcg gcctggaggt 1980
gaacatcgtg accgacagcc agtacgccct gggcatcatc caggcccagc ccgacaagag 2040
cgagagcgag ctggtgagcc agatcatcga gcagctgac aagaaggaga aggtgtacct 2100
ggcctgggtg cccgcccaca agggcatcgg cggcaacgag caggtggaca agctgggtgag 2160
cgccggcatc cgcaaggtgc tgttccctgaa cggcatcgat ggcggcatcg tgatctacca 2220
gtacatggac gacctgtacg tgggcagcgg cggccctagg atcgattaaa agcttcccgg 2280
ggctagcacc ggtgaattc

```

<210> 82

<211> 2306

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

FS(-).protmod.RTopt.YM

<400> 82

```

gcggcccgca aggacaccaa atgaaagatt gcactgagag acaggctaata ttcttccgcg 60
aggacctggc cttcctgcag ggcaaggccc gcgagttcag cagcgagcag acccgcgcca 120
acagcccccac ccgcccgcag ctgcaggtgt ggggcggcga gaacaacagc ctgagcgagg 180
ccggcgccga ccgcccaggc accgtgagct tcaacttccc ccagatcacc ctgtggcagc 240
gccccctggt gacctcagg atcgccggcc agctcaagga ggcgctgctc gacaccggcg 300
ccgacgacac cgtgctggag gagatgaacc tgcccggcaa gtggaagccc aagatgatcg 360
gcgggatcgg gggcttcac aaggtgcgcc agtacgacca gatccccgtg gagatctgcg 420
gccacaaggc catcgccacc gtgctggtgg gccccacccc cgtgaacatc atcgcccgca 480
acctgctgac ccagatcggc tgaccctga acttccccat cagccccatc gagacggtgc 540
ccgtgaagct gaagccgggg atggacggcc ccaaggtcaa gcagtggccc ctgaccgagg 600
agaagatcaa ggccctggtg gagatctgca ccgagatgga gaaggagggc aagatcagca 660
agatcgggcc cgagaacccc tacaacaccc ccgtgttcgc catcaagaag aaggacagca 720
ccaagtggcg caagctggtg gacttccgcy agctgaacaa gcgcacccag gacttctggg 780
aggtgcagct gggcatcccc caccocggcg gcctgaagaa gaagaagagc gtgaccgtgc 840
tggaactggg cgacgcctac ttcagcgtgc ccctggacaa ggacttccgc aagtacaccg 900
ccttcaccat cccagcatc aacaacgaga ccccgccat ccgctaccag tacaacgtgc 960
tgccccaggg ctggaagggc agccccgcca tcttcagag cagcatgacc aagatcctgg 1020
agccccttcg caagcagaac cccgacatcg tgatctacca gggccccctg tacgtgggca 1080
gcgacctgga gatcgggcag caccgcacca agatcgagga gctgcgccag cacctgctgc 1140
gctggggctt caccaccccc gacaagaagc accagaagga gcccccttc ctgtggatgg 1200
gctacgagct gcaccccgac aagtggaccg tgcagcccat catgctgccc gagaaggaca 1260
gctggaccgt gaacgacatc cagaagctgg tgggcaagct gaactggggc agccagatct 1320

```

```

acgccggcat caaggtgaag cagctgtgca agctgctgcg cggcaccaag gccctgaccg 1380
aggatgaccc cctgaccgag gaggccgagc tggagctggc cgagaaccgc gagatcctga 1440
aggagcccgat gcacgaggtg tactacgacc ccagcaagga cctggtggcc gagatccaga 1500
agcaggggcca gggccagtggt acctaccaga tctaccagga gcccttcaag aacctgaaga 1560
ccggcaagta cggccgcatg cggcgccgcc acaccaacga cgtgaagcag ctgaccgagg 1620
ccgtgcagaa ggtgagcacc gagagcatcg tgatctgggg caagatcccc aagttcaagc 1680
tgcccatcca gaaggagacc tgggagccct ggtggatgga gtactggcag gccacctgga 1740
tccccgagtg ggagttcgtg aacaccccc cctggtgaa gctgtggtac cagctggaga 1800
aggagcccat cgtggggcgc gagaccttct acgtggacgg cggccccaac cgcgagacca 1860
agctggggcaa ggccggctac gtgaccgacc gggggccggca gaaggtggtg agcatcgccg 1920
acaccaccaa ccagaagacc gagctgcagg ccatccacct ggccctgcag gacagcggcc 1980
tggaggtgaa catcgtgacc gacagccagt acgcccctggg catcatccag gccagcccg 2040
acaagagcga gagcgagctg gtgagccaga tcatcgagca gctgatcaag aaggagaagg 2100
tgtacctggc ctgggtgccc gccacaaagg gcatcgccgg caacgagcag gtggacaagc 2160
tggtagcgcg cggcatccgc aaggtgctgt tcctgaacgg catcgatggc ggcacgtgta 2220
tctaccagta catggacgac ctgtacgtgg gcagcgccgg ccctaggatc gattaaaagc 2280
ttccccgggc tagcaccggt gaattc 2306

```

<210> 83

<211> 2300

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

FS(-).protmod.RTopt.YMWM

<400> 83

```

gcggccgcga aggacaccaa atgaaagatt gcactgagag acaggctaatt ttcttcgcgc 60
aggacctggc cttcctgcag ggcaaggccc ggcagttcag cagcgagcag acccgccca 120
acagcccccac ccgcccgcag ctgcaggtgt ggggcggcga gaacaacagc ctgagcgagg 180
ccggcgccga ccgcccgggc accgtgagct tcaacttccc ccagatcacc ctgtggcagc 240
gccccctggt gaccatcagg atcgccggcc agctcaagga ggcgctgctc gacaccggcg 300
ccgacgacac cgtgctggag gagatgaacc tgcccggcaa gtggaagccc aagatgatcg 360
gcgggatcgg gggcttcacg aaggtgcggc agtacgacca gatccccgtg gagatctgcg 420
gccacaaggc catcggcacc tgctggtggg gccccacccc cgtgaacatc atcgcccgca 480
acctgtgacg ccagatcgcc tgcaacctga acttccccat cagccccatc gagacggtgc 540
ccgtgaagct gaagccgggg atggacggcc ccaaggtcaa gcagtggccc ctgaccgagg 600
agaagatcaa ggccctggtg gagatctgca ccgagatgga gaaggagggc aagatcagca 660
agatcgccccc cgagaacccc tacaacaccc ccgtgttcgc catcaagaag aaggacagca 720
ccaagtggcg caagctggtg gacttccgcg agctgaacaa gcgcacccag gacttctggg 780
aggtgcagct gggcatcccc caccggcgcc gcctgaagaa gaagaagagc gtgaccgtgc 840
tggacgtggg cgacgcctac ttcagcgtgc cctggacaa ggacttccgc aagtaaccg 900
ccttcacat cccagcatc aacaacgaga ccccgccat ccgctaccag tacaacgtgc 960
tgccccaggg ctggaagggc agccccgcca tcttccagag cagcatgacc aagatcctgg 1020
agcccttccg caagcagaac cccgacatcg tgatctacca ggccccctg tacgtgggca 1080
gcgacctgga gatcgccag caccgcacca agatcgagga gctgcgccag cacctgctgc 1140
gctggggctt caccaccccc gacaagaagc accagaagga gcccccttc ctgcccacg 1200
agctgcaccc cgacaagtgg accgtgcagc ccatcatgct gcccgagaag gacagctgga 1260
ccgtgaacga catccagaag ctggtgggca agctgaactg ggccagccag atctacgccg 1320
gcatcaaggt gaagcagctg tgcaagctgc tgccgcccac caaggccctg accgaggtga 1380
tccccctgac cgaggaggcc gagctggagc tggccgagaa ccgcgagatc ctgaaggagc 1440
ccgtgcacga ggtgtactac gaccccagca aggacctggt ggccgagatc cagaagcagg 1500
gccagggcca gtggacctac cagatctacc aggaacctt caagaacctg aagaccggca 1560
agtcagcccc ctgcccggc gccacacca acgacgtgaa gcagctgacc gaggccgtgc 1620
agaaggtgag caccgagagc atcgtgatct ggggcaagat cccaagtgc aagctgccc 1680
tccagaagga gacctgggag gcctggtgga tggagtactg gcaggccacc tggatccccg 1740
agtgggagtt cgtgaacacc cccccctgg tgaagctgtg gtaccagctg gagaaggagc 1800
ccatcgtggg cgccgagacc ttctacgtgg acggcgccgc caaccgcgag accaagctgg 1860

```



```

gcaaggccgg ctacgtgacc gaccggggcc ggcagaaggt ggtgagcatc gccgacacca 1920
ccaaccagaa gaccgagctg caggccatcc acctggccct gcaggacagc ggcctggagg 1980
tgaacatcgt gaccgacagc cagtacgccc tgggcatcat ccaggccag cccgacaaga 2040
gcgagagcga gctggtgagc cagatcatcg agcagctgat caagaaggag aaggtgtacc 2100
tggcctgggt gcccgccac aagggcatcg gcggcaacga gcagggtggac aagctggtga 2160
gcgcccggcat ccgcaagggt ctgttcctga acggcatcga tggcggcatc gtgatctacc 2220
agtacatgga cgacctgtac gtgggcagcg gcggccctag gatcgattaa aagcttcccc 2280
gggctagcac cgtgaattc                                     2300

```

<210> 84

<211> 2312

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

FS (-).protmod.RTopt (+)

<400> 84

```

gcggcccgga aggacaccaa atgaaagatt gactgagag acaggctaatt ttcttccgcg 60
aggacctggc cttcctgcag ggcaaggccc gcgagttcag cagcgagcag acccgcgcca 120
acagccccac ccgcccgcag ctgcaggtgt gggcgggcga gaacaacagc ctgagcgagg 180
ccggcgccga ccgccagggc accgtgagct tcaacttccc ccagatcacc ctgtggcagc 240
gccccctggt gaccatcagg atcgggcgcc agctcaagga ggcgctgctc gacaccggcg 300
ccgacgacac cgtgctggag gagatgaacc tgcccgga gtggaagccc aagatgatcg 360
gcgggatcgg gggcttcac aaggtgcggc agtacgacca gatccccgtg gagatctgcg 420
gccacaaggc catcggcacc gtgctggtgg gccccacccc cgtgaacatc atcgggccga 480
acctgctgac ccagatcggc tgcacctga acttccccat cagccccatc gagacggtgc 540
ccgtgaagct gaagccgggg atggacggcc ccaaggtcaa gcagtggccc ctgaccgagg 600
agaagatcaa ggccttgggt gagatctgca ccgagatgga gaaggagggc aagatcagca 660
agatcgcccc cgagaacccc tacaacaccc ccgtgttcgc catcaagaag aaggacagca 720
ccaagtggcg caagctgggt gacttccgcg agctgaacaa gcgcaccag gacttctggg 780
aggtgcagct gggcatcccc caccgcccgc ccctgaagaa gaagaagagc gtgaccgtgc 840
tggacgtggg cgagcgctac ttcagcgtgc ccctggacaa ggacttccgc aagtacaccg 900
ccttcacat ccccgatc aacaacgaga ccccgggcat ccgctaccag tacaacgtgc 960
tgccccaggg ctggaagggg agccccgcca tcttccagag cagcatgacc aagatcctgg 1020
agcccttccg caagcagaac cccgacatcg tgatctacca gtacatggac gacctgtacg 1080
tgggcagcga cctggagatc ggcagcacc gcaccaagat cgaggagctg cgccagcacc 1140
tgctgcgctg gggcttcacc acccccgaca agaagcacca gaaggagccc cccttctctgt 1200
ggatgggcta cgagctgcac cccgacaagt ggaccgtgca gcccatcatg ctgcccgaga 1260
aggacagctg gaccgtgaac gacatccaga agctgggtggg caagctgaac tgggcccagcc 1320
agatctacgc cggcatcaag gtgaagcagc tgtgcaagct gctgcgcggc accaaggccc 1380
tgaccgaggt gatccccctg accgaggagg ccgagctgga gctggccgag aaccgcgaga 1440
tcctgaagga gcccgtgcac gaggtgtact acgaccccag caaggacctg gtggccgaga 1500
tccagaagca gggccagggc cagtggacct accagatcta ccaggagccc ttcaagaacc 1560
tgaagaccgg caagtacgcc cgcctgcgcg gcgcccacac caacgacgtg aagcagctga 1620
ccgaggccgt gcagaagggt agcaccgaga gcacgtgat ctggggcaag atccccaaat 1680
tcaagctgcc catccagaag gagacctggg aggcctgggt gatggagtac tggcaggcca 1740
cctggatccc cgagtgggag ttcgtgaaca cccccccct ggtgaagctg tggtagcagc 1800
tggagaagga gcccatcgtg ggcgcccaga ccttctacgt ggacggcgcc gccaacggcg 1860
agaccaagct gggcaaggcc ggctacgtga ccgaccgggg ccggcagaag gtggtgagca 1920
tcgcccagac caccaaccag aagaccgagc tgcaggccat ccacctggcc ctgcaggaca 1980
gcggcctgga ggtgaacatc gtgaccgaca gccagtagc cctgggcatc atccaggccc 2040
agcccgacaa gagcgagagc gagctggtga gccagatcat cgagcagctg atcaagaagg 2100
agaagggtga cctggcctgg gtgcccggcc acaaggggcat cggcggaac gagcaggtgg 2160
acaagctggt gagcgccggc atccgcaagg tgctgttcct gaacggcatc gatggcggca 2220
tcgtgatcta ccagtacatg gacgacctgt acgtgggcag cggcgccctc aggatcgatt 2280
aaaagcttcc cggggctagc accggtgaat tc                                     2312

```

<210> 85
 <211> 306
 <212> DNA
 <213> Human immunodeficiency virus

<400> 85
 atggagccag tagatcctag attagagccc tggaagcacc caggaagtca gcctaagact 60
 gcttgtaaca attgctattg taaaaagtgt tgctttcatt gccaggttg tttcataaca 120
 aaaggcttag gcatctccta tggcaggaag aagcggagac agcgacgaag agctcctcca 180
 gacagtggagg ttcatacaagt tttctacca aagcaacccg cttccagacc ccaaggggac 240
 ccgacaggcc cgaaggaatc gaagaagaag gtggagagag agacagagac agatccagtc 300
 cattag 306

<210> 86
 <211> 101
 <212> PRT
 <213> Human immunodeficiency virus

<400> 86
 Met Glu Pro Val Asp Pro Arg Leu Glu Pro Trp Lys His Pro Gly Ser
 1 5 10 15
 Gln Pro Lys Thr Ala Cys Thr Asn Cys Tyr Cys Lys Lys Cys Cys Phe
 20 25 30
 His Cys Gln Val Cys Phe Ile Thr Lys Gly Leu Gly Ile Ser Tyr Gly
 35 40 45
 Arg Lys Lys Arg Arg Gln Arg Arg Arg Ala Pro Pro Asp Ser Glu Val
 50 55 60
 His Gln Val Ser Leu Pro Lys Gln Pro Ala Ser Gln Pro Gln Gly Asp
 65 70 75 80
 Pro Thr Gly Pro Lys Glu Ser Lys Lys Lys Val Glu Arg Glu Thr Glu
 85 90 95
 Thr Asp Pro Val His
 100

<210> 87
 <211> 306
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: tat.SF162.opt

<400> 87
 atggagcccg tggacccccg cctggagccc tggaagcacc ccggcagcca gcccaagacc 60
 gcctgcacca actgctactg caagaagtgc tgcttccact gccaggtgtg cttcatcacc 120
 aagggcctgg gcatcagcta cggccgcaag aagcggcggc agcggcgccg cgcccccccc 180
 gacagcgagg tgcaccaggt gagcctgccc aagcagcccc ccagccagcc ccagggcgac 240
 cccaccggcc ccaaggagag caagaagaag gtggagcgcg agaccgagac cgaccccggtg 300
 cactag 306

<210> 88
 <211> 306

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

tat.cys22.SF162.opt

<400> 88

```

atggagcccc tggaccccc cctggagccc tggaaagcacc cgggcagcca gccaagacc 60
gccggcacca actgctactg caagaagtgc tgcttccact gccaggtgtg cttcatcacc 120
aagggcctgg gcatcagcta cggccgcaag aagcgccgcc agcgccgcc cgccccccc 180
gacagcgagg tgcaccaggt gagcctgccc aagcagcccc ccagccagcc ccagggcgac 240
cccaccggcc ccaaggagag caagaagaag gtggagcgcg agaccgagac cgaccccggtg 300
cactag                                           306

```

<210> 89

<211> 168

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:

tatamino.SF162.opt

<400> 89

```

atggagcccc tggaccccc cctggagccc tggaaagcacc cgggcagcca gccaagacc 60
gcctgcacca actgctactg caagaagtgc tgcttccact gccaggtgtg cttcatcacc 120
aagggcctgg gcatcagcta cggccgcaag aagcgccgcc agcgccgc 168

```

<210> 90

<211> 102

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: tat cys22

SF162 protein

<400> 90

```

Met Glu Pro Val Asp Pro Arg Leu Glu Pro Trp Lys His Pro Gly Ser
  1             5             10             15

```

```

Gln Pro Lys Thr Ala Gly Thr Asn Cys Tyr Cys Lys Lys Cys Cys Phe
      20             25             30

```

```

His Cys Gln Val Cys Phe Ile Thr Lys Gly Leu Gly Ile Ser Tyr Gly
      35             40             45

```

```

Arg Lys Lys Arg Arg Gln Arg Arg Ala Pro Pro Asp Ser Glu Val
      50             55             60

```

```

His Gln Val Ser Leu Pro Lys Gln Pro Ala Ser Gln Pro Gln Gly Asp
      65             70             75             80

```

```

Pro Thr Gly Pro Lys Glu Ser Lys Lys Lys Val Glu Arg Glu Thr Glu
      85             90             95

```

```

Thr Asp Pro Val His Glx
      100

```